

PERKO



perkins marine

lamp and hardware
corporation

(ESTABLISHED 1907 —
INCORPORATED 1917)



CATALOG NO. 220

SECTION — A
LIGHTS FOR VESSELS
UNDER 65 FEET

SECTION — B
LIGHTS FOR VESSELS
OVER 65 FEET

SECTION — C
SPARE PARTS
FOR LIGHTS

SECTION — D
ELECTRIC FITTINGS
AND FIXTURES

SECTION — E
SEARCHLIGHTS

SECTION — F
BLOWERS, VENTS
DRAINS, PUMPS, ETC.

SECTION — G
STOVES, SINKS,
WINDOWS, BELLS, ETC.

SECTION — H
STEERING EQUIPMENT
STRAINERS
UNDERWATER
FITTINGS

SECTION — I
DECK HARDWARE
CLEATS, CHOCKS,
BOW EYES,
RAIL FITTINGS

SECTION — J
CABINET &
DOOR HARDWARE
LOCKS, HINGES, ETC.

SECTION — K
FISHING
EQUIPMENT

SECTION — L
CHROMALEX
FITTINGS

SECTION — M
SKIN PACK

SECTION — N
INDEXES

Factory and Main Office
16490 Northwest 13th Avenue • P. O. Box D
Miami, Florida • 33164

Telephone
Area Code 305 — 621-7525

Cable Address
"PERKO" Northmiamiflorida

Manufacturers of SHIP AND BOAT EQUIPMENT
NAVIGATION LIGHTS
MARINE HARDWARE
FOR ALL SIZES AND TYPES OF VESSELS

COPYRIGHT 1972 in U.S. and Canada
by Perkins Marine Lamp and Hardware Corp.



PERKO

GENERAL INFORMATION

PRICES AND TERMS

Our costs are subject to change due to causes beyond our control. The prices listed herein are only intended for guidance of our jobbers and do not necessarily establish resale prices. Applicable government regulations, shipping costs and other complications should be considered in arriving at a fair price. **Prices are subject to change without notice.** Terms are 30 days net; 2% if payment is sent 10 days from date of invoice.

GUARANTEE

Every item bearing our trade-mark is guaranteed against defects at time of shipment. In case of defects, adjustments will gladly be made, provided the material is returned to our factory and repairs have not been attempted by other than our own workmen.

SALES POLICY

PERKO Products are sold through our established Distributors. We do not sell direct to the public or organizations not entitled to trade recognition. Therefore, possession of this catalog does not infer an offer to sell. Please contact your local marine supplier.

PHONE & MAIL ORDERS

Our first concern is to fill your orders accurately and quickly. To help us attain this, we ask your cooperation in providing full and complete information as to your requirements.

DESIGNS

For the purpose of constant improvement in our products, the designs and specifications are subject to change without notice.

RETURN GOODS

Material made to order is not returnable. Stock material is only returnable when permission has been granted by us, and is subject to a handling and refinishing charge. Shipping charges must be prepaid. Be sure to give date and number of invoice. Permission must be requested within 30 days after receipt of material.

WEIGHTS

The weights given in this catalog are not guaranteed, but have been carefully determined and should be sufficient for general purposes.

RATING

Orders from firms unknown to us and having no satisfactory commercial credit rating must be accompanied by cash or satisfactory references. C.O.D. shipments will be made if a 25% deposit is sent with order.

SHIPPING INSTRUCTIONS

Customers should send specific shipping instructions, if this is not done, we will use our own judgment in selecting route.

SHIPMENTS

F.O.B. OUR PLANT, MIAMI, FLORIDA, unless quoted otherwise. We are not responsible for damage, loss or delay after goods are delivered to carrier. When loss or delay occurs, we will gladly assist in tracing or expediting, but such assistance is not criterion of responsibility.

When there is LOSS OR APPARENT VISIBLE DAMAGE to a shipment, when tendered for delivery, DO NOT give the carrier a clear receipt. Note such damage on the carrier's delivery receipt and HAVE THE DRIVER SIGN THE RECEIPT. If a photo-copy machine is available, it would be wise to make a copy of the signed receipt.

CONCEALED DAMAGE OR LOSS

1. Advise the delivering carrier in writing as soon as discovered or at least no more than 15 days after delivery, and request carrier to make an inspection.
2. If verbal request is made, keep a written record of date of request and name of carrier's employee to whom it was directed.
3. RETAIN for the carrier's inspection, the CONTAINER and ALL PACKING that the damaged or lost material was packaged in.
4. DO NOT SIGN the carrier's Inspection Report unless it agrees in all details with your knowledge of the circumstances.
5. File claim promptly. Include a copy of the Inspection Report, Bill of Lading, Freight Bill and Invoice.

COPYRIGHT

This catalog including all of its illustrations, form and data is protected by copyright. Same may not be reproduced in other catalogs, circulars, leaflets, etc., without our written permission.



Directors



MARVIN S. PERKINS
President



WM. J. MURPHY
Vice President and
Gen'l Sales Manager




NATHAN LIPPMAN
Secretary & Treasurer



LEROY F. HOLLENBECK
Vice President
Manufacturing

Staff



JOHN P. RUSH
Asst. Gen'l Sales Mgr.



EMILY MANDELION
Sales



ALLEN W. MATTHEWS, JR.
Asst. Sales Mgr.
O. E. M. Division



JOSE MARTINEZ
Export Mgr.



K. TIMOTHY LePAGE
Purchasing Mgr.

Sales Representatives

PACIFIC AND WESTERN AREA



ROLAND E. McCUNE



JAMES K. DUGAN

McCune - Western Inc.
Roland E. McCune
801 San Antonio Road
Palo Alto, Calif. 94303
Phone 415 - 327-8131

McCune Western Inc.
James K. Dugan
892 West 18th St.
Costa Mesa, Calif. 92627
Phone 714 - 642-2655

California
Nevada
Utah
Colorado
Arizona
New Mexico
Hawaii



RALPH K. BERINGER

John B. Merifield Co.
Ralph K. Beringer
927 N. W. 50th St.
P. O. Box 70626
Seattle, Wash. 98107
Phone 206 - 789-1800

Washington
Oregon
Idaho
Montana
Wyoming
Br. Columbia
Alberta
Alaska

GULF COAST AREA



ROBERT F. TRANCHIN

F. F. Tranchina Co., Inc.
Robert F. Tranchin
8100 Sovereign Row
Dallas, Texas 75247
Phone 214 - 631-5123

F. F. Tranchina Co., Inc.
Girard T. Tranchin
1005 Magazine St.
New Orleans, La. 70130
Phone 504 - 524-7451

F. F. Tranchina Co., Inc.
Harold Bube
1121 Regent Drive
Birmingham, Ala. 35226
Phone 205 - 822-5851

F. F. Tranchina Co., Inc.
Robert J. Bartlett
11235 Sageking Drive
Houston, Texas 77034
Phone 713 - 481-4802

F. F. Tranchina Co., Inc.
Frank Marnhout
P. O. Box 40193
Nashville, Tenn. 37204
Phone 615 - 832-3591

F. F. Tranchina Co., Inc.
Alvin Parker
115 Lawrence Drive
Haughton, La. 71037
Phone 318 - 949-3727

Alabama
Mississippi
Tennessee
Louisiana
Texas



GIRARD T. TRANCHIN

SOUTHERN EAST COAST AREA

Henry S. Gartner
P. O. Box 1699
Ft. Lauderdale, Fla. 33302
Phone 305 - 522-8145



HENRY S. GARTNER



EARL V. ARONSON



GEORGE P. BUNNELL

Earl V. Aronson
500 Brown Road
Anderson, So. Car. 29621
Phone 803 - 226-7752

George P. Bunnell
P. O. Box 611
Vero Beach, Fla. 32960
Phone 305 - 562-5441

Florida — Georgia — North and South Carolina

Herbert M. Hill
P. O. Box 340
Buffalo, N.Y. 14240
Phone 416 - 382-3734



HERBERT M. HILL



WM. T. ENRIGHT



EDWARD J. SHELDON

Wm. T. Enright
4937 Pine Ridge Road
Toledo Ohio 43615
Phone 419 - 841-3710

Edward J. Sheldon
4280 St. Paul Blvd.
Rochester, N.Y. 14617
Phone 716 - 467-7369

EASTERN AREA

New York State — Western Pennsylvania — Ohio — West Virginia — Michigan

**MID-WEST AREA
Western Division**

Midwestern Sales Co.
W. Wm. Graham
7819 Wornall Road
Kansas City, Mo. 64114
Phone 816 - 363-1169



W. WM. GRAHAM

Missouri — Kansas
Iowa — Oklahoma
Arkansas — Nebraska
No. and So. Dakota

**MID-WEST AREA
Central Division**

Wm. D. Greene
730 No. Waukegan Rd.
P. O. Box 257
Deerfield, Ill. 60015
Phone 312 - 945-0545



WM. D. GREENE

Illinois — Indiana
Wisconsin — Minnesota
Kentucky

MID-ATLANTA AREA

Raymond J. Murphy
946 Bayside
Rockaway Point,
New York 11697
Phone 212 - 474-6933



RAYMOND J. MURPHY

New York City
Long Island, N. Y.
New Jersey — Delaware
Maryland
Eastern Pennsylvania

NEW ENGLAND AREA

Wm. K. Carswell
51 Old Road
Eliot, Maine 03903
Phone 207 - 439-3623



WM. K. CARSWELL

Maine — New Hampshire
Massachusetts
Rhode Island
Connecticut

EQUIPMENT REQUIREMENTS

FROM U.S. COAST GUARD (CG-290) DATED FEBRUARY 1972

MEASURING FOR "CLASS"

For determining "class" the length of a boat is the distance measured from end to end over the deck excluding sheer. It means a straight line measurement of the overall length from the foremost part of the vessel to the aftermost part of the vessel, measured parallel to the centerline. Bowsprits, bumpkins, rud-

ders, outboard motors and brackets, and similar fittings or attachments are not to be included in the measurement.

For additional information see "Recreation Boating Guide" (CG-340) or inquire at any Coast Guard Marine Inspection office.

Minimum Required Equipment

EQUIPMENT	CLASS A (Less than 16 feet)	CLASS 1 (16 feet to less than 26 feet)	CLASS 2 (26 feet to less than 40 feet)	CLASS 3 (40 feet to not more than 65 feet)
BACK-FIRE FLAME ARRESTOR	One approved device on each carburetor of all gasoline engines installed after April 25, 1940, except outboard motors.			
VENTILATION	At least two ventilator ducts fitted with cowls or their equivalent for the purpose of properly and efficiently ventilating the bilges of every engine and fuel-tank compartment of boats constructed or decked over after April 25, 1940, using gasoline or other fuel of a flashpoint less than 110° F.			
BELL	None.*	None.*	One, which when struck, produces a clear, bell-like tone of full round characteristics.	
PERSONAL FLOTATION DEVICES†	One approved life preserver, buoyant vest, ring buoy, special purpose water safety buoyant device, or buoyant cushion for each person on board or being towed on water skis, etc.		One approved life preserver or ring buoy for each person on board.	
WHISTLE	None.*	One hand, mouth, or power operated, audible at least 1/2 mile.	One hand or power operated, audible at least 1 mile.	One power operated, audible at least 1 mile.
FIRE EXTINGUISHER PORTABLE When NO fixed fire extinguishing system is installed in machinery space(s).	At least One B-1 type approved hand portable fire extinguisher. (Not required on outboard motorboat less than 26 feet in length and not carrying passengers for hire if the construction of such motorboats will not permit the entrapment of explosive or flammable gases or vapors.)		At least Two B-1 type approved hand portable fire extinguishers; OR At least One B-11 type, approved hand portable fire extinguisher.	At least Three B-1 type approved hand portable fire extinguishers; OR At least One B-1 type Plus One B-11 type approved hand portable fire extinguisher.
When fixed fire extinguishing system is installed in machinery space(s).	None.	None.	At least One B-1 type approved hand portable fire extinguisher.	At least Two B-1 type approved hand portable fire extinguishers; OR At least One B-11 type approved hand portable fire extinguisher.

Fire extinguishers manufactured after 1 January 1965 will be marked, "Marine Type USCG Type Size Approval No. 162-028"

*NOTE. — Not required by the Motorboat Act of 1940; however, the "Rules of the Road" require these vessels to sound proper signals.

†NOTE. — With a few exceptions, all boats (not just motorboats) are now required to carry personal flotation devices.

**NOTE. — Toxic vaporizing-liquid type fire extinguishers, such as those containing carbon tetrachloride or chlorobromomethane, are not accepted as required approved extinguishers on uninspected vessels (private pleasure craft).

LIGHTS REQUIRED ON BOATS UNDERWAY—BETWEEN SUNSET AND SUNRISE

UNDER 26 FEET AUXILIARY: SAIL & POWER OR POWER ALONE	26 FEET TO LESS THAN 40 FEET AUXILIARY: SAIL & POWER OR POWER ALONE	40 FEET TO LESS THAN 65 FEET MOTORBOAT AUXILIARY: SAIL & POWER OR POWER ALONE
<p>MOTORBOAT</p> <p>HIGHER THAN BOWLIGHT</p> <p>32 pts. 2 m.</p> <p>comb. 20 pts. 1 m.</p>	<p>MOTORBOAT</p> <p>HIGHER THAN BOWLIGHT</p> <p>32 pts. 2 m.</p> <p>10 pts. 1 m.</p> <p>20 pts. 2 m.</p>	<p>MOTORBOAT</p> <p>HIGHER THAN BOWLIGHT</p> <p>32 pts. 2 m.</p> <p>10 pts. 1 m.</p> <p>17 pts. 1 m.</p> <p>20 pts. 2 m.</p>
<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>12 pts. 2 m.</p> <p>comb. 20 pts. 1 m.</p>	<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>12 pts. 2 m.</p> <p>comb. 20 pts. 1 m.</p>	<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>12 pts. 2 m.</p> <p>comb. 20 pts. 1 m.</p>
<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>10 pts. 1 m.</p> <p>comb. 20 pts. 1 m.</p>	<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>10 pts. 1 m.</p> <p>comb. 20 pts. 1 m.</p>	<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>10 pts. 1 m.</p> <p>comb. 20 pts. 1 m.</p>
<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>12 pts. 2 m.</p> <p>10 pts. 1 m.</p> <p>comb. 20 pts. 1 m.</p>	<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>12 pts. 2 m.</p> <p>10 pts. 1 m.</p> <p>comb. 20 pts. 1 m.</p>	<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>12 pts. 2 m.</p> <p>10 pts. 1 m.</p> <p>comb. 20 pts. 1 m.</p>
<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>10 pts. 1 m.</p> <p>comb. 20 pts. 1 m.</p>	<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>10 pts. 1 m.</p> <p>comb. 20 pts. 1 m.</p>	<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>10 pts. 1 m.</p> <p>comb. 20 pts. 1 m.</p>
<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>12 pts. 2 m.</p> <p>10 pts. 1 m.</p> <p>comb. 20 pts. 1 m.</p>	<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>12 pts. 2 m.</p> <p>10 pts. 1 m.</p> <p>comb. 20 pts. 1 m.</p>	<p>MOTORBOAT</p> <p>carried 3 ft. higher than colored lights</p> <p>20 pts. 3 m.</p> <p>12 pts. 2 m.</p> <p>10 pts. 1 m.</p> <p>comb. 20 pts. 1 m.</p>


VESSELS USING ONLY INLAND WATERS
(Including Great Lakes and Western Rivers)

VESSELS USING INTERNATIONAL WATERS
(May be used on inland waters)

NOTE:

EXCEPTIONS: (1) Western River Rules: Sidelights for vessels under sail must be visible for 3 miles. (2) Great Lakes: On the Great Lakes sailing vessels show a white light (in lieu of a stern light) upon that portion of the vessel which is being approached by another vessel.


DEFINITION: "10 pts. 1 m." means that the light can be seen through an arc of 10 points (see diagram at right), for a distance of 1 mile by another vessel.



IMPORTANT: LIGHTS MUST BE PLACED HIGH ENOUGH THAT THEIR LIGHT WILL NOT BE BLOCKED BY PERSONS OR PARTS OF THE BOAT OR ITS EQUIPMENT.

ALL SAILBOAT (No Auxiliary Engine on Board) ANY LENGTH - ALL WATERS

OPTIONAL for all boats under sail alone in international waters only.



NOTE: Less than 40 feet in international waters only may carry a combined lantern visible for one mile in lieu of sidelights.

LIGHTS FOR USE WHEN ANCHORED OR ROWING

POWER BOATS under 65 feet and all sailing vessels at anchor must display anchor lights except those under 65 feet in "special anchorage areas." An anchor light is a white light visible to a boat approaching from any direction, and is displayed in the fore part of the vessel.



ROWING BOATS: Rowing boats whether under oars or sail shall have ready at hand a lantern showing a white light which shall be temporarily exhibited in sufficient time to prevent collision.



PERKINS MARINE LAMP & HARDWARE CORP.

CLOUD FORMATIONS AND SYMBOLS

1. **Cirrus, (Ci.)**—Detached clouds, delicate and fibrous looking, taking the form of feathers, generally of a white color, sometimes arranged in belts which cross a portion of the sky in great circles, and, by an effect of perspective, converging toward one or two opposite points of the horizon.
2. **Cirro-Stratus, (Ci-S.)**—A thin, whitish sheet, sometimes completely covering the sky and only giving it a whitish appearance, or at others presenting, more or less distinctly, a formation like a tangled web. This sheet often produces halos around the sun and moon.
3. **Cirro-Cumulus, (Ci-Cu.)**—Small globular masses or white flakes, having no shadows, or only very slight shadows, arranged in groups and often in lines.
4. **Alto-Cumulus, (A-Cu.)**—Rather large globular masses, white or grayish, partially shaded, arranged in groups or lines, and often so closely packed that their edges appear confused. The detached masses are generally larger and more compact at the center of the group; at the margin they form into finer flakes. They often spread themselves out in lines in one or two directions.
5. **Alto-Stratus, (A-S.)**—A thick sheet of gray or bluish color, showing a brilliant patch in the neighborhood of the sun or moon, and which, without causing halos, may give rise to coronae. This form goes through all the changes like the Cirro-Stratus, but its altitude is only half as great.
6. **Strato-Cumulus, (S-Cu.)**—Large globular masses or rolls of dark cloud, frequently covering the whole sky, especially in winter, and occasionally giving it a wavy appearance. The layer of Strato-Cumulus is not, as a rule, very thick, and patches of blue sky are often visible through the intervening spaces. All sorts of transitions between this form and the Alto-Cumulus are noticeable. It may be distinguished from Nimbus by its globular or rolled appearance and also because it does not bring rain.
7. **Nimbus, (N.)**—Rain clouds; a thick layer of dark clouds, without shape and with ragged edges, from which continued rain or snow generally falls. Through the openings of these clouds an upper layer of Cirro-Stratus or Alto-Stratus may almost invariably be seen. If the layer of Nimbus separates into shreds or if small loose clouds are visible floating at a low level underneath a large Nimbus, they may be described as Fracto-Nimbus (Fr.-N.), the "scud" of sailors.
8. **Cumulus, (Cu.)**—Woolpack clouds; thick clouds of which the upper surface is domeshaped and exhibits protuberances, while the base is horizontal. When these clouds are opposite the sun the surfaces usually presented to the observer have a greater brilliance than the margins of the protuberances. When the light falls aslant, they give deep shadows; when, on the contrary, the clouds are on the same side as the sun, they appear dark with bright edges. The true Cumulus has clear superior and inferior limits. It is often broken up by strong winds, and the detached portions undergo continual changes. These may be distinguished by the name of Fracto-Cumulus (Fr.-Cu.).
9. **Cumulo-Nimbus, (Cu.-N.)**—The thunder-cloud or shower-cloud; heavy masses of clouds rising in the form of mountains, turrets, or anvils, generally having a sheet or screen of fibrous appearance above, and a mass of clouds similar to Nimbus underneath. From the base there usually fall local showers of rain or of snow (occasionally hail or soft hail).
10. **Stratus, (S.)**—A horizontal sheet of lifted fog; when this sheet is broken up into irregular shreds by the wind or by the summits of mountains, it may be distinguished by the name of Fracto-Stratus (Fr.-S.).
11. **Fracto-Stratus, (Fr.-S.)**—A horizontal sheet of lifted fog broken into irregular shreds by wind or the summits of mountains.
12. **Fracto-Cumulus, (Fr.-Cu.)**—Cumulus, when broken up by strong winds, undergo continual changes. These are distinguished by the name of Fracto-Cumulus (Fr.-Cu.).

RULES OF THE ROAD

- A power boat gives way to a sail boat except when being overtaken.
- Power boats meeting head on pass portside to portside, unless signaled otherwise.
- Any vessel being overtaken by another has the right of way.
- Any vessel having right of way shall hold her course and speed, unless such action would cause a collision.
- The danger zone is from dead ahead to two points abaft the starboard beam.
- Any power boat having another in its danger zone shall give way to the other and shall, if necessary, alter course, slacken speed, stop or reverse.
- A vessel (under 65 ft.) using both sail and power, acts as a power boat by day, but as a sail boat by night.
- A sail boat running free gives way to the one close hauled.
- A sail boat running free with the wind on the port, gives way to one running free with the wind on the starboard.
- A sail boat close hauled with wind on the port, gives way to one close hauled with wind on the starboard.
- When two sail boats are running alike, the one to the windward gives way.

WHISTLE SIGNALS FOR POWER BOATS

- A vessel's rights cannot be altered by whistle signals, the one which whistles first gains no rights over another, cross signals are unlawful.
- If the signal is correct for the circumstances, answer it, if it is not give the danger signal, stop, and come to an understanding.
- 1—Short blast—I wish to leave you on my port.
 - 2—Short blasts—I wish to leave you on my starboard.
 - 3—Short blasts—My engines are going astern. I am doing my best to stop.
 - 4—Short blasts—Danger, stop, your signals are not clear or are not satisfactory to me.
 - 4—Long blasts—Raise the bridge.
- Whistle signals are never given to or by a sail boat.

FOG SIGNALS FOR POWER BOATS

- 1—Long blast—I am under way.
- 1—Long and 2 Short blasts—I am towing something.



FOR HORN SIGNALS FOR SAIL BOATS

- 1—Short blast—I am on the starboard tack.
 - 2—Short blasts—I am on the port tack.
 - 3—Short blasts—I am running free.
 - 1—Long and 2 Short blasts—I am being towed (any vessel).
- Rapid bell—I am at anchor (any vessel).

PERKO

**NAVIGATION
LIGHTS
FOR VESSELS
UNDER 65 FEET**

SECTION A



MANUFACTURED BY

PERKINS MARINE LAMP & HARDWARE CORP., 16490 N. W. 13TH AVE., P. O. BOX D, MIAMI, FLORIDA 33164

Copyright 1972 in U. S. and Canada by Perkins Marine Lamp and Hardware Corp.

For complete line see catalog No. 220

BOAT CERTIFICATION PROCEDURES

BOATING INDUSTRY ASSOCIATION is a national trade association serving all elements of the recreational boating industry.

Its members include manufacturers of all types of boating equipment — outboard and inboard boats, sailboats, marine engines, outboard motors, boat trailers, boating accessories and supplies.

BOATING INDUSTRY ASSOCIATION has developed certification programs to help manufacturers comply with established standards and safety regulations, and to help inform the public of such compliance when purchasing equipment.

In 1968 BIA inaugurated a certification program for boat manufacturers covering horsepower and

load capacity, flotation, steering and fuel systems, compartment ventilation, navigation lights and backfire flame control.

A manufacturer participating in this program must certify all models less than 26 feet in length (except racing boats) as fitted with standard equipment on a model year basis. BIA's eighteen year old boat capacity rating program is incorporated into certification covering load and horsepower capacity and flotation.

Inspectors from a nationally recognized independent testing laboratory visit the manufacturer, check for the BIA capacity and flotation ratings, and physically inspect each model for compliance with all boat certification standards.

PERKO NAVIGATIONAL LIGHTS TESTED AND SELF CERTIFIED

DURING THE PAST SEVERAL YEARS WE HAVE DEVOTED A GREAT DEAL OF TIME AND EXPENSE TO FIELD AND LABORATORY TESTS TO BE SURE THAT OUR LIGHTS COMPLY WITH B.I.A. STANDARDS AND TO ENABLE US TO CERTIFY ACCORDINGLY.

WHERE WE INDICATE THAT CERTAIN LIGHTS ARE CERTIFIED, IT MEANS THAT ALL TESTS HAVE BEEN COMPLETED AND COMPLIANCE WITH THE STANDARDS IS ASSURED.

CERTIFIED

THEY ARE ALSO DESIGNED AND MANUFACTURED TO MEET THE EXISTING REGULATIONS OF THE U.S. COAST GUARD.

COMBINATION BOW LIGHTS

PERKOPLATE POLISHED CHROMIUM FINISH
 RED AND GREEN HIGH INTENSITY FRESNEL LENSES
 DELRIN NON-CORROSIVE DOUBLE CONTACT SOCKET
 COMPLETE WITH ELECTRIC BULB INDICATED BELOW

®"CHROMALEX"—Figs. 1161 & 1310

Our High Grade Pressure Cast Metals Mounted on Tough Durable Lexan Base

Certified and Designed to Comply With U.S.C.G. Inland and International Rules With A No. 1004 Bulb, 12 Volt, 15 C.P.

20 Points — 225 Degrees — 1 Mile Visibility

Size Base Inches	Height Inches	Screw No.	Weight Ounces
4x3-1/8	1-3/4	8	5-1/2



Fig. 1161

Fig. 1161 has Silicon Bronze Top mounted on Glossy Black Lexan Base. Top is Chromium Plated.

Each \$9.50

Fig. 1310 has Die Cast Zinc Alloy Top mounted on Glossy Black Lexan Base. Top is Chromium Plated.

Each \$6.50



Fig. 1310

Available in Skin Pack, See Skin Pack Section. Standard Pack, Individually Boxed. O.E.M. Pack, 50 Pieces per Box.



SPARE PARTS

Lenses, Red or Green, Specify Fig. 283, \$.75 each
 Electric Sockets, Specify Fig. 24, \$.80 each
 Bulbs, Specify Fig. 337 No.12, \$.40 each

FOR MORE INFORMATION ON "CHROMALEX" AND DECK FITTINGS TO MATCH, SEE CHROMALEX SECTION.

"LITTLE JOE" COMBINATION BOW LIGHT—Fig. 1146

Die Cast Zinc Alloy — Chromium Plated
 Red and Green High Intensity Fresnel Lenses
 Miniature Bayonet Electric Socket

Certified and supplied with No.1416 Bulb, 12 Volts, 8 C.P., 1 Mile Visibility

Each	Height Inches	Base Inches	Height Lens Inches	Staff Socket Inches	Weight Ounces
\$6.50	2-1/4	4-3/8x2-3/8	1-7/8	1/2	7



Fig. 1146

SPARE PARTS

Lenses, Red or Green, Specify Fig. 232, \$1.15 each
 Electric Sockets, \$.75 each
 Bulbs, Specify Fig. 56 No.4, \$.60 each

Available in Skin Pack. See Skin Pack Section.



COMBINATION BOW LIGHTS

DIE CAST ZINC ALLOY — PERKOPLATE POLISHED CHROMIUM FINISH
RED AND GREEN HIGH INTENSITY FRESNEL LENSES
DELTRIN NON-CORROSIVE DOUBLE CONTACT SOCKET

CERTIFIED AND DESIGNED TO COMPLY WITH U.S.C.G. INLAND
AND INTERNATIONAL RULES WHEN EQUIPPED WITH BULB INDICATED BELOW.



Fig. 1215

CERTIFIED




Fig. 1284

THE "FUTURA"—Figs. 1215 & 1284

Certified and Supplied with No. 1004 Bulb — 12 Volts — 15 C. P.

1 Mile Visibility

Fig. 1215 for Screw Mounting

Fig. 1284 for Stud Mounting

Assembled With One Bolt Inside Staff Socket

Height Inches	Width Inches	Length Inches	Staff Socket Inches	Weight Pounds
2-3/8	3-3/4	5-1/2	3/4	1-1/4

Fig. 1215, Each \$8.85

Fig. 1284, Each \$9.50

Fig. 1284 has two Studs, 12-24 projecting 2 inches below the light. With washers and nuts.



Fig. 1218

CERTIFIED

THE "RANGER"—Fig. 1218

Certified and Supplied with No. 1004 Bulb, 12 Volt, 15 C. P.

1 Mile Visibility

This light has top rebulbing feature.

Each	Height Inches	Size Base Inches	Height Lens Inches	Staff Socket Inches	Weight Pounds
\$8.00	3-3/8	6-1/4x3-7/8	2-1/2	3/4	3/4



Available in Skin Pack, See Skin Pack Section.



Fig. 1144

CERTIFIED

COMBINATION BOW LIGHT FOR SAIL BOATS—Fig. 1144

Wrought Brass — Chromium Plated

1 Mile Visibility

For mounting on forward part of mast. Certified and supplied complete with No. 1004 bulb, 12 Volts, 15 C.P.

Each	Height Overall Inches	Diam. Body Inches	Height Lens Inches	Weight Pounds
\$12.85	4-3/4	2-3/4	2-1/2	3/8

SPARE PARTS

Lenses for Figs. 1215 and 1284, Specify Fig. 251, \$1.15 each.

Lenses for Fig. 1218, Specify Fig. 259AP., \$1.15 each.

Electric Sockets for Figs. 1215, 1218 & 1284, see Fig. 24

Electric Sockets for Fig. 1144, see Fig. 52

Bulbs for all above, Specify Fig. 337, No. 12, \$.40 each.

FLAG STAFF—Fig. 1239

Die Cast Zinc Alloy — Chromium Plated

Attractive structural design adds a great deal of class to the bowlight.

Has neoprene "O" ring for firm grip in staff socket.

Each	Length Overall Inches	Diameter of Base Inches	Weight Ounces
\$4.25	12	3/4	10

Standard package 10 pieces.




Fig. 1239

Fig. 1230

FLAG STAFF—Fig. 1230

Die Cast Zinc Alloy — Chromium Plated

Ultra Modern Dynaform Taper Design

Neoprene Rubber "O" Ring in base for holding in Flag Pole socket.

Each	Length Overall Inches	Diameter Base Inches	Weight Ounces
\$3.75	14	3/4	8

Standard package 10 pieces
Also available in Skin Pack. See Skin Pack Section.

WOOD FLAG STAFF—Fig. 496

Solid Mahogany — Varnished

No.	Each	Length Overall Inches	Diam. Base Inches	Weight Ounces
2	\$ 4.75	14	3/4	2-1/2
3	5.25	18	3/4	3-1/2
4	6.50	18	1	5
5	7.25	24	1	6
6	10.50	30	1-1/4	9-1/2
7	12.25	36	1-1/4	14
8	18.00	48	1-1/4	27

With brass ferrule, add \$1.25 each.

With chromium ferrule, add \$1.75 each.




Fig. 496

Fig. 495

FLAG STAFF—Fig. 495

Brass Tubing — Chromium Plated

With eyes for flag halyard. Complete with rubber "O" ring for firm fit in socket.

No.	Each	Length Inches	Diam. Base Inches	Weight Ounces
1	\$5.50	14	1/2	3
2	6.00	14	3/4	4
3	7.40	18	3/4	5

Standard package 10 pieces.

CLAMP-ON FLAG STAFF SOCKET — Fig. 1302

Die Cast Zinc Alloy — Chromium Plated

Clamp will fit rails from 1/2" to 7/8" Diameter.

Socket is 3/4" I.D. and will accommodate above staffs Fig. 495 Nos. 2 and 3, Fig. 496 Nos. 2 and 3 or Fig. 1239.

Each	Dimensions Inches	Knob Inches	Weight Ounces
\$6.30	2 x 1-3/4	1-3/4	11




Fig. 1302

BUY STANDARD PACKAGES



CERTIFIED

Fig. 1311 Die Cast
Fig. 1162 Bronze

NEW "CHROMALEX" STERN POLE LIGHTS

Perkplate Polished Chromium Finish
Black Lexan Base

Delrin D.C. Socket — With Bulb — Wired — Clear High Intensity Fresnel Globe, Angled for Horizontal Beams of Light giving distance of visibility to meet U.S.C.G. requirements.

A detent is provided at bottom of pole to hold globe in vertical position when pole is fully extended.

Certified with No. 90, 12 Volt, 6 C.P. Bulb
32 Points — 2 Mile Visibility

Fig. 1311 has Die Cast Zinc Alloy Globe Holder and a tough rigid Black Lexan Base.

Fig. 1162 has Pressure Cast Silicon Bronze Globe Holder with the same base used with Fig. 1311.

No.	Fig. 1311 Each	Fig. 1162 Each	Maximum Length Inches	Weight Pounds
2	\$8.00	\$13.50	24	7/8
3	8.60	14.60	30	1
4	9.20	15.70	36	1-1/8

Base Dimensions 3-7/8" x 2"

For More Information on "Chromalex" and Deck Fittings to match, see Chromalex Section.



IMPROVED

STERN POLE LIGHTS—Fig. 1233

Perkplate Polished Chromium Finish — Delrin D. C. Socket — With Bulb — Wired

Die Cast Zinc Alloy Globe Holder and Base

Has clear high intensity fresnel globe and bulb which covers the required area and distance of the U.S.C.G.

Certified with No. 90, 12 Volt, 6 C.P. Bulb
32 Points — 2 Mile Visibility



Fig. 1233

No.	Each	Maximum Length Inches	Weight Pounds
2	\$8.00	24	1-1/4
3	8.60	30	1-1/2
4	9.20	36	1-3/4

Base Dimensions 3-3/4" x 1-5/8"

Available in Skin Pack. See Skin Pack Section. Figs. 1233 and 1311, size #2.

SPARE PARTS

Globes, Specify Fig. 248-P, \$1.40 each.
Delrin D.C. Sockets, Specify Fig. 24, \$1.35 each.
Bulbs, See Fig. 337, No. 11
Spare Bases, Specify Fig. No. of Light, \$5.25 each.

STERN POLE LIGHTS

PERKOPLATE POLISHED CHROMIUM FINISH
 DELRIN D.C. SOCKET – WITH BULB – WIRED
 CLEAR HIGH INTENSITY FRESNEL GLOBE ANGLED TO PRODUCE
 HORIZONTAL BEAMS OF LIGHT TO MEET THE
 REQUIREMENTS OF THE U.S.C.G. WITH THE BULBS WE SUPPLY.

FRESNEL GLOBES INTENSIFY THE LIGHT AND PRODUCE BEAM CANDLEPOWER
 MUCH HIGHER THAN THE C.P. RATING OF THE BULB. LIGHT DIFFUSION AND
 BLINDING OF THE OPERATOR IS REDUCED TO A MINIMUM.

CERTIFIED WITH NO. 90, 12 VOLT 6 C.P. BULB
 32 POINTS – 2 MILE VISIBILITY

ALL BRASS—Fig. 645

Has Silicon Bronze Globe Holder and Base, Brass Pole.

Base, Length 3 3/4", Width 1 5/8"

Size No.	Each	Maximum Length Inches	Weight Pounds
2	\$17.00	24	1-1/4
3	18.10	30	1-1/2
4	19.20	36	1-3/4

REMOVABLE – ALL BRASS—Fig. 1209

Silicon Bronze Globe Holder, Brass Pole and Base.

Has Two Prong Electric Plug in bottom of Pole for Electric Socket in Base. Pole is instantly removable for stowing away.

Connections are tight friction type, no springs.

Supplied with Bronze Cap for Base when Pole is removed.

Base, Length 3-3/8", Width 2-1/4".

Size No.	Each	Length Overall Inches	Weight Pounds
2	\$20.25	24	1
3	21.35	30	1-1/4
4	22.45	36	1-1/2

REMOVABLE – CHROMALEX—Fig. 1330

Die Cast Zinc Globe Holder

Black Lexan Base

Same disconnect and removable features as Fig. 1209 above.

Base, length 3-7/8", width 2".

Size No.	Each	Length Inches	Weight Pounds
2	\$13.50	24	1
3	14.10	30	1-1/8
4	14.70	36	1-1/4

TELESCOPING—Fig. 1148

Die Cast Zinc Globe Holder and Base

Height is adjustable from a minimum of 6 inches to a maximum of 52 inches.

Each	Diameter Lower Tubing Inches	Dimensions Base Inches	Weight Pounds
\$12.30	3/4	3-3/4x1-5/8	1-1/2




Fig. 645

Fig. 1209




Fig. 1330

Fig. 1148

POLE LIGHTS FOR WINDSHIELD MOUNTING 360 DEGREE CLEAR LIGHT – FOLD DOWN TYPE

VARIABLE ANGLE ASSEMBLY—Figs. 1134, 1135 & 1137

Die Cast Zinc Alloy Base and Globe Holder
Chromium Plated

This light can be adjusted to suit any probable angle of windshield or top. Bracket is serrated to hold desired angle. Electric socket is our Delrin Non-Corrosive type.

High intensity Fresnel Globe at proper angle for horizontal beams of light.

Certified with a No. 90, 12 Volt 6 C.P. bulb we supply with the light.

32 Point – 2 Mile Visibility

Each	Brackets Only Each	Height Overall Inches	Diameter Tubing Inches	Weight Ounces
\$8.60	\$1.60	13-1/2	3/4	13

Fig. 1134 for flat Windshield or Horizontal Frame.
Dimensions, Width (A) - 2", Height (B) - 5/8".

Fig. 1135 for V-type Windshield.
Dimensions, Width (A) - 2", Height (B) - 5/8".

Fig. 1137 for flat or V-type Center Posts of Windshield.
Dimensions, Width (A) - 5/8", Height (B) - 2-1/4".



Fig. 1134



Fig. 1135




Fig. 1137

CERTIFIED




Fig. 1258

FOLD DOWN POLE LIGHT—Fig. 1258

For Flat or V-Type Windshield
Die Cast Zinc Alloy Globe Holder
Chromium Plated

High intensity Fresnel Globe – Stainless Steel Mounting
Bracket – Delrin Non-Corrosive D.C. Socket

Certified with a No. 90, 12 Volt 6 C.P. bulb we supply with the light.

32 Point – 2 Mile Visibility

Each	Length Overall Inches	Mounting Bracket Inches	Weight Pounds
\$15.25	20	1-1/16 x 3	7/8

SPARE PARTS

Globes, Specify Fig. 248-P, \$1.40 each.

Delrin D.C. Sockets, Specify Fig. 24, \$1.35 each.

Bulbs, See Fig. 337 No. 11

CLAMP-ON POLE LIGHT—Fig. 1211

For Convertible Top Mounting
 Die Cast Zinc Alloy — Chromium Plated
 High Intensity Fresnel Globe — Delrin D.C. Socket

Certified with No. 90, 12 Volt, 6 C.P. Bulb
 which we supply. 32 Point — 2 Mile Visibility.

Large Knob For Easy Installation or Removal. Adjustable
 To Fit Tubing 1/2" to 1".

Each	Height Above Clamp Inches	Weight Pounds
\$13.50	7-1/2	1




Fig. 1211

"PULL-APART" POLE LIGHT — Fig. 658

For Windshield Mounting — Chromium Plated —
 Stainless Steel Brackets — Delrin Non-Corrosive
 D.C. Electric Socket

Complete with two mounting brackets, glare shield and
 waterproof cap for lower portion when disassembled. Pole is
 3/4 inch brass tubing. Globe is 1-3/4 inch in diameter, Fig.
 248-P. Height of bottom section is 16 inches. Bracket width
 is 1 inch. Wired ready for installation.

Certified with No. 90, 12 Volt, 6 C.P. Bulb
 32 Point — 2 Mile Visibility

Each	Length Overall Inches	Weight Pounds
\$21.00	36	1-3/4




Fig. 658

HALYARD EYES—Figs. 234 & 235

For Metal Flag Poles — White Nylon

For quick attachment of flag. Fits 3/4 inch diameter poles.

Fig. 234, \$.17 each.
 Fig. 235, \$.70 each.
 Standard Package, 20 pieces.





Fig. 234

With Brass Snap
 Fig. 235



COMBINATION BOW

Here's a dual purpose fitting designed with a compartmented globe section each of which contains a bulb. When the forward compartment is illuminated, the light serves as a bow light which meets the requirements for a 20 point light (3 mile visibility) mounted at least 3' above the colored side or combination light. When both compartments are illuminated, it serves as a 32 point anchor light (2 mile visibility) visible all round the horizon.

All lights below certified with No. 1416 bulbs, 12 Volt, 8 C.P.



FOLD DOWN ASSEMBLY—Fig. 1195

For Windshield Mounting — Chromium Plated — Stainless Steel Mounting Bracket — Complete with 2 Bulbs.

Each	Length Overall Inches	Mounting Bracket Inches	Diameter Tubing Inches	Weight Pounds
\$21.75	20	1-11/16 x 3	3/4	7/8

Glare Shield for above, see Fig. 1192.



PULL-APART ASSEMBLY—Fig. 1193

For Windshield Mounting — Chromium Plated — Stainless Steel Mounting Brackets — Cap for Lower Section — Complete with 2 Bulbs.

Electric connectors are inside tubing.
Contact is made when upper section is mounted.

Each	Length Overall Inches	Height Bottom Section Inches	Width Brackets Inches	Diameter Tubing Inches	Weight Pounds
\$26.75	30	16	1	3/4	1-1/2

Glare Shield for above, see Fig. 1192.



CLAMP-ON ASSEMBLY—Fig. 1301

For Convertible Top Mounting — Chromium Plated — Complete with 2 Bulbs.

Large Knob for easy installation or removal. Adjustable to fit tubing 1/2" to 1".

Each	Height Above Clamp Inches	Weight Pounds
\$14.25	7-1/2	1



FIXED ASSEMBLY—Fig. 1196

For Hard Top Mounting — Chromium Plated — Complete with 2 Bulbs.

No.	Each	Height Overall Inches	Size Base Inches	Weight Pounds
1	\$11.50	6	3 x 2	3/4
2	12.50	12	3 x 2	1

ELECTRIC LAMP FOR ALL ABOVE SEE FIG. 56 NO.4

LENGTHS OTHER THAN ABOVE, SUPPLIED TO ORDER ONLY, PRICE AND DELIVERY ON APPLICATION, IN MANUFACTURING QUANTITY.




Fig. 1193



Fig. 1301



Fig. 1196

AND ANCHOR LIGHTS

This unit saves time and money for builders and do-it-yourself owners. The light is completely wired and color coded for three position switch.

This combination bow and anchor light feature can be supplied immediately in the products appearing below. Other assemblies to meet specific requirements can be made to order.

All lights below certified with No. 1416 bulbs, 12 Volt, 8 C.P.
Patent No. 3344264



FOLD DOWN

VARIABLE ANGLE ASSEMBLY – Figs. 1181, 1182 & 1184
For Windshield Mounting – Chromium Plated – Complete with Two Bulbs

This light can be adjusted to suit any probable angle of windshield or top. Bracket is serrated to hold desired angle.

Complete Each	Brackets Only Each	Height Overall Inches	Diameter Tubing Inches	Weight Ounces
\$13.75	\$1.60	13-1/2	3/4	13

Fig. 1181 for flat windshield or horizontal frame, dimensions, Width (A), 2" – Height (B), 5/8".

Fig. 1182 for V-type windshield, dimensions, Width (A), 2" – Height (B), 5/8".

Fig. 1184 for flat or V-type center posts of windshield, dimensions, Width (A), 5/8" – Height (B), 2-1/4".



Fig. 1181



Fig. 1182



Fig. 1184

MAST ASSEMBLY – Fig. 1183

With Round Flange Mounting Base – Chromium Plated – Complete with Two Bulbs

Each	Height Inches	Diameter Base Inches	Weight Ounces
\$10.25	2-3/4	1-15/16	8



Fig. 1183

MAST ASSEMBLY – Fig. 1197

For Mounting Into Masthead or Over a Staff – Chromium Plated – Complete with Two Bulbs

Each	Height Overall Inches	O.D. Tubing Inches	Length Tubing Inches	Weight Ounces
\$7.75	3-1/2	3/4	1	6



Fig. 1197

GLARE SHIELD – Fig. 1192

For Combination Bow and Anchor Lights – 18-8 Stainless Steel

Supplied with 2 stainless steel self tapping screws. Bottom of light is pre-drilled for easy installation of shield.

Each	Dimensions Inches	Weight Ounces
\$1.60	4-5/8 x 3-3/8	1-1/4

NOTE—This shield cannot be supplied with Figs. 1183 and 1196.




Fig. 1192

Spare lenses for all above lights, Specify Fig. 278, \$.70 each.

Spare Electric Sockets, Miniature Bayonet, \$1.10 each.

Three Position Switches, see Fig. 366.

CERTIFIED



Fig. 455

STERN OR ANCHOR LIGHT—Fig. 455

Die Cast Zinc Alloy — Chromium Plated
Certified with No. 90 - 12 Volt, 6 C.P. Bulb Supplied.

No.	Each	Height Inches	Diameter Globe Inches	Size Base Inches	Weight Ounces
1	\$7.75	6	1-3/4	3x2-1/8	12
2	8.25	12	1-3/4	3x2-1/8	16



Fig. 438

CERTIFIED

STERN OR ANCHOR LIGHT—Fig. 438

All Brass — Chromium Plated
Certified with No. 90, 12 Volt 6 C.P. Bulb Supplied

No.	Each	Height Inches	Diameter Globe Inches	Size Base Inches	Weight Ounces
1	\$12.50	6	1-3/4	3-3/8x2-1/4	6
2	13.50	12	1-3/4	3-3/8x2-1/4	10



Fig. 362

CERTIFIED



Fig. 371

MAST LIGHTS—Figs. 362 & 371

Pressure Cast Bronze — Fresnel Globe — Double Contact Socket

Clear — Certified for No. 90, 12 Volt 6 C.P. Bulb
Red — Certified for No. 1142, 12 Volt 21 C.P. Bulb

Fig. 362 — Tapped for 1/2 inch pipe.

Fig. 371 — Flat base drilled for two flat head screws.

Bulb Not Included.

Fig.	Plain Each	Chromium Plated Each	Diam. Globe Inches	Height Overall Inches	Diam. Base Inches	Wt. Lbs.
362	\$11.50	\$13.50	1-3/4	3-1/4	2-1/8	1/2
371	10.25	12.25	1-3/4	2-7/8	2-1/8	3/8

With Red Globe, Add \$1.00 Each, Specify.



CERTIFIED



Fig. 103

MAST AND YARDARM LIGHT—Fig. 103

Cast Bronze — Plain — Clear Fresnel Globe — Medium Screw
Socket — Threaded for 1/2 inch pipe

Certified when used with 15 Watt, A-17 Bulb

Bulb Not Included.

Each	Height Overall Inches	Diam. Globe Inches	Wt. Lbs.
\$15.00	6	3	2



Fig. 488

CERTIFIED



Fig. 489

MAST LIGHTS—Figs. 488 & 489

Cast Bronze — Plain — Clear Fresnel Globe —
Double Contact Socket

Clear — Certified For No. 1142, 12 Volt 21 C.P. Bulb
Green — Certified For No. 1144, 12 Volt 32 C.P. Bulb
Bulb Not Included.

Fig. 488 threaded 1/2 inch I.P.S.

Fig. 489 drilled for mounting on mast truck.

Each	Height Overall Inches	Diam. Base Inches	Size Globe Inches	Opening in Globe Inches	Wt. Lbs.
\$13.50	6	2-5/8	5-1/2x2-5/8	1-7/8	1

NOTE — ALL ABOVE LIGHTS CERTIFIED VISIBILITY IS 2 MILES.

SPARE PARTS

GLOBES FOR FIGS. 362, 371, 438, 455, See Fig. 248-P
GLOBE FOR FIG. 103, See Fig. 249
GLOBES FOR FIGS. 488, 489, See Fig. 77

SOCKETS FOR FIGS. 362, 371, 438, 455, See Fig. 24
SOCKET FOR FIG. 103, See Fig. 222, No. 1
SOCKETS FOR FIGS. 488, 489, See Fig. 276, No. 2

ANCHOR OR MAST LIGHTS

Cast Bronze – Plain

High Intensity Fresnel Globe
Medium Screw Electric Socket – Bulb Not Included

Clear – Certified for 25 Watt, A-19 Bulb
Red – Certified for 100 Watt, A-21 Bulb
2-7/16 inch L. C. L. (Light Center Length)
Green and Amber – Certified for 40 Watt, A-21 Bulb
with above L.C.L.

Fig.	Clear Each	Height Overall Inches	Diam. Base Inches	Tapped Pipe Size Inches	Weight Pounds
112	\$21.75	8-3/4	3-1/8		3-3/4
145	28.00	7-3/8		1/2	3-1/4
309	17.75	6-1/2		1/2	2-1/2

With Colored Globe, add \$3.00 each.
Spare Globes, See Fig. 106
Spare Sockets, See Fig. 222, No. 1
Spare Guards for Fig. 145, \$9.50 Each.



Fig. 112

CERTIFIED



Fig. 145
with Cast Guard



Fig. 309
without Guard

ANCHOR OR MAST LIGHTS

Cast Bronze

High Intensity Clear Fresnel Globe
Double Contact Electric Socket
Certified for No. 1004, 12 Volt, 15 C.P. Bulb.
Bulb Not Included

Fig.	Plain Bronze Each	Chromium Plated Each	Height Overall Inches	Diam. Base Inches	Weight Pounds
375	\$28.00	\$35.00	7	3-1/2	2-3/4
521	23.00	30.00	6-3/4		2

Fig. 521, inside diameter neck is 1-1/4"
Spare Globes, See Fig. 261, Junior
Spare Sockets, See Fig. 52



Fig. 375

CERTIFIED



Fig. 521

POLE LIGHT—Fig. 491

Brass – Chromium Plated – Clear Fresnel Globe – Double Contact Socket

Certified For No. 90, 12 Volt, 6 C.P. Bulb

Bulb Not Included

Each	Diameter Globe Inches	Height Overall Inches	I.D. Neck Inches	Weight Ounces
\$8.00	1-3/4	5	3/4	5

Spare Globes, See Fig. 248-P.



Fig. 491

CERTIFIED

MEAL AND ABSENT LIGHT—Fig. 329

Cast Bronze – Watertight – Double Contact Bayonet Socket

For mounting on yardarm. Supplied with two fresnel globes, one blue, the other clear, Fig. 250.

Chromium Plated Each	Size Base Inches	Length Overall Inches	Diam. Globe Inches	Wt. Lbs.
\$33.50	3-3/8 x 1-3/4	9	2-1/2	2



Fig. 329

® "CHROMALEX" INTERNATIONAL NAVIGATION LIGHTS

BRASS – PERKOPLATE CHROMIUM PLATED
GLOSSY BLACK LEXAN BASE
WITH STAINLESS STEEL SELF TAPPING SCREWS FOR MOUNTING




Fig. 955

CERTIFIED



END VIEW OF REAR AND OUTLINE OF SOCKET INSTALLATION. DRILL SMALL HOLE FOR WIRE ONLY.

CERTIFIED




Fig. 915

CERTIFIED




Fig. 904

CERTIFIED




Fig. 945

SIDE LIGHTS—Fig. 955

10 Points – 112-1/2 Degrees – 1 Mile Visibility
Certified with No. 90, 12 Volt, 6 C.P. Bulb Supplied with Lights
Non Corrosive Double Contact Socket
Red and Green High Intensity Fresnel Lenses

Per Pair	Length Inches	Width Inches	Depth Inches	Weight Per Pair Ounces
\$14.75	4-1/8	2-1/4	1-3/4	6

Spare Lenses, Specify Fig. 283, \$.75 Each.
Spare Sockets, \$.75 Each.

SIDE LIGHTS—Fig. 915

10 Points – 112-1/2 Degrees – Red and Green Lenses
1 Mile Visibility
Certified with No. 1416, 12 Volt, 8 C.P. Bulb Supplied with Light – Miniature Bayonet Type Socket
For Mounting on Deck or Top of Deck House

Per Pair	Length Inches	Width Inches	Depth Inches	Weight Per Pair Ounces
\$16.00	4	2-1/8	1-3/4	7

Spare Lenses, Specify Fig. 281 Red or Green, \$.75 Each.

COMBINATION BOW LIGHT—Fig. 904

20 Points – 225 Degrees – Red and Green Lenses
1 Mile Visibility
Certified with No. 1416, 12 Volt, 8 C.P. Bulb Supplied with Light – Miniature Bayonet Type Socket

Each	Length Inches	Width Inches	Height Inches	Weight Ounces
\$9.00	4	2-1/8	1-3/4	3-1/2

Spare Lenses, Specify Fig. 296, \$1.50 Per Set.

TRANSOM STERN LIGHT—Fig. 945

12 Points – 135 Degrees – Clear Lens
2 Mile Visibility
Certified with No. 1416, 12 Volt, 8 C.P. Bulb Supplied with Light

Each	Height of Light Inches	Diameter of Base Inches	Diameter of Neck Inches	Length Neck Inches	Weight Ounces
\$6.75	1-5/8	2-1/4	3/4	7/8	3

Spare Lenses, Specify Fig. 74-P, \$.85 Each.

Spare Sockets for Figs. 904, 915, 945, \$1.00 Each.

® "CHROMALEX" INTERNATIONAL NAVIGATION LIGHTS

BRASS — PERKOPLATE CHROMIUM PLATED
GLOSSY BLACK LEXAN BASE
WITH STAINLESS STEEL SELF TAPPING SCREWS FOR MOUNTING

Certified With No. 1416, 12 Volt, 8 C.P. Bulb Supplied With Light — Miniature Bayonet Type Socket

Height Light Inches	Diameter Base Inches	Diameter Neck Inches	Length Neck Inches	Weight Each Ounces
1-5/8	2-1/4	3/4	7/8	3

SIDE LIGHTS—Fig. 963

10 Points — 112-1/2 Degrees — Red and Green Lenses
1 Mile Visibility

For mounting on deck or top of deck house.

\$13.00 Per Pair

Spare Lenses, Specify Fig. 281, Red or Green, \$.75 Each.



CERTIFIED

Fig. 963

STERN LIGHT—Fig. 965

12 Points — 135 Degrees — Clear Lens
2 Mile Visibility

\$6.50 Each

Spare Lenses, Specify Fig. 281, Clear, \$.75 Each.



CERTIFIED



Fig. 965

COMBINATION BOW LIGHT—Fig. 972

20 Points — 225 Degrees — Red and Green Lenses
1 Mile Visibility

\$7.25 Each

Spare Lenses, Specify Fig. 296, \$1.50 Per Set.



CERTIFIED

Fig. 972

COMBINATION BOW LIGHT—Fig. 974

For Bass Fishing Boats

Adjustable or removable when not in use.
When in Fixed Vertical Position, the Light should be seen
over the Top of the Electric Trolling Motor.

Light Portion is Brass, Bracket is Die Cast Zinc Alloy —
All Chromium Plated

1 Mile Visibility

Each	Height Overall Inches	Dimensions Base Inches	Weight Ounces
\$12.00	8-1/2	2 x 5/8	9

CERTIFIED



Fig. 974

Spare Lenses, Specify Fig. 296, \$1.50 Per Set.

Spare Sockets for all above, \$1.00 Each

"NAUTIC" INTERNATIONAL NAVIGATION LIGHTS
DIE CAST ZINC ALLOY – CHROMIUM PLATED
DELTRIN DOUBLE CONTACT BAYONET TYPE ELECTRIC SOCKETS
FRESNEL LENSES
 Certified With No. 1004, 12 Volt, 15 C.P. Bulb Supplied With Light

CERTIFIED



Fig. 1264

SIDE LIGHTS – Fig. 1264
10 Points – 112 1/2 Degrees
Colored Lenses 1 Red and 1 Green
1 Mile Visibility

Per Pair	Length Overall Inches	Height Overall Inches	Thickness Inches	Weight Per Pair Pounds
\$11.50	5-1/2	3-1/8	1-3/4	1-3/4

Spare Lenses, Specify Fig. 301-B, \$1.10 Each.
 Spare Sockets, Specify Fig. 24, No. 1, \$.80 Each.



Fig. 1265

CERTIFIED

BOW LIGHTS – Fig. 1265
20 Points – 225 Degrees – Clear Lens
3 Mile Visibility

Each	Length Overall Inches	Width Overall Inches	Height Overall Inches	Weight Pounds
\$7.25	6-1/4	3-7/8	3-1/4	3/4

Spare Lenses, Specify Fig. 301-A, \$2.00 Per Set.
 Spare Sockets, Specify Fig. 24, No. 1, \$.80 Each.

HIGH INTENSITY STERN LIGHTS

BRASS – CHROMIUM PLATED
12 POINTS – 135 DEGREES – CLEAR LENS – 2 MILE VISIBILITY
 No. 1 Certified With No. 211, 12 Volt, 12 C.P. Bulb
 No. 2 Certified With No. 624, 32 Volt, 9 C.P. Bulb
 Complete with Bulb and Neoprene Installation gasket. For Flush Mounting in Transom.

CERTIFIED




Fig. 939

Rectangular—Fig. 939

No.	Voltage	Each	Dimensions Overall Inches	Depth Inches	Weight Pounds
1	12	\$14.00	5-3/16 x 3-3/8	1-1/2	1-1/2
2	32	14.50	5-3/16 x 3-3/8	1-3/4	1-1/2

Spare Bulbs, #1 – \$.65 each, #2 – \$1.25 each.
 Spare lens with gasket, \$.85 each, Specify Fig. 284.
 Spare Nylon Socket assembly, #1 – \$1.00 each, #2 – \$.75 each.
 Spare Installation Gasket, \$.55 each.




Fig. 946

CERTIFIED

Round—Fig. 946

No.	Voltage	Each	Diameter Inches	Depth Inches	Weight Pounds
1	12	\$8.50	3	1-3/4	3/8
2	32	9.00	3	1-3/4	3/8

Spare Bulbs, No. 1 – \$.65 each, No. 2 – \$1.25 each.
 Spare Lens with Gasket, \$.85 each. Specify Fig. 284-A.
 Spare Nylon Socket Assembly – No. 1, \$1.00 each, No. 2 – \$.75 each.
 Spare Installation Gasket, \$.55 each.

NEW
BOW OR MASTHEAD LIGHT—Fig. 1178

Die Cast Zinc Alloy — Chromium Plated
Fresnel Lens — Miniature Bayonet Socket
20 Points — 225 Degrees
Certified with No. 1416, 12 Volt, 8 C.P. Bulb Supplied
with Light.
3 Mile Visibility



CERTIFIED

Each	Height Inches	Diameter Base Inches	Weight Ounces
\$10.00	2-3/4	1-3/4	8

Spare Lens, Specify Fig. 278, \$.70 Each.
Spare Sockets, \$1.10 Each.

Fig. 1178

“ROYAL” INTERNATIONAL NAVIGATIONAL LIGHTS

SHEET METAL — GALVANIZED STEEL OR BRASS
BAYONET DOUBLE CONTACT ELECTRIC SOCKET
FRESNEL LENSES

Figs. 89, 91 and 99 Certified For Use With No. 1004, 12 Volt, 15 C.P. Bulb
Fig. 98 Certified For Use With No. 1144, 12 Volt, 32 C.P. Bulb. Bulb Not Included.

COMBINATION BOW LIGHT—Fig. 89
20 Points — 225 Degrees — 1 Mile Visibility
Colored Lenses 1 Red and 1 Green

Galv. Each	Polished Brass Each	Chromium Plated Each	Height Inches	Height Lens Inches	Width Inches	Weight Pounds
\$19.25	\$29.00	\$32.00	3-3/4	3-5/16	4-1/4	1-1/4



Fig. 89

SIDE LIGHTS — Fig. 91
10 Points — 112-1/2 Degrees — 1 Mile Visibility
Colored Lenses 1 Red and 1 Green

Class	Galv. Per Pair	Polished Brass Per Pair	Chromium Plated Per Pair	Height Inches	Height Lens Inches	Weight Per Pair Pounds
1	\$28.50	\$46.00	\$51.00	4-1/4	3-5/16	1-3/4
2	29.50	47.00	52.00	5	4-1/4	2
3	31.50	51.00	56.00	6	5-3/16	3



Fig. 91

CERTIFIED

BOW OR MASTHEAD LIGHTS—Fig. 98
20 Points — 225 Degrees — Clear Lens — 3 Mile Visibility

STERN LIGHTS—Fig. 99
12 Points — 135 Degrees — Clear Lens — 2 Mile Visibility

Class	Galv. Each	Polished Brass Each	Chromium Plated Each	Height Inches	Height Lens Inches	Weight Pounds
1	\$14.25	\$23.00	\$25.50	4-1/4	3-7/16	1
2	14.75	23.50	26.00	5	4-1/4	1-1/2
3	15.75	25.50	28.00	6	5-3/16	2

CERTIFIED



Fig. 98



Fig. 99

SPARE PARTS

Spare double contact adapters —
Fig. 138, \$3.85 Each — Specify Class 1, 2 or 3.
Spare comb. or side lenses, See Fig. 259
Spare clear Bow lenses, See Fig. 256.
Spare clear Stern lenses, See Fig. 269.

NAVIGATION LIGHTS WITH BOTTOM OPENING

SHEET METAL – GALVANIZED STEEL OR BRASS
OIL OR ELECTRIC – SPRING TYPE FOUNT – BULB NOT INCLUDED
ELECTRIC SOCKET IS BAYONET DOUBLE CONTACT OR MEDIUM SCREW TYPE

Certifications Do Not Apply To Oil Lights



CERTIFIED

Fig. 17 Class 2

Fig. 19 Class 3



Fig. 18 Class 2

Fig. 20 Class 3

CERTIFIED



Fig. 97 Class 2

Fig. 102 Class 3




Fig. 4

CERTIFIED



Fig. 5

SPARE PARTS

Comb. or side lenses, see Fig. 259.
Bow lenses, see Fig. 256.
Stern lenses, see Fig. 269.
Oil founts, see Fig. 286.
Oil burners, see Fig. 246.
Oil wicks, see Fig. 302.
Electric adapters, see Figs. 291 and 292.
Mounting brackets, \$1.95 each.

SIDE LIGHTS—Figs. 17 and 19

10 Points – 112-1/2 Degrees – Red and Green Fresnel Lenses
1 Mile Visibility

Fig.		Galvanized Per Pair	Polished Brass Per Pair	Height Inches	Height Lens Inches	Weight Pounds
17	Oil	\$48.00	\$74.00	10-1/2	4-1/4	5-1/2
19	Oil	50.00	80.00	12-1/2	5-3/16	7-1/2

Double Contact Electric—Specify Fig. 17-A or 19-A. Certified for No. 1004 Bulb, 12 Volt, 15 C.P.

Medium Screw Electric—Specify Fig. 17-B or 19-B. Certified for 15 Watt, A-17 Bulb.

BOW LIGHTS—Figs. 18 and 20

20 Points – 225 Degrees – Clear Fresnel Lens
3 Mile Visibility

Fig.		Galvanized Each	Polished Brass Each	Height Inches	Height Lens Inches	Weight Pounds
18	Oil	\$24.00	\$37.00	10-1/2	4-1/4	3
20	Oil	25.00	40.00	12-1/2	5-3/16	3-1/2

Double Contact Electric—Specify Fig. 18-A or 20-A. Certified for No. 1144 Bulb, 12 Volt, 32 C.P.

Medium Screw Electric—Specify Fig. 18-B or 20-B. Certified for 25 Watt, A-19 Bulb.

STERN LIGHTS—Figs. 97 and 102

12 Points – 135 Degrees – Clear Fresnel Lens
2 Mile Visibility

Fig.		Galvanized Each	Polished Brass Each	Height Inches	Height Lens Inches	Weight Pounds
97	Oil	\$24.00	\$37.00	10-1/2	4-1/4	3
102	Oil	25.00	40.00	12-1/2	5-3/16	3-1/2

Double Contact Electric—Specify Fig. 97-A or 102-A. Certified for No. 1004 Bulb, 12 Volt, 15 C.P.

Medium Screw Electric—Specify Fig. 97-B or 102-B. Certified for 15 Watt, A-17 Bulb.

SIDE LIGHTS—Fig. 4

10 Points – 112-1/2 Degrees – Electric Only – Red and Green Fresnel Lenses – 1 Mile Visibility

Class	Galvanized Per Pair	Polished Brass Per Pair	Height Inches	Height Lens Inches	Weight Per Pair Pounds
2	\$38.00	\$63.00	7-1/4	4-1/4	5
3	41.00	71.00	8-1/2	5-3/16	7

Double Contact Electric—Specify Fig. 4-A. Certified for No. 1004 Bulb, 12 Volt, 15 C.P.

Medium Screw Electric—Specify Fig. 4-B. Certified for 15 Watt, A-17 Bulb.

BOW LIGHTS—Fig. 5

20 Points – 225 Degrees – Electric Only – Clear Fresnel Lens
3 Mile Visibility

Class	Galvanized Each	Polished Brass Each	Height Inches	Height Lens Inches	Weight Pounds Each
2	\$19.00	\$31.50	7-1/4	4-1/4	2-1/2
3	20.50	35.50	8-1/2	5-3/16	3-1/4

Double Contact Electric—Specify Fig. 5-A. Certified for No. 1144 Bulb, 12 Volt, 32 C.P.

Medium Screw Electric—Specify Fig. 5-B. Certified for 25 Watt, A-19 Bulb.

Fig. 5-B Class 3 Available in Amber add \$5.00 each. Certified for 40 Watt, A-21 Bulb. Visibility 2 Miles.

NAVIGATION LIGHTS WITH FRONT DOOR

SHEET METAL – GALVANIZED STEEL OR BRASS
OIL OR ELECTRIC

ELECTRIC SOCKET IS BAYONET DOUBLE CONTACT TYPE – BULB NOT INCLUDED

Certifications Do Not Apply To Oil Lights

COMBINATION BOW LIGHT—Fig. 0-1

20 Points – 225 Degrees
Red and Green Fresnel Lenses

Certified For No. 1004 Bulb, 12 Volt, 15 C.P.

1 Mile Visibility

Galvanized Each	Polished Brass Each	Height Less Ring Inches	Base Dimensions Inches	Height Lens Inches	Weight Pounds
\$33.00	\$44.00	9-3/8	5x5-1/2	3-5/16	3-5/8



SIDE LIGHTS—Figs. 0-4 and 0-8

10 Points – 112½ Degrees

Red and Green Fresnel Lenses

Certified For No. 1004 Bulb, 12 Volt, 15 C.P.

1 Mile Visibility

Fig.	Galv. Per Pair	Polished Brass Per Pair	Height Less Ring Inches	Base Dimensions Inches	Height Lens Inches	Weight Per Pair Pounds
0-4	\$58.00	\$83.00	10-1/2	5-1/4x5-1/4	4-1/4	6-1/4
0-8	61.00	87.00	12-1/4	5-5/8x5-5/8	5-3/16	8



BOW LIGHTS—Figs. 0-5 and 0-9

20 Points – 225 Degrees

Clear Fresnel Lens

Certified For No. 1144 Bulb, 12 Volt, 32 C.P.

3 Mile Visibility

Fig.	Galv. Each	Polished Brass Each	Height Less Ring Inches	Base Dimensions Inches	Height Lens Inches	Weight Pounds
0-5	\$29.00	\$41.50	10-1/2	5 x5-1/2	4-1/4	3
0-9	30.50	43.50	12-1/4	5-1/2x6-1/8	5-3/16	4

NOTE: The above area of visibility applies only to electric bow lights.



SIDE LIGHTS—Figs. 0-40 and 0-80

10 Points – 112½ Degrees – Electric Only

Red and Green Fresnel Lenses

Certified For No. 1004 Bulb, 12 Volt, 15 C.P.

1 Mile Visibility

Fig.	Galv. Per Pair	Polished Brass Per Pair	Height Less Ring Inches	Base Dimensions Inches	Height Lens Inches	Weight Per Pair Pounds
0-40	\$40.00	\$62.00	7-1/4	5-1/8x5-1/8	4-1/4	5-1/2
0-80	44.00	66.00	8-1/2	5-5/8x5-5/8	5-3/16	7



BOW LIGHTS—Figs. 0-50 and 0-90

20 Points – 225 Degrees – Electric Only

Clear Fresnel Lens

Certified For No. 1144 Bulb, 12 Volt, 32 C.P.

3 Mile Visibility

Fig.	Galv. Each	Polished Brass Each	Height Less Ring Inches	Base Dimensions Inches	Height Lens Inches	Weight Pounds
0-50	\$20.00	\$31.00	7-3/8	5 x5-1/2	4-1/4	2-3/4
0-90	22.00	33.00	8-1/2	5-1/2x6-1/8	5-3/16	4



Fig. 0-1

CERTIFIED



Fig. 0-4 - Class 2

Fig. 0-8 - Class 3

CERTIFIED



Fig. 0-5 - Class 2

Fig. 0-9 - Class 3

CERTIFIED



Fig. 0-40 - Class 2

Fig. 0-80 - Class 3

CERTIFIED



Fig. 0-50 - Class 2

Fig. 0-90 - Class 3

NOTES AND SPARE PARTS

Figs. 0-1, 0-4, 0-5, 0-8, 0-9, Specify oil or electric otherwise oil only will be shipped.

Spare comb. or side lenses, see Fig. 259.

Spare clear bow lenses, see Fig. 260.

Spare oil founts, \$4.00 each.

Spare oil burners, see Fig. 246.

Spare oil wicks, see Fig. 302.

Spare mounting brackets, \$2.00 each.

These lights are not supplied with medium screw socket.

CERTIFIED



Fig. 0-2 Junior



Fig. 0-6 Senior

CERTIFIED

SPARE PARTS

Lenses, See Fig. 261

Founts or Adapters For Fig. 0-2, See Figs. 287 and 293

Founts or Adapters For Fig. 0-6, See Figs. 286, 291 and 292

Oil Burners For Fig. 0-2, See Fig. 246, No. 0.

Oil Burners For Fig. 0-6, See Fig. 246, No. 1.

ANCHOR LIGHT—Fig. 0-2

32 Points — 360 Degrees — Clear Fresnel Lens — Oil or Electric

Clear Electric, Certified For No. 1004, 12 Volt, 15 C.P. Bulb — 2 Mile Visibility — Bulb Not Included

Galvanized Each	Polished Brass Each	Height Inches	Diam. Base Inches	Height Lens Inches	Weight Pounds
\$16.75	\$24.50	8-5/8	4-1/2	3-5/16	2

For Double Contact Electric—Specify Fig. 0-2A. For navigational purposes this light will not accommodate a medium screw socket.

Available in Amber — Certified For No. 1142, 12 Volt, 21 C.P. Bulb — 2 Mile Visibility. Add \$4.00 to above. Certification does not apply to oil lights.

ANCHOR LIGHT—Fig. 0-6

32 Points — 360 Degrees — Clear Fresnel Lens — Oil or Electric

Clear Electric, Double Contact — Certified for No. 1004, 12 Volt, 15 C.P. Bulb — 2 Mile Visibility

Clear Electric, Medium Screw — Certified for 15 Watt, A-17 Bulb — 2 Mile Visibility — Bulb Not Included

Galvanized Each	Polished Brass Each	Height Inches	Diam. Base Inches	Height Lens Inches	Weight Pounds
\$21.00	\$33.00	11-3/4	5-5/8	4-1/4	3

For Double Contact Electric—Specify Fig. 0-6A.

For Medium Screw Electric—Specify Fig. 0-6B.

Fig. 0-6B Available in Red, Green or Amber — Certified For 40 Watt, A-21 Bulb, 2-7/16 L.C.L. — 2 Mile Visibility. Add \$4.00 Each. Certification does not apply to oil lights.

"NON-FOULING" SPREADER LIGHT—Fig. 265

Pressure Cast Bronze — Chromium Plated — With 12 Volt, 6 C.P. Bulb

For mounting flush to spreader, will not foul sheets or halyards. Has many other uses aboard the boat.

Each	Diameter Overall Inches	Depth Inches	Weight Ounces
\$7.50	2-3/4	1-3/8	3-1/2

SPREADER FLOODLIGHT—Fig. 268

All Brass — Chromium Plated — Sealed Beam — 12 Volts

A fully watertight unit for flood-lighting decks, anchorages, docks or sails.

Each	Diameter Overall Inches	Depth Inches	Size Mounting Plate Inches	Weight Pounds
\$18.75	4-5/8	4-1/4	5-5/8 x 3/4	1-1/4

Spare sealed beam units, \$3.50 each

ELECTRIC COMPASS LIGHT—Fig. 707

Brass — Chromium Plated

To be mounted on compass box for illuminating compass at night.

Chromium Plated Each	Height Overall Inches	Weight Ounces
\$7.25	8	5



Fig. 265



Fig. 268




Fig. 707

PERKO

navigation lights
for vessels
over 65 ft. long

SECTION B



MANUFACTURED BY

PERKINS MARINE LAMP & HARDWARE CORP., 16490 N. W. 13TH AVE., P. O. BOX D, MIAMI, FLORIDA 33164


Copyright 1972 in U. S. and Canada by Perkins Marine Lamp and Hardware Corp.

For complete line see catalog No. 220


PERKINS MARINE LAMP & HARDWARE CORP.

TWO LENS NAVIGATION LIGHTS FOR SHIPS

Per I.E.E.E. Specification No. 45 Section 34 Paragraph 34.01
 - Watertight - Electric Only - Cast Bronze - LISTED
 IN U.S.C.G.-293-MISC. ELECTRICAL EQUIPMENT LIST



Side Lights
112½ Degrees



Masthead Lights
225 Degrees

Each section contains a phenolic lamp socket and a watertight cap for relamping and cleaning. A watertight terminal tube for cable entrance to each section and shields for light angle are included.

	Height Overall Inches	Height Lens Inches	Weight Pounds
Two Lens	18	6-3/4	30
Single Lens	10	6-3/4	14-1/2

	FIGURE NO. With Medium Screw Socket	Each
Side Light, Red	1164-RB	\$194.00
Side Light, Green	1164-GB	194.00
Masthead Light, Clear	1165-B	184.00
Stern Light, Clear	1166-B	184.00
Anchor Light, Clear	1167-B	174.00
Breakdown Light, Red	1168-RB	184.00

FIG. 1165-B IS ALSO A RANGE AND TOWING LIGHT



Side Lights
112½ Degrees



Anchor Lights
360 Degrees

SINGLE LENS LIGHTS

Per Above Specifications - Cast Bronze

	FIGURE NO.		Each
	With Medium Screw Socket	With Mogul Screw Socket	
Side Light, Red	1172-RB	1172-RC	\$116.00
Side Light, Green	1172-GB	1172-GC	116.00
Masthead Light, Clear	1173-B	1173-C	111.00
Masthead Light, Red	1173-RB	1173-RC	116.00
Stern Light, Clear	1174-B	1174-C	111.00
Stern Light, Red	1174-RB	1174-RC	116.00
Anchor Light, Clear	1169-B	1169-C	106.00
Breakdown Light, Red	1170-RB	1170-RC	111.00

FIG. 1173 IS ALSO A RANGE, DREDGE OR TOWING LIGHT



Fig. 412-B Clear
Fig. 412-RB Red

PORTABLE SIGNAL LIGHT

Cast Bronze - Medium Screw Socket
32 Point - 360 Degrees

Listed in U.S.G.G. 293 - Misc. Elec. Equipment List

	Height Overall Inches	Height Lens Inches	Weight Pounds
	14-1/2	5-1/2	12-1/4
CLEAR	FIG. 412-B	EACH \$82.00	
RED	FIG. 412-RB	EACH \$87.00	

SPARE PARTS

Spare lenses for Fig. 412, see Fig. 261 No. 0.
 Spare lenses for balance, see Fig. 261 No. 1.
 Spare medium screw sockets, for Fig. 412, see Fig. 346 No. 2.
 Spare medium screw sockets for balance, See Fig. 369.

Spare mogul sockets, see Fig. 270
 Spare lens gaskets, \$1.10 each.
 Spare socket supports, for Fig. 412, \$3.30 each.
 Spare caps with gasket, \$13.50 each.

FOR IMPORTANT INFORMATION OF ANGLES, DISTANCE AND NECESSARY WATTAGE, SEE PAGE B-12.

ELECTRIC NAVIGATION LIGHTS FOR VESSELS OVER 65 FT. LONG

Waterproof – Cast Bronze Rebulbing Cap – Terminal Tubes

Mogul 3-Wire Phenolic Sockets Fig. 270 For Double Filament Bulbs – Bulbs Not Included

All Sizes In Brass Listed in U.S.C.G. – 293 – Misc. Electrical Equipment List

SIDE LIGHTS—Fig. 1150-C

No.	Galvanized Steel Per Pair	Plain Brass Per Pair	Polished Brass Per Pair	Lens Fig. 259 Height Inches	Height Less Handle Inches	Weight Per Pair Pounds
1	\$168.00	\$234.00	\$258.00	6-3/4	11-1/4	16-1/4
2	214.00	288.00	314.00	7-1/2	13-1/4	24
3	252.00	330.00	364.00	8-1/2	15-1/2	30-1/4

With medium screw 2 wire socket, specify Fig. 1150-B



MASTHEAD, RANGE AND TOWING LIGHTS—Fig. 1151-C

No.	Galvanized Steel Each	Plain Brass Each	Polished Brass Each	Lens Fig. 256 Height Inches	Height Less Handle Inches	Weight Each Pounds
1	\$ 84.00	\$117.00	\$129.00	6-3/4	11-1/4	9-1/2
2	107.00	144.00	157.00	7-1/2	13-1/4	14
3	126.00	165.00	182.00	8-1/2	15-1/2	19

With Medium Screw 2 Wire Socket, specify Fig. 1151-B

With Colored Lens, sizes No. 1 and 2 only. Add \$14.00 each. Specify as follows.

With Red Lens and Mogul Socket, specify Fig. 1151-RC.

With Red Lens and Medium Screw Socket, specify Fig. 1151-RB.

With Amber Lens and Mogul Socket, specify Fig. 1151-MC.

With Amber Lens and Medium Screw Socket, specify Fig. 1151-MB.



STERN LIGHTS—Fig. 1152-C

Size Nos., Prices and Dimensions, same as Fig. 1151

Lens is Fig. 269

With Medium Screw 2 Wire Sockets, specify Fig. 1152-B.

With Colored Lens, Sizes No. 1 and 2 only add \$14.00 each.

Specify as follows.

With Red Lens and Mogul Socket, specify Fig. 1152-RC.

With Red Lens and Medium Screw Socket, specify Fig. 1152-RB.

With Amber Lens and Mogul Socket, specify Fig. 1152-MC.

With Amber Lens and Medium Screw Socket, specify Fig. 1152-MB.



ANCHOR LIGHTS—Fig. 1153-C

No.	Galvanized Steel Each	Plain Brass Each	Polished Brass Each	Lens Fig. 261 Height Inches	Height Less Handle Inches	Weight Each Pounds
1	\$ 84.00	\$117.00	\$129.00	6-3/4	10-1/2	10
2	107.00	144.00	157.00	7-1/8	12-3/4	14-1/4
3	126.00	165.00	182.00	8-1/2	14-5/8	20-1/4

With Medium Screw 2 Wire Socket, specify Fig. 1153-B



BREAKDOWN LIGHTS—Fig. 1154-C

No.	Galvanized Steel Each	Plain Brass Each	Polished Brass Each	Lens Fig. 261 Height Inches	Height Less Handle Inches	Weight Each Pounds
1	\$ 93.50	\$126.50	\$138.50	6-3/4	10-1/2	10
2	117.00	154.00	167.00	7-1/8	12-3/4	14-1/4
3	140.00	179.00	196.00	8-1/2	14-5/8	20-1/4

With Medium Screw 2 Wire Socket, specify Fig. 1154-B

NOTES

Spare cast bronze watertight caps with gasket, diameter overall 5-3/4", diameter across thread 5", \$11.00 each.

Spare mounting brackets, No. 1 - \$2.00 each. Nos. 2 and 3, \$3.00 each.



Red & Green Side Lights
112½ Degrees



Clear Masthead Lights
225 Degrees



Clear Stern Lights
135 Degrees



Clear Anchor or Red Breakdown Lights
360 Degrees

Recommended For Size Vessel

No. 1 – 65 to 150 Ft.

No. 2 – 150 to 300 Ft.

No. 3 – Over 300 Ft.

PERKINS MARINE LAMP & HARDWARE CORP.

ELECTRIC NAVIGATION LIGHTS FOR VESSELS OVER 65 FT. LONG

Flat Top Style – Bottom Opening

MEDIUM SCREW 2 WIRE PHENOLIC ADAPTER FIG. 288 FOR SINGLE FILAMENT BULBS – BULBS NOT INCLUDED

ALL SIZES IN BRASS LISTED IN U.S.C.G. – 293 – MISC. ELECTRICAL EQUIPMENT LIST



**Red & Green
Side Lights
112½ Degrees**



**Clear
Masthead Lights
225 Degrees**



**Clear
Stern Lights
135 Degrees**



**Electric Adapter
In Base of Light**



**Clear Anchor
or
Red Breakdown Lights
360 Degrees**

SIDE LIGHTS—Fig. 30-B

No.	Gal- vanized Steel Per Pair	Plain Brass Per Pair	Polished Brass Per Pair	Lens Fig. 259 Height Inches	Height Less Handle Inches	Weight Per Pair Pounds
0	\$128.00	\$186.00	\$206.00	5-1/2	10-1/2	10-1/2
1	135.00	198.00	218.00	6-3/4	11-3/8	12
2	171.00	246.00	274.00	7-1/2	13-1/4	21

With Mogul 3 Wire Sockets – Specify Fig. 30-C

MASTHEAD, RANGE AND TOWING LIGHTS—Fig. 983-B

No.	Gal- vanized Steel Each	Plain Brass Each	Polished Brass Each	Lens Fig. 256 Height Inches	Height Less Handle Inches	Weight Each Pounds
0	\$64.00	\$ 93.00	\$103.00	5-1/2	10-1/2	6-3/4
1	67.50	99.00	109.00	6-3/4	11-3/8	7-1/2
2	85.50	123.00	137.00	7-1/2	13-1/4	12-1/4

With mogul screw 3-wire socket – Specify Fig. 983-C

With colored lens, Add \$14.00 each

Specify as follows:

With Red Lens and medium screw socket – Specify Fig. 983-RB

With Red Lens and mogul socket – Specify Fig. 983-RC

With Amber Lens and medium screw socket – Specify Fig. 983-MB

With Amber Lens and mogul socket – Specify Fig. 983-MC

STERN LIGHTS—Fig. 986-B

Size, Nos., Prices and Dimensions, same as Fig. 983. Lens is Fig. 269

With mogul 3-wire socket – Specify Fig. 986-C

With colored lens, Add \$14.00 each

Specify as follows:

With Red Lens and medium screw socket – Specify Fig. 986-RB

With Red Lens and mogul socket – Specify Fig. 986-RC

With Amber Lens and medium screw socket – Specify Fig. 986-MB

With Amber Lens and mogul screw socket – Specify Fig. 986-MC

ANCHOR LIGHTS—Fig. 32-B

No.	Gal- vanized Steel Each	Plain Brass Each	Polished Brass Each	Lens Fig. 261 Height Inches	Height Less Handle Inches	Weight Each Pounds
0	\$64.00	\$ 93.00	\$103.00	5-1/2	9-1/4	7-1/2
1	67.50	99.00	109.00	6-3/4	10-1/4	8-1/2
2	85.50	123.00	137.00	7-1/8	13	12-3/4

With Mogul 3-Wire Socket – Specify Fig. 32-C

BREAKDOWN LIGHTS—Fig. 84-B

No.	Gal- vanized Steel Each	Plain Brass Each	Polished Brass Each	Lens Fig. 261 Height Inches	Height Less Handle Inches	Weight Each Pounds
0	\$71.00	\$100.00	\$110.00	5-1/2	9-1/4	7-1/2
1	77.00	108.50	118.50	6-3/4	10-1/4	8-1/2
2	95.50	133.00	147.00	7-1/8	13	12-3/4

With Mogul 3-Wire Socket – Specify Fig. 84-C

Recommended For Size Vessel

No. 0 – 65 to 90 Ft.

No. 1 – 90 to 150 Ft.

No. 2 – 150 to 300 Ft.

PERKINS MARINE LAMP & HARDWARE CORP.

B-5

***EMERGENCY OIL NAVIGATION LIGHTS FOR VESSELS OVER 65 FEET LONG**

Turret Top — Bottom Opening

SWIVEL FOUNT FIG. 282 — HINGED BURNER FIG. 242 — LIP CHIMNEY FIG. 267 — FLAT WICK FIG. 302

SIDE LIGHTS—Fig. 21

No.	Galvanized Steel Per Pair	Plain Brass Per Pair	Polished Brass Per Pair	Lens Fig. 259 Height Inches	Height Less Ring Inches	Weight Per Pair Pounds
0	\$128.00	\$186.00	\$206.00	5-1/2	14	12-1/2
1	135.00	198.00	218.00	6-3/4	15	13-1/2
2	171.00	246.00	274.00	7-1/2	18-1/2	22



MASTHEAD, RANGE AND TOWING LIGHTS—Fig. 982

No.	Galvanized Steel Each	Plain Brass Each	Polished Brass Each	Lens Fig. 256 Height Inches	Height Less Ring Inches	Weight Each Pounds
0	\$64.00	\$ 93.00	\$103.00	5-1/2	14	7-1/2
1	67.50	99.00	109.00	6-3/4	15	8
2	85.50	123.00	137.00	7-1/2	18-1/2	14

With Colored Lens, add \$14.00 Each.

Specify as follows:

With Red Lens, specify Fig. 982-R.

With Amber Lens, specify Fig. 982-M.



STERN LIGHTS—Fig. 985

No.	Galvanized Steel Each	Plain Brass Each	Polished Brass Each	Lens Fig. 269 Height Inches	Height Less Ring Inches	Weight Each Pounds
0	\$64.00	\$ 93.00	\$103.00	5-1/2	14	6
1	67.50	99.00	109.00	6-3/4	15	6-1/2
2	85.50	123.00	137.00	7-1/2	18-1/2	10-1/2

With Colored Lens, add \$14.00 Each.

Specify as follows:

With Red Lens, specify Fig. 985-R.

With Amber Lens, specify Fig. 985-M.



ANCHOR LIGHTS—Fig. 23

No.	Galvanized Steel Each	Plain Brass Each	Polished Brass Each	Lens Fig. 261 Height Inches	Height Less Ring Inches	Weight Each Pounds
0	\$64.00	\$ 93.00	\$103.00	5-1/2	13-3/8	7-1/2
1	67.50	99.00	109.00	6-3/4	14-3/8	9
2	85.50	123.00	137.00	7-1/8	17-1/2	14



BREAKDOWN LIGHTS—Fig. 129

No.	Galvanized Steel Each	Plain Brass Each	Polished Brass Each	Lens Fig. 261 Height Inches	Height Less Ring Inches	Weight Each Pounds
0	\$71.00	\$100.00	\$110.00	5-1/2	13-3/8	7-1/2
1	77.00	108.50	118.50	6-3/4	14-3/8	9
2	95.50	133.00	147.00	7-1/8	17-1/2	14

***IMPORTANT NOTICE**

ALL LIGHTS ON THIS PAGE ARE STOCKED AND SHIPPED WITH OIL LAMP.

FIGS. 288 AND 1082 ELECTRIC ADAPTERS ARE AVAILABLE AT EXTRA CHARGE BUT ARE NOT RECOMMENDED FOR USE WITH THE LIGHTS ON THIS PAGE FOR NAVIGATIONAL PURPOSES.



Red & Green Side Lights
112½ Degrees



Clear Masthead Lights
225 Degrees



Clear Stern Lights
135 Degrees



Clear Anchor or Red Breakdown Lights
360 Degrees



Oil Lamp in Base of Light

Recommended For Size Vessel

No. 0 — 65 to 90 Ft.

No. 1 — 90 to 150 Ft.

No. 2 — 150 to 300 Ft.

PERKINS MARINE LAMP & HARDWARE CORP.



Fig. 403-B

BLINKER SIGNALING LIGHTS—Fig. 403-B

Cast Bronze — Plain Finish
 360 Degree Clear Fresnel Lens
 With Medium Screw 2-Wire Socket

Size No.	Each	Height Lens Inches	Height Overall Inches	I.P.S. Thread Inches	Weight Pounds
2	\$47.00	4-1/4	8-1/4	3/4	6
3	66.50	5-1/2	9-3/4	1	10

With Mogul 3-Wire Socket, specify Fig. 403-C.
 With Amber Lens (size no. 2 only) add \$3.50 Each.
 With Amber Lens and Medium Screw Socket, specify Fig. 403-MB.
 With Amber Lens and Mogul Socket, specify Fig. 403-MC.

Spare Lenses, see Fig. 261.
 Spare Sockets, see Figs. 270 and 346.



Fig. 540-B

SIGNAL LIGHTS—Fig. 540-B

Cast Bronze — Plain Finish
 Cast Bronze Guard — Watertight
 Clear Fresnel Globe — Medium Screw Socket

BOX TAPPED ONE END FOR 1/2 INCH PIPE
 GLOBE FOR BULB UP TO 100 WATTS

Each	Height Overall Inches	Projection Overall Inches	Dimensions Box Inches	Weight Pounds
\$41.00	10-1/4	6-3/4	4 x 2-1/4	6-3/4

With Colored Globe Add \$3.00 Each.
 With Red Globe, specify Fig. 540-RB.
 With Green Globe, specify Fig. 540-GB.
 With Amber Globe, specify Fig. 540-MB.
 Spare Globes, see Fig. 106.
 Spare Sockets, see Fig. 222.
 Spare Guards, \$9.25 each.



Fig. 1087

VAPOR-PROOF FIXTURES—Figs. 1087 & 1090

Keyless
 Combination Junction Box — Ceiling and Bulkhead Type
 7" Cast Guards — Screw Glass Globes — Clear — Pressure Die Cast Aluminum — Non Corrosive — Satin Finish.

CAPACITY — 60 TO 100 WATTS

Fig.	Each	Diameter Box Inches	Length Overall Inches	Weight Pounds
1087	\$22.00	3-3/4	9-1/2	3
1090	24.50	3-3/4	10	3-1/4

FIG. 1090 EXTENDS FROM BULKHEAD 7 INCHES OVERALL

Spare Guards, \$7.50 Each. Spare Globes, \$3.50 Each.
 Spare Porcelain Sockets, \$3.00 Each.

Above fixtures have four 1/2 inch I.P.S. tappings.
 With Colored Globes, Red, Green or Amber Price on Application.



Fig. 1090

"PERKO" Bridge and Pier Lights

In strict accordance with specifications and regulations of the U. S. Coast Guard, on marking and lighting of bridges. See "Aids To Navigation" C.G. 208 Subpart 68.15, January 1st, 1953 with amendments.

REGULATION PIER LIGHTS

For Piers, Axis, Abutments, Channel Sides, or Channel Margins. 180 Degree Red Fresnel Lens. Electric Socket Is Medium Screw.

Fig. 31 — Electric only, wrought steel, galvanized or wrought brass in plain finish. Cast bronze cap and brass packing gland for cable.

Fig. 59 — Oil only. Oil Fount is brass, complete with burner, wick and chimney.

Fig. 125 — Cast bronze or cast aluminum in plain finish. Light is Fig. 1005 mounted on 1 inch brass pipe and cast bronze deck flange.

Fig. 1005 — Cast bronze or cast aluminum in plain finish. Has watertight bronze cap. The four mounting lugs are drilled for 3/8 inch bolts.

Fig. 1010 — This is Fig. 1005 mounted on 2 inch brass pipe and fittings. Standard length of pipe "A" is 3-1/2 inches.




Fig. 31



Fig. 59



Fig. 1005



Fig. 125




Fig. 1010

Fig.	*Height Overall Inches	Width Overall Inches	Size Base Inches	Weight Pounds
31	13-1/4	14-1/2	10 x 9	12
59	18	14-1/2	10 x 9	12
125	19	8-1/4	5	24
1005	9-1/4	** 9-1/4	8-3/4 x 7-3/8	18-3/4
1010	17-1/2	8-1/4	6	28

*Height of light does not include handle.

**Width is to centers of mounting holes.

Fig.	Galv. Steel Each	Plain Brass Each	Cast Bronze Each	Cast Aluminum Each
31	\$120.00	\$160.00		
59 Oil	98.50	138.00		
125			\$198.00	\$163.00
1005			170.00	149.00
1010			240.00	208.00

NOTE — Fresnel Lens used in above lights is Fig. 260
Mould No. 59, Height is 7-3/8 inches.
Electric Adapter for Fig. 59, See Fig. 288.

Fig. 125 mounted on 1-1/2" brass pipe and flange, add \$18.00 each.
Fig. 125 mounted on 2" brass pipe and flange, add \$40.00 each.
Figs. 125 and 1010 with special length of pipe, add \$20.00 set up charge then the following for length longer than standard.

- 1" pipe — add \$.70 per inch
- 1-1/2" pipe — add 1.15 per inch
- 2" pipe — add 1.55 per inch

PERKINS MARINE LAMP & HARDWARE CORP.




Fig. 39

**REGULATION
SWING, DRAW OR FOLDING
BRIDGE LIGHTS—Fig. 39**

For Span of Through, Deck and Half Through Swing Bridges or Single Opening Draw Bridges with Alternate Red and Green *60 or 90 Degree Fresnel Lenses. Socket is Medium Screw.

Watertight, made of cast bronze or cast aluminum in plain finish. With cast threaded cap and packing gland for cable.

Cast Bronze Each	Cast Aluminum Each	Height Lens Inches	*Height Overall Inches	Bronze Weight Pounds
\$225.00	\$200.00	7-3/8	11-3/4	21

*60 Degree Lenses are standard and will be shipped unless 90 degree is specified.

Supplied with one lens shielded for 3-way light (one red, two green) use above prices. Specify.




Fig. 1006

**REGULATION
MID-CHANNEL SPAN LIGHTS
FOR FIXED BRIDGES—Fig. 1006**

Cast bronze or cast aluminum — Plain finish. 360 degree green — fresnel lens. Socket is medium screw. Bronze cap and packing gland.

Cast Bronze Each	Cast Aluminum Each	Height Lens Inches	*Height Overall Inches	Bronze Weight Pounds
\$140.00	\$122.00	7-1/8	9-1/2	19

FRESNEL LENS USED IS FIG. 261 SIZE NO. 2




Fig. 1011

**REGULATION
MID-CHANNEL SPAN LIGHTS
WITH PIVOT MOUNTING—Fig. 1011**

Cast Bronze or Cast Aluminum — Plain Finish
Watertight — Electric Only — Medium Screw Socket
360 Degree Green Fresnel Lens — 2 Inch Pipe

This is Fig. 1006 with pivot mounting allowing light to be seen beneath the bridge yet can be swung to the upper level for rebulbing or cleaning. Entrance is through cast threaded cap in bottom of light body. Standard length at "A" and "B" is 2 inches.

Cast Bronze Each	Cast Aluminum Each	Height Lens Inches	*Height Overall Inches	Bronze Weight Pounds
\$264.00	\$227.00	7-1/8	20-1/4	36

With Alternate Red and Green 60 degree or 90 degree Lenses per Fig. 39, add \$45.00 Each.

Special length of pipe at "A" or "B", add \$20.00 set up charge then \$1.55 for each additional inch.

*Height does not include handle.

SPECIAL PURPOSE LIGHTS ON PEDESTAL—Fig. 126

With 360 Degree Red, Green or Clear Lens. For Sheer Booms, Isolated Piers, Obstructions, etc. Cast Bronze or Cast Aluminum — Plain Finish — Watertight — Electric Only

Mounted on 1" brass pipe and good sturdy cast bronze flange. Has medium screw socket. Cast threaded cap.

Cast Bronze Each	Cast Aluminum Each	Height Lens Inches	*Height Overall Inches	Bronze Weight Pounds
\$170.00	\$135.00	7-1/8	19	24

Mounted on 1-1/2" Brass Pipe and Flange, add \$18.00 Each.

Mounted on 2" Brass Pipe and Flange, add \$40.00 Each.

This light can be supplied shielded to various degrees. Prices on application.

*Height of light does not include handle. Special Heights available. Prices on request.



Fig. 126

LIGHT COLORS AND HORIZONTAL ARCS OF VISIBILITY IN ACCORDANCE WITH "AIDS TO NAVIGATION" REGULATIONS ON LIGHTING FOR BRIDGES



180 DEGREE RED — For piers, axis, abutments, channel sides or channel margins
See Figs. 31, 59, 125, 1005, 1010.



360 DEGREE RED, GREEN OR CLEAR — For sheer booms, isolated piers and obstructions not part of the bridge or bridge approach structure. May be shielded to various degrees as required.
See Figs. 126, 1006, 1011.



60 OR 90 DEGREE ALTERNATE RED AND GREEN — For draw span of draw bridges or swing span of through swing bridges. When required for swing span of deck or half-through swing bridges, one red lens is shielded.
See Fig. 39.



360 DEGREE GREEN — For mid-channel or channel center, for span of fixed bridge over a navigable channel.
See Figs. 1006, 1011.



180 DEGREE GREEN AND RED — For span of single and double-lift bascule bridges. Green when lift span is fully open for navigation, red for all other positions of lift span.
On Special Order Only.

SPARE PARTS FOR BRIDGE AND PIER LIGHTS

180 DEGREE LENSES — For Figs. 31-59-125-1005-1010. Colored \$33.00 each. Specify Fig. 260 mould No. 59.

360 DEGREE LENSES — For Figs. 126-1006-1011. Clear \$24.50 each, Colored \$37.50 each. Specify Fig. 261, Size No. 2.

WATERTIGHT CAPS complete with rubber gasket and safety chain for Figs. 31-39-125-126-1005-1006-1010-1011. \$11.00 each.

RUBBER GASKETS
For caps \$.40 each.

RUBBER GASKETS
For 360 degree lenses \$3.50 each.

ELECTRIC SOCKETS
Medium screw — For all lights \$1.50 each.

SOCKET SUPPORTS
Brass — For all watertight electric lights \$2.00 each.

ELECTRIC ADAPTER—For Fig. 59
Specify Fig. 288 size No. 2 \$9.00 each.

OIL FOUNTS — Brass — For Fig. 59
Specify Fig. 282 size No. 2 \$9.00 each.

OIL BURNERS— Brass — For above founts
Specify Fig. 242 size No. 2 \$4.40 each.

OIL WICKS — For above burners
Specify Fig. 302 size No. 2 \$.15 each.

CHIMNEYS — For above burners
Specify Fig. 267 size No. 2 \$2.15 each.

ANTIQUE DESIGN SHIPS LANTERNS

Although these lanterns are manufactured now, the design is unchanged from that of centuries ago.

Old sailing vessels used Fig. 44 with a clear globe for cabin illumination and with a red globe for signaling "Breakdown" or "Not Under Command."

The bulkhead lantern Fig. 1045 was used for illumination in cabins, passage-ways, decks, etc.

These lanterns are hand made for outdoor use by the Country's oldest and leading manufacturer of marine navigation lights. They are authentic marine lanterns, not imitations.



Fig. 44

OIL SIGNAL LIGHT—Fig. 44

With Clear Globe

No.	Diam. Globe Inches	Galvanized Steel Each	Polished Brass Each	Height Overall Inches	Weight Pounds
1	6	\$35.00	\$46.50	11	3
2	8	42.50	57.00	14-1/2	6
3	10	76.50	98.50	17-3/8	8-1/2

With Red or White Frosted Globe, Add \$9.50 each.

With Red Globe, specify Fig. 44-R.

With Frosted Globe, specify Fig. 44-F.

SPARE PARTS

Size	Globes	Burners	Oil Founts	Electric Adapters
6	Fig. 264	Fig. 246 No. 0	Fig. 287	Fig. 274
8	Fig. 264	Fig. 246 No. 1	Fig. 286	Fig. 292
10	Fig. 264	Fig. 242 No. 2	Fig. 282	Fig. 288

10 Inch Size supplied with Fig. 267 Chimney.



BULKHEAD LANTERN—Fig. 1045

With Medium Screw Electric Socket

Polished Brass

Illumination thru translucent green plastic enclosure on front and two sides. Plastic gives "Cracked Ice" effect. A beautiful lantern with a design history to the 15th century.

No.	Each	Width Inches	Height Less Handle Inches	Depth Less Bracket Inches	Weight Pounds
1	\$85.00	8	13	6	3-1/2
2	98.00	10	17	7 3/4	5



NAVY OR LIFE BOAT LANTERN—Fig. 49

Oil Burning — Hinged Top — Clear Globe

Galvanized Each	Polished Brass Each	Height Inches	Size of Globe Inches	Weight Pounds
\$31.50	\$40.00	11	4x6-1/2	3

Electric Adapter, See Fig. 292



Fig. 1045



Fig. 49

ELECTRIC SIGNAL LIGHT—Fig. 1032

All Brass — Medium Screw Electric Socket — Wired
Canopy and Chain With White Frosted Globe —
Supplied with 12 inches of chain, and glass bottom
for illumination of deck.

No.	Polished Brass Each	Height Lamp Only Inches	Diam. Globe Inches	Approx. Weight Pounds
1	\$ 57.00	11	6	3
2	67.00	14	8	4-1/2
3	109.00	16-1/2	10	6-1/2

With clear or red globe, add \$5.00 each.



Fig. 1032

ELECTRIC ANCHOR LIGHTS

All Brass — Medium Screw Electric Socket — Wired
With dome glass bottom for illumination of deck.
Globe is clear Fresnel

Flush Canopy—Fig. 1023

No.	Polished Brass Each
1	\$35.00
2	41.00

Canopy and Chain — Fig. 1024

No.	Polished Brass Each
1	\$ 36.00
2	42.00
3	118.00
4	148.00

Length of Chain, 12 inches

Sizes No. 1 and 2 Have Vertical Guards Only
Per Illustration of Fig. 1023.

Wall Bracket — Fig. 1025

No.	Polished Brass Each
1	\$36.50
2	44.00

Dimensions: Figs. 1023, 1024 & 1025

No.	Height Lamp Only Inches	Diam. Lamp Inches	Height Lens Inches	Approx. Weight Pounds	COLORED LENSES	
					No.	Add Each
1	8-5/8	4-1/2	3-5/16	3	1	\$ 3.00
2	11-3/4	5-5/8	4-1/4	4	2	3.50
3	14-1/2	7-1/2	6-3/4	10	3	8.00
4	17-3/4	9-3/4	7-1/8	14	4	10.00



CANOPY AND CHAIN

Fig. 1024



FLUSH CANOPY

Fig. 1023



WALL BRACKET

Fig. 1025

IMPORTANT INFORMATION

Electric navigation and signal lights offered in this section on pages B-2, B-3, B-4 and B-6, have been designed to meet the requirements of International and Inland "RULES OF THE ROAD" as published by the United States Coast Guard.

The wattages shown in the following table are recommended to meet the visibility requirements.

<u>TYPE OF LIGHT</u>	<u>COLOR</u>	<u>DEGREES OF VISIBILITY</u>	<u>POINTS OF COMPASS</u>	<u>DISTANCE OF VISIBILITY IN MILES</u>	<u>*RECOMMENDED WATTAGE</u>
Port Side	Red	112-1/2	10	2	100
Starboard Side	Green	112-1/2	10	2	100
Masthead, Range and Towing	Clear	225	20	5	100
Masthead, Range and Towing	Red or Amber	225	20	2	100
Stern	Clear	135	12	2	50
Stern	Red or Amber	135	12	2	100
Anchor	Clear	360	32	3	50
Breakdown or Not-Under-Command	Red	360	32	2	100

*We do not supply bulbs with the above lights. To obtain the degrees and distances of visibility, the filament of the bulb must be located at the focal center of the lens in a vertical and horizontal plane. We recommend the following: For 2-wire medium screw socket, a clear single filament A-19 bulb with 3-1/8" L.C.L. (Light Center Length). For a 3-wire mogul socket, a clear double filament P-25 bulb for marine lighting purposes. The sockets in our lights are labeled accordingly.

NOTE— Above data and results are based on the use of Fresnel Lenses.

The lights referred to above comply with paragraphs 248, 251, 252, 263, 265 and 266 of Underwriters Laboratories, Inc. UL — 595 "Standard for Marine Type Electric Lighting Fixtures."

On various pages we refer to U.S.C.G. — 293 Miscellaneous Electrical Equipment List. "The purpose for printing this list is to advise Coast Guard personnel and other interested persons, that the listed equipment has been previously accepted for marine service and that resubmittal of plans for approval is not generally necessary."

We suggest that the following should be kept available for reference. They are obtained from the local office of the U.S.C.G.

"Rules of the Road"
 C.G. 169 — International and Inland
 C.G. 172 — Great Lakes
 C.G. 184 — Western Rivers

PERKO

spare parts
and
components
for
navigation
lights

SECTION C



MANUFACTURED BY

PERKINS MARINE LAMP & HARDWARE CORP., 16490 N. W. 13TH AVE., P. O. BOX D, MIAMI, FLORIDA 33164

Copyright 1972 in U. S. and Canada by Perkins Marine Lamp and Hardware Corp.

For complete line see catalog No. 220



Fig. 302



Fig. 246

OIL BURNERS—Fig. 246

Brass

No.	Each	Diam. Thread Inches	Width Wick Inches	Standard Package
0	\$2.25	7/8	1/2	10
1	2.25	7/8	5/8	10

No. 0 used with Figs. 0-1, 0-2 and 44-6"

No. 1 used with Figs. 0-4, 0-5, 0-6, 0-8, 0-9, -17, 18, 19, 20, 44-8", 49, 97, 102.

FLAT WICKS—Fig. 302

Cotton

No.	Each	Width Inches	Standard Package
0	\$.13	1/2	10
1	.14	5/8	10
2	.15	7/8	10

HINGED OIL BURNERS—Fig. 242

Brass

No.	Each	Diam. Thread Inches	Width Wick Inches	Standard Package
2	\$4.40	1-1/4	7/8	10

Used with Figs. 21, 23, 44-10", 129, 141 No. 2, 982, 985.

LIP CHIMNEYS—Fig. 267

No.	Each	Height Inches	Diam. Bottom Inches	Standard Package
2	\$2.15	6	2-1/16	10

Used with Fig. 242 burner.

HORNET CHIMNEY AND BURNER—Figs. 230 & 231

Clear Chimney — Brass Burner

Chimneys Each	Burners Each	Chimney Size Inches	Burner Thread Inches	Standard Package
\$1.25	\$2.00	4-3/4x1-1/2	7/8	10

Used on Cabin Lamp Fig. 141 Size 1 and Fig. 168 Size O.
Burner uses Wick Fig. 302, No. 0

EAGLE CHIMNEY AND BURNER—Figs. 94 & 173

Clear Chimney — Brass Burner

No.	Chimneys Each	Burners Each	Chimney Size Inches	Burner Thread Inches	Standard Package
1	\$1.70		6-1/2x3		10
2	1.70	\$1.75	8-1/2x3	1-1/4	10

No. 2 used on Fig. 312.

Burner uses wick Fig. 302 No. 2.

CLEAR NAVY LANTERN GLOBE—Fig. 262

Each	Height Overall Inches	Diameter Top Inches	Diameter Bottom Inches	Weight Ounces
\$5.50	6-1/2	2-1/2	4	12

Used with Fig. 49.

ROUND GLOBES—Fig. 264

Clear, Red, or White Frosted

Size Inches	Clear Each	Frosted or Colored Each	Diameter Top Inches	Diameter Bottom Inches	Height Overall Inches
6	\$ 9.00	\$14.50	3-1/8	3-1/8	6-3/16
8	12.00	19.50	4	4	7-1/2
10	18.00	28.50	5-3/8	5-3/8	10-1/8

Used with Figs. 44 and 1032.



Fig. 267



Fig. 242



Fig. 230



Fig. 231



Fig. 94



Fig. 173



Fig. 262



Fig. 264

OIL FOUNTS AND ELECTRIC ADAPTERS

All Brass

★ SPRING TYPE—For Motorboat Lights

Fig.	Each	Diameter Overall Inches	Opening In Light Inches	Weight Per Dozen Pounds
286	\$4.50	3-5/8	3-3/16	2-1/2
*291	6.25	3-5/8	3-3/16	3
292	6.25	3-5/8	3-3/16	3-1/2

FIG. FOR LIGHTS FIG.
 286 — 06, 17, 18, 19, 20, 49, 97, 102 and 44-8"
 291 No. 1 — 06
 291 No. 2 — 4, 5-CL-2, 17, 18, 97
 291 No. 3 — 4, CL-3, 19
 291 No. 4 — 5-CL-3, 20, 102
 292 — 06, 17, 18, 19, 20, 49, 97, 102 and 44-8"
 *Note that Fig. 291 Size No. must be specified



Fig. 286
Oil



Fig. 291
Electric
Double Contact



Fig. 292
Electric
Medium Screw

★ SWIVEL TYPE—For Motorboat Lights

Fig.	Each	Diameter Overall Inches	Opening In Light Inches	Weight Per Dozen Pounds
274	\$6.25	4-1/2	4	4
287	4.50	4-1/2	4	3
293	6.25	4-1/2	4	4

FIG. FOR LIGHTS FIG.
 274 44, 6 inch size
 287 02 and 44, 6 inch size
 293 02 and 44, 6 inch size



Fig. 287
Oil



Fig. 274
Electric
Medium Screw



Fig. 293
Electric
Double Contact

★ For Lights for Vessels Over 65 Feet Long

Size No.	Fig. 282 Only Each	*Fig. 282 Complete Each	Fig. 288 Each	Fig. 1082 Each
0	\$7.75	\$14.50	\$9.00	\$13.50
1	7.75	14.50	9.25	13.50
2	9.00	15.35	9.50	13.50

*Complete with Burner, Wick and Chimney

Size No.	Height Fig. 282 Inches	Diameter Overall Inches	Diameter Opening In Light Inches
0	2-7/8	4-3/4	3-3/4
1	3-1/2	4-3/4	3-3/4
2	4-1/2	5-3/4	4-3/4



Fig. 282
Oil



Fig. 288
Electric
2 Wire
Medium Screw

★ For Royal Lights Figs. 89, 91, 98 and 99.

Fig.	Each	Diam. Overall Inches	Opening In Light Inches	Weight Ounces
138	\$3.10	2-3/16	1-7/8	1-1/2

Specify whether for Class 1, 2, or 3



Fig. 1082
Electric
3 Wire
Mogul



Fig. 138
Double Contact

NOTES

Oil burners and wicks, see Figs. 242, 246, and 302.
 Chimneys — See Fig. 267

PERKINS MARINE LAMP & HARDWARE CORP.

FRESNEL LENSES

FOR SIDE AND COMBINATION LIGHTS
112-1/2 DEGREES




Fig. 259

For Motor Boats	A In.	B In.	C In.	D In.	Red or Green Each
Class 1	3-5/16	2-9/16	2-7/8	3-5/8	\$3.65
Class 2	4-1/4	3-3/16	3-11/16	4-3/4	4.70
Class 3	5-3/16	3-11/16	4-3/8	5-9/16	6.00

For Vessels Over 65 ft.

No. 0	5-1/2	5-3/4	5	8-5/16	\$14.30
No. 1	6-3/4	6	6	8-5/8	19.00
No. 2	7-1/2	8-1/2	6-7/8	11-3/8	25.00
No. 3	8-1/2	9-3/4	7-3/4	13	29.00

FOR ANCHOR LIGHTS—360 DEGREES




Fig. 261

For Motor Boats	A In.	B In.	C In.	D In.	Clear Each	Colored Each
Junior	3-5/16	3-3/16	2-7/8	2-3/4	\$3.55	
Senior	4-1/4	4	3-9/16	3-7/16	4.30	\$6.35

For Vessels Over 65 Ft.

No. 0	5-1/2	5-1/4	5	4-3/8	\$14.30	\$23.00
No. 1	6-3/4	5-1/4	6-1/8	4-1/2	20.00	29.00
No. 2	7-1/8	7-5/16	6-1/8	6-7/8	24.50	37.50
No. 3	8-1/2	8-1/2	7-3/4	7-3/4	29.00	46.00

COLORS AVAILABLE

SIZE

Senior
No. 0
No. 1
No. 2
No. 3

COLORS

Red, Green
Red, Amber
Red, Green
Red, Green
Red

FOR BOW LIGHTS—180 DEGREES




Fig. 260

For Motor Boats	A In.	B In.	C In.	D In.	Clear Each	Colored Each
Class 2	4-1/4	3-1/4	3-5/8	6-3/8	\$ 4.70	
Class 3	5-3/16	3-7/8	4-9/16	7-13/16	6.00	
Mld. 59	7-3/8	6-7/8	6-3/8	12-5/8		\$33.00

Mld 59 Red, Green Available

FOR MASTHEAD LIGHTS—225 DEGREES




Fig. 256

	A In.	B In.	C In.	D In.	E In.	Clear Each	Colored Each
Class 1	3-5/16	3	2-7/8	7-1/8	2-3/4	\$ 4.15	
Class 2	4-1/4	3-3/8	3-5/8	8-3/8	3-1/4	5.00	
Class 3	5-1/8	3-1/4	4-1/2	10-1/8	4	6.35	\$ 9.50
No. 0	5-1/2	4	5	12-1/8	4-3/8	16.00	29.00
No. 1	6-3/4	4	6	12-1/8	4-1/2	21.00	34.50
No. 2	7-1/2	5-7/8	6-3/4	16-3/8	6-1/2	31.00	43.00
No. 3	8-1/2	6-7/8	7-5/8	18-5/8	7-3/4	35.00	

COLORS AVAILABLE

SIZE

Class 3
Nos. 0, 1, 2

COLORS

Amber
Red, Amber

FOR STERN LIGHTS—135 DEGREES




Fig. 269

	A In.	B In.	C In.	D In.	Clear Each	Colored Each
Class 1	3-5/16	3	3-5/8	4-1/2	\$ 3.60	
Class 2	4-1/4	3-1/2	3-5/8	4-7/8	4.40	
Class 3	5-1/8	3-5/8	4-1/2	6	8.80	
No. 0	5-1/2	4-3/8	4-7/8	7-1/2	13.00	\$17.00
No. 1	6-3/4	4-3/8	6-1/8	7-1/2	16.00	18.00
No. 2	7-1/2	6-3/8	6-3/4	10	18.50	29.00
No. 3	8-1/2	7-1/2	7-3/4	11-1/4	22.00	

COLORS AVAILABLE

SIZE

No. 0

COLORS

Red, Amber

SIZES

No. 1
No. 2

COLORS

Red, Amber
Red, Amber

FRESNEL GLOBES

FOR POLE, MAST AND STERN LIGHTS

HIGH INTENSITY FRESNEL—Fig. 248-P

Acrylic Plastic — Clear or Red

One of the most efficient globes in marine lighting field.

Used in all of our certified pole lights



Fig. 248-P

Clear Each	Red Each	Outside Diam. Inches	Height Inches	Diam. Thread Inches	Weight Ounces
\$1.40	\$1.65	1-3/4	2-1/2	2	1-1/2

GLASS GLOBES

Fig.	Clear Each	Red Each	Green Each	Blue Each	Amber Each
77	\$3.30		\$4.40		
106	4.60	6.30	6.30		\$6.30
249	3.85				
250	2.90			3.50	



Fig. 77



Fig. 106

Fig.	Outside Diam. Inches	Height Overall Inches	Diam. Opening Inches	Diam. Thread Inches	Weight Ounces
77	2-5/8	5-1/2	1-7/8	2-3/8	8
106	3-1/2	5	2-3/4	3-3/16	20
249	3	3-5/8	2-1/4	2-3/4	10
250	2-1/2	2-5/8	1-1/2	2	6
604-P	1-1/2	1-7/8	13/16	1-1/16	1-3/4



Fig. 249



Fig. 250

Fig. 77 for Figs. 488 and 489.
 Fig. 106 for Figs. 112, 145, 309, 540.
 Fig. 249 for Fig. 103.
 Fig. 250 for Fig. 329.

GLOBES FOR DOME LIGHTS

Trade Size Inches	Fig. 132 Each	Fig. 133 Each	Fig. 257 Each	Diameter Overall		
				Fig. 132 Inches	Fig. 133 Inches	Fig. 257 Inches
3			\$1.90			2-3/4
4			2.50			4
5		4.40	2.75		5-3/8	5
6			3.20			6
8	\$3.95			7-3/4		



Fig. 132



Fig. 133

Fig. 132 frosted, for Fig. 753.
 Fig. 133 Opal, for Fig. 385.
 Fig. 257 diffusing, for Figs. 300, 308 and 555.



Fig. 257

PERKINS MARINE LAMP & HARDWARE CORP.

ALL ILLUSTRATIONS
SHOW ACTUAL SIZE OF BASE



Bayonet
Double Contact
(D.C.)



Miniature
Bayonet



Medium
Screw



Medium
Prefocus



Mogul



Cartridge Type

ELECTRIC LIGHTING LAMPS

FIG. 337 BAYONET D.C. BASE

No.	Volts	Candle Power	Amps.	Watts.	Diameter Bulb Inches	Clear Each
4 -	6-8	6			3/4	\$.31
11 -	12-16	6			3/4	.31
12 -	12-16	15			3/4	.44
13 -	12-16	21			1	.49
14 -	12	32			1-3/8	1.00
18 -	32	9			1	1.00
19 -	32	15			1	1.60

Packed 10 Lamps per box.

FIG. 56 MINIATURE BAYONET BASE

4 -	12	8			13/32	\$.60
5 -	14	1.4	.20		7/16	.41

Packed 10 Lamps per box.

FIG. 340 MEDIUM SCREW BASE

					Clear Each	Frosted Each
5 -	12			15	2-1/8	\$1.30
6 -	12			25	2-3/8	1.25
7 -	12			50	2-5/8	1.35
11 -	32			15	2-1/8	1.05
12 -	32			25	2-3/8	.90
13 -	32			50	2-5/8	1.00
17 -	120			50	2-3/8	.75
19 -	120			100	2-3/8	.75

FIG. 532 MOGUL SCREW BASE

1 -	120	Double Filament	50-50	3-1/8	\$9.75
2 -	120	Double Filament	100-100	3-1/8	9.75

FIG. 70 CARTRIDGE TYPE BASE

0 -	12	6	.74	17/32x1-3/4	\$.66
1 -	12	12	1.17	17/32x1-3/4	.66

Packed 10 lamps per box

FIGS. 800 to 820 HIGH POWER LAMPS FOR SEARCHLIGHTS —
SEE PAGE E-7.

ELECTRIC LAMPS ARE NOT RETURNABLE. ORDER CAREFULLY.

BAYONET DOUBLE CONTACT SOCKETS – Fig. 24

Delrin Body – Bronze Spring – Non Corrosive – with Pigtailed

A new socket with a single phosphor bronze spring, positive contact

No.	Each	Length Pigtailed Inches	Outside Diameter Inches	Length Inches	Weight Ounces
1	\$.80	12	3/4	3/4	3/8
2	1.35	60	3/4	3/4	3/4

Standard package, 10 pieces



Fig. 24

BAYONET DOUBLE CONTACT SOCKET—Fig. 52

Brass Case – Bronze Spring

Each	Outside Diameter Inches	Length Inches	Length Pigtailed Inches	Weight Ounces
\$.65	11/16	7/8	5	1/2

Standard package 10 pieces.



Fig. 52

BAYONET DOUBLE CONTACT SOCKETS—Fig. 747

Brass Case – Hard Rubber Insulation

Each	Length Inches	Outside Diameter Inches	Weight Dozen Ounces
\$1.50	1-1/8	11/16	6

Wires enter bottom, screws in side.

Standard package 10 pieces.



Fig. 747

BAYONET DOUBLE CONTACT SOCKETS—Fig. 276

Brass Case – Tapped 1/8 Inch I.P.S.

No.	Each	Length Overall Inches	Weight Per Dozen Ounces
0	\$1.30	1-1/2	7
2	1.30	2	11
3	1.30	2-3/8	14
4	1.30	3	16



Fig. 276

SCREW TYPE SOCKETS PHENOLIC

Fig. 346 – 250 Volts – 660 Watts – C.G. Approved

No.	Each	Size Thread Inches	Height Inches	Extreme Diameter Inches	Weight Dozen Pounds
1	\$.85	1/8	1-7/8	1-3/8	1
2	.85	3/8	1-7/8	1-3/8	1

Standard package 5 pieces.



Fig. 346

Medium Screw 2 Wire



Fig. 270

Mogul 3 Wire

Fig. 270 – 600 Volts – 1500 Watts – Navy 9-4779-L

Each	Height Inches	Outside Diam. Inches	Weight Ounces
\$4.25	2-3/16	2-1/8	6

With white metal mounting cap tapped 3/8 inch I.P.S. add \$.50 each.

MEDIUM SCREW SOCKET—Fig. 222

Porcelain – 250 volts – 660 Watts

No.	Complete Each	Gaskets Only Each	Height Inches	Size Base Inches	C to C of Slots Inches
1	\$1.20	\$.12	1-5/8	2x1-1/4	1-1/2



Fig. 222

MEDIUM SCREW SOCKET—Fig. 369

Phenolic – 600 Volts – 660 Watts

Each	Height Overall Inches	Diameter Overall Inches	Weight Ounces
\$2.00	1-3/4	2-3/4	3



Fig. 369






PERKO

**SWITCHES, PANELS,
LIGHTING FIXTURES
CONNECTORS, ETC.**

SECTION D



MANUFACTURED BY

PERKINS MARINE LAMP & HARDWARE CORP., 16490 N. W. 13TH AVE., P. O. BOX D, MIAMI, FLORIDA 33164

Copyright 1972 in U. S. and Canada by Perkins Marine Lamp and Hardware Corp.

For complete line see catalog No. 220

PERKINS MARINE LAMP & HARDWARE CORP.



Fig. 85-A



Fig. 96

IMPROVED SAFETY MAIN SWITCHES

Red Lexan Plastic Housing – Vapor Tight – Bakelite Control Knob – Copper Contacts – Brass Terminals – Stainless Steel Spring.

For Use With Alternators or Generators.

Rated at 210 amperes continuous, 315 amperes intermittent. (6, 12, and 32 volts)

Supplied for flush mounting with battery cable through bulkhead.

Tested and accepted for labeling and listing by the Underwriters Laboratories, Inc.

Fig. 85-A for 2 or more batteries

Fig. 96 for a single battery.

Each	Diameter Inches	Depth Inches	Weight Ounces
\$17.75	5	1-3/4	10

Spare Control Knobs \$.90 each.

Available in Skin Pack – See Skin Pack Section.




Fig. 191

KNIFE OR BATTERY SWITCHES—Fig. 191

Ebony Asbestos Base – High Jaws – One or Two Pole – Single or Double Throw – 250 Volt D.C. – 500 Volt A.C.

SINGLE POLE – SINGLE THROW

No.	Each	Amps	Dimensions Base Inches	Weight Pounds
2	16.75	100	6-3/4 x 2 x 3/4	2-1/2

SINGLE POLE – DOUBLE THROW

4	\$14.50	60	9-1/4 x 2 x 3/4	3-1/2
5	29.00	100	10 x 3 x 3/4	4
6	43.50	200	12 x 4 x 1	8

DOUBLE POLE – SINGLE THROW

7	\$12.50	60	6 x 4-1/2 x 5/8	3
8	24.00	100	7-1/8 x 5 x 3/4	3

DOUBLE POLE – DOUBLE THROW

10	\$19.50	60	9-1/2 x 6 x 3/4	5-1/4
12	65.50	200	15 x 7-3/4 x 1	16



Fig. 517



BACK VIEW OF IMPROVED PANEL

BLACK BAKELITE SWITCH PANEL—Fig. 517

Engraved White Lettering – Brass Switches Improved 5 Gang Panel – With Fuse Holders

Our stock panel is illustrated. Dealer or user may change name plates as desired as they are removable. For additional selection see Fig. 519. For changes made at factory, add \$1.00 per panel.

The fuse holders will accommodate standard 1/4 x 1-1/4 glass tube fuses.

Each	Size Inches	Weight Ounces
\$28.00	6-1/2x4-1/4	10

Spare Switches, \$1.00 each.

Spare Fuse Holders, \$1.20 each.

MODULAR SWITCH PANELS

CHROMIUM PLATED

Embossed Turquoise Lettering – Aluminum Matte Background – Self-Adhesive Name Plates
Brass Toggle Switches – Bakelite Fuse Holders for Glass Fuses.

Add to or remove sections as desired, size of panel and quantity of switches regulated only by the space available.

ASSEMBLED 5 POSITION PANEL—Fig. 512

This is a stock panel but section "B" may be added or names changed by dealer or owner. See selection of name plates below.

Each	Dimensions Inches	Weight Ounces
\$24.50	6-1/4x3-3/4	16

Note – This panel assembled with one section "A". Four section "B". One section "C".




Fig. 512

MODULAR SECTIONS – Fig. 511

To be purchased individually and assembled by owner to meet requirements.

SECTION "A"

As illustrated, consists of top mounting panel, one switch, one fuse holder, no name.

Each	Dimensions Inches	Weight Ounces
\$3.75	1-3/4x3-3/4	3-1/2

SECTION "B"

Consists of one switch, one fuse holder, no name.

Each	*Dimensions Inches	Weight Ounces
\$3.75	7/8x3-3/4	2-1/2

SECTION "C"

Consists of bottom mounting panel.

Each	*Dimensions Inches	Weight Ounces
\$1.45	1x3-3/4	2-1/4

*Does not include assembly eyes. Standard Package – 10 pieces




Fig. 511

NAME PLATE FRAMES – Fig. 531

Chromium Plated

To accommodate any of the following embossed self-adhesive name plates.

Each	Dimensions Inches	Weight Ounces
\$.30	1-1/2x1/2	1/2

Standard package—10 pieces.



Fig. 531

ALUMINUM NAME PLATES – Fig. 490

Embossed turquoise lettering - self adhesive. For all above panels and frames.

NAME SELECTION AVAILABLE (NO SPECIALS)

Anchor Light	Dome Light	Radio
Bilge Pump	Fuel	Running Lights
Blower	Horn	Spreader Light
Cabin Lights	Masthead Light	Starter
Compass	Misc.	Wiper

Each	Dimensions Inches
\$.32	15/16 x 3/8

Standard package – 10 pieces – Minimum quantity.



Fig. 490




Fig. 105

PUSH AND PULL SWITCHES—Fig. 105

All Brass — 2 Terminal — OFF-ON — 25 Amps. at 12 Volts

No.	Chromium Plated Each	Diam. Neck Inches	For Wood Thickness Inches	Length Overall Inches	Diam. Knob Inches	Weight Ounces
1	\$1.85	3/8	1	3	3/4	2
2	\$2.15	3/8	1-1/4	3-1/4	3/4	2-1/2

Standard package 10 pieces.

Available in Skin Pack, See Skin Pack Section.




Fig. 321

PUSH-PULL SWITCH—Fig. 321

All Brass — 3 Terminal — OFF-ON-ON — 25 Amps. at 12 Volts

First "On" Position Energizes One Circuit.

Second "On" Position Energizes Other Circuit.

Ideal for Anchor Light on separate circuit from Running Lights, all on one switch.

Chromium Plated Each	Diam. Neck Inches	Diam. Knob Inches	For Wood Thickness Inches	Weight Ounces
\$2.70	3/8	3/4	1	3-1/4

Standard package 10 pieces.




Fig. 366

3-POSITION PUSH-PULL SWITCH—Fig. 366

All Brass — 2 Circuit — OFF-ON-ON — 25 Amps. at 12 Volts

For use with combination bow and anchor lights. First position is off; second position for side, stern and bow lights; third position is for anchor light . . . illuminates both compartments of bow-anchor light.

Chromium Plated Each	Diam. Neck Inches	Diam. Knob Inches	For Wood Thickness Inches	Weight Ounces
\$2.70	3/8	3/4	1	3-1/4

Standard package 10 pieces.




Fig. 381

3-POSITION PUSH-PULL SWITCH—Fig. 381

All Brass — 3 Terminal — 3/4 Inch Chromium Plated Knob

3 Position Switch — OFF-ON-ON — 25 Amps. at 12 Volts

First "on" position energizes one circuit. Second "on" position energizes all circuits.

No.	Chromium Plated Each	Diam. Neck Inches	For Wood Thickness Inches	Length Overall Inches	Weight Ounces
1	\$2.60	3/8	1	3-3/4	3

Standard package 10 pieces.



Fig. 703

PUSH TYPE SWITCH FIG. 703

Non Magnetic — With 6 Inch Wire Leads

Each	Length Neck Inches	Diameter Neck Inches	Between Lock Nuts Inches	Weight Ounces
\$.75	3/8	3/8	1/8	1/2

Standard package 10 pieces.




Fig. 688



Fig. 745

TOGGLE SWITCHES—Fig. 688 AND 745

Fig. 688 — Brass — Screw Posts — No Leads — 15 Amp.

Fig. 745 — Brass with Bakelite Insulation With 6 Inch Wire Leads — 20 Amp.

Fig. 688	Nickel Plated Each	Length Neck Inches	Diam. Neck Inches	Max. Thickness of Panel Inches	Weight Ounces
\$1.30		3/8	7/16	3/16	1
\$1.05		7/16	7/16	5/16	3/4

Fig. 745 with watertight cap and chain, add \$1.20 each.

Standard package 10 pieces.

NOTE—Spare Plastic, Chromium Plated knobs for above Push-Pull switches, \$.40 each.

BUY STANDARD PACKAGES

MOMENTARY STARTER SWITCH OR DASHBOARD HORN BUTTON—Fig. 255

All Brass — Push Button Type — 2 Point, 2 Terminal Spring
Action — Chromium Plated Button — 25 Amp. at 12 Volts.

No.	Each	Diameter Neck Inches	For Wood Thickness Inches	Weight Ounces
1	\$2.65	5/8	1	2-1/2

Standard Package, 10 Pieces



Available in Skin Pack — See Skin Pack Section




Fig. 255

WATERPROOF

MOMENTARY STARTER SWITCH OR DASHBOARD HORN BUTTON— Fig. 306

All Brass — Push Button Type — 2 Point, 2 Terminal Spring
Action — Neoprene Cover Over Button — 25 Amps. at 12 Volts

No.	Each	Diameter Neck Inches	For Wood Thickness Inches	Weight Ounces
1	\$3.35	5/8	1	2-1/2

Standard Package, 10 Pieces

Spare covers with Nut. \$1.00 each.



Fig. 306

IGNITION LOCK SWITCH—Fig. 316

Face Plate Chromium Plated — 2 Terminal — 2 Keys
20 Amps. at 12 Volts — Off-On.

No. 1 Die Cast Zinc Housing

No. 2 All Brass

No.	Each	Diameter Neck Inches	Length Neck Inches	Weight Ounces
1	\$3.65	3/4	5/8	4
2	\$5.00	13/16	1	4-1/2

Standard Package, 10 Pieces



Available in Skin Pack — See Skin Pack Section.




Fig. 316

IGNITION-STARTER SWITCH—Fig. 310

All Brass — Lock Type — 3 Terminal — 2 Keys — 3 Position
Switch, OFF-IGNITION-START — 20 Amps. at 12 Volts.

Returns automatically from start to ignition position.
Face nut is chromium plated, springs are stainless steel.

Each	Diameter Neck Inches	Length Neck Inches	Weight Ounces
\$6.40	13/16	1-1/16	4-1/2

Standard Package, 10 Pieces




Fig. 310

MAGNETO IGNITION STARTER SWITCH—Fig. 304

All Brass — 5 Terminals — 2 Keys — 20 Amps. at 12 Volts
3 Positions, OFF-RUNNING-START

Face Nut Chromium Plated, Stainless Steel Springs

Each	Diameter Neck Inches	Length Neck Inches	Weight Ounces
\$6.65	13/16	1-1/4	8

Standard package, 5 Pieces.




Fig. 304

NEW MOISTURE PROOF

BOOT AND NUT ASSEMBLY—Fig. 387

For Lock Type Switches

Key enters thru elastic slot in rubber boot.

The nut fits Figs. 304, 310 and 316 No. 2

Each \$.90



Fig. 387



BLACK BAKELITE SWITCH NAME PLATES—Fig. 519

Engraved White Lettering

Stock name plates are:



Fig. 519

Anchor Light	Fan	Neutral	Spreader Light
Anchor Winch	Flood Lights	Off	Stbd. Light
Bilge Pump	Forward	On	Starter
Blower	Fuel	Outdrive Tilt	Stern Light
Bow Light	Fuel Pump	Panel Lights	Throttle
Cabin Lights	Heater	Pilot	Towing Lights
Choke	Horn	Port Light	Water System
Compass	Ignition	Radio	Wiper
Deck Lights	Lights	Range Light	12 Volt
Docking Light	Master	Reverse	32 Volt
Dome Lights	Masthead Light	Running Lights	110V AC
Engine Room	Misc.	Searchlight	110V DC

Each	Length Inches	Width Inches	Screw Size No.	Weight Per Dozen Ounces
\$.65	1-1/2	1/2	4	1/2

Standard package, 5 pieces each name.

Minimum Quantity, Stock Names, 5 Pieces.

Special name plates in standard size, \$1.00 each. Minimum quantity 1 dozen each name.

Special name plates in special sizes. Price on application.



FUSE PANELS—Fig. 626

Molded Plastic Base — Brass Parts — For 20 Amp. Glass Fuses

Number of Gangs	Each	Dimensions Inches	Weight Ounces
3	\$2.10	2-1/4x2-7/16x3/16	2
4	2.90	3 x2-7/16x3/16	2-1/4
5	3.40	3-3/4x2-7/16x3/16	2-1/2
6	4.20	4-1/2x2-7/16x3/16	2-3/4

Standard package 5 pieces



COMBINATION FUSE AND TERMINAL BLOCK—Fig. 647

With Heavy Duty Binding Posts — Molded Plastic Base — Brass Parts — For 20 Amp. Glass Fuses

Number Of Gangs	Each	Dimensions Inches	Weight Ounces
4	\$ 7.90	3 x3-5/16x3/16	3-1/2
6	11.00	4-1/2x3-5/16x3/16	5
8	13.65	6 x3-5/16x3/16	7
12	21.00	9 x3-5/16x3/16	11

Standard package 5 pieces.



FUSE PANELS—Fig. 629

With Single Buss Bar — Molded Plastic Base — Brass Parts — For 20 Amp. Glass Fuses

Number Of Gangs	Each	Dimensions Inches	Weight Ounces
4	\$ 4.20	3 x2-7/16x3/16	2
6	6.30	4-1/2x2-7/16x3/16	3
8	8.40	6 x2-7/16x3/16	4
12	12.60	9 x2-7/16x3/16	6-1/2

Standard package 5 pieces.



FUSE PANEL—Fig. 694

Molded Plastic — Brass Metal Parts — For Glass Fuses up to 30 Amp

For two active fuses and one spare.

Each	Dimensions Inches	Length Fuse Inches	Weight Ounces
\$1.90	2-7/16x1-1/2x3/16	1-1/4	1-1/2

Standard package 5 pieces.



TERMINAL BLOCKS—Fig. 627

Molded Plastic Base — Brass Parts

Number of Gangs	Each	Dimensions Inches	Weight Ounces
2	\$1.30	1-1/2x1-1/2x3/16	1-3/4
4	2.40	3 x1-1/2x3/16	2
6	3.65	4-1/2x1-1/2x3/16	2-1/4

Standard package 5 pieces.



Fig. 626



Fig. 647



Fig. 629



Fig. 694



Fig. 627

PLASTIC CABLE STRAPS—Fig. 196

Made of pliable butyrate in clear color and ultra-violet stabilized for weather resistance, this new strap eliminates the need for insulating cushion and provides excellent cable support at low cost. Single screw saves labor and fastenings. Width for all cable sizes 1/2". I.D. of fastening hole 3/16".



Fig. 196

No.	Cable Diameter Inches	Per 100	No.	Cable Diameter Inches	Per 100
1	3/16	\$3.00	5	1/2	\$4.50
2	1/4	3.25	6	5/8	5.50
3	5/16	3.50	7	3/4	6.75
4	3/8	3.70			

Standard package 100 pieces per size Minimum Quality.

BRASS CABLE STRAPS—Fig. 121

For Cable, Tubing, Control Wire, Etc.

No.	Inside Diam. Inches	Per 100	Length Inches	Width Inches	No.	Inside Diam. Inches	Per 100	Length Inches	Width Inches
1	1/8	\$4.00	1-7/16	1/2	6	7/16	\$5.90	1-5/8	1/2
2	3/16	4.40	1-3/8	1/2	7	1/2	6.25	1-1/2	1/2
3	1/4	4.80	1-5/16	1/2	8	5/8	7.35	1-3/4	1/2
4	5/16	4.80	1-3/16	1/2	9	3/4	8.30	1-7/8	1/2
5	3/8	5.35	1-5/8	1/2					

Standard package 100 pieces per size Minimum Quantity.



Fig. 121

LINE SUPPORT CLIPS—Figs. 163, 164 & 165

Aluminum — Synthetic Rubber Cushion

Used in the aircraft industry for supporting electrical, fuel, instrument, oil and water lines.

No.	For O.D. Line Inches	FIG. 163 Per 100	FIG. 164 Per 100	FIG. 165 Per 100	Width Inches
1	3/16	\$11.50	\$20.50		3/8
2	1/4	11.50	19.00		3/8
3	5/16	11.50	19.00	\$26.25	1/2
4	3/8	11.50	19.50	28.00	1/2
5	1/2	12.60	22.00	32.50	1/2
6	5/8	15.75			

Standard package 100 pieces per size Minimum Quantity.



Fig. 163
Single



Fig. 164
Double



Fig. 165
Triple

BE SURE TO SPECIFY SIZE

BAYONET SOCKETS—Fig. 472

Phenolic — Single and Double Contact

No.	Each	Type	Height Inches	Diam. Base Inches	Weight Dozen Ounces
20	\$1.85	Double contact	1	1-3/8	9
21	1.85	Single contact	1	1-3/8	9

Standard package 10 pieces.



Fig. 472

ELECTRIC SOCKET ADAPTERS—Fig. 405

For Converting Various Types of Sockets

No.	Each
1—From Bayonet Dble. Contact to Med. Screw	\$1.50
2—From Med. Screw to Bayonet Dble. Contact	1.90
3—From Mogul to Medium Screw	1.90

Illustration is type No. 2.

Standard package 5 pieces.



Fig. 405




Fig. 739

4-WAY CONNECTOR FOR TRAILER LIGHTS—Fig. 739

This lustrously, chromium plated, die cast 4-way plug-socket set is the convenient answer to connecting all trailer lights with auto electrical system. The receptacle end is recessed into the auto body. It features a snap cover which keeps moisture out when plug is not in use and also serve to lock the male plug fast into socket when lights are hooked-up. The plug is keyed to assure all lights are properly connected. Both the socket and the plug are easily wired to inside screw terminals.

Each	Length Overall Inches	Width Flange Inches	Weight Ounces
\$4.50	3-3/4	2-1/8	4-1/2

Available in installation kit consisting of wires, connectors, bracket, etc. See skin pack section.



Fig. 751

4-PRONG CONNECTOR—Fig. 751

Plastic Body — Soft Plastic Caps — Screw Terminals
Fixed Polarity — All Brass

Excellent for boat trailer electrical hookups.

Each	Size Inches	Weight Ounces
\$1.75	1 x 2 3/4	1

Standard package 10 pieces.



Fig. 749

DOUBLE CONTACT CONNECTOR—Fig. 749

Plastic Body — Brass Contacts — Soft Plastic Waterproof Caps

Each	Size Inches	Weight Each Ounce
\$1.25	13/16 x 2-7/8	1

Standard package 10 pieces.




Fig. 42

DOUBLE CONTACT CONNECTOR—Fig. 42

Bakelite Insulation — Brass Contacts

Each	Size Inches	Weight Each Ounce
\$1.20	1 x 9/16	1/2




Fig. 720-2



MOLDED LINE CONNECTORS—Fig. 720

Waterproof Bodies — Color Coded Wires

Polarized for proper mating of circuits. Conductors precision aligned and molded in S.A.E. Type P.V.C. insulation for minimum voltage drop and ease in making and breaking connections.

12 inch long wires on male and female sides.

Poles	Each	Width Inches	Weight Ounces
2	\$.95	5/8	1/2
3	1.50	7/8	1
4	1.80	1-1/8	1-1/2

Standard package 5 pieces.



Fig. 720-3




Fig. 720-4

ALL ABOVE CONNECTORS ON THIS PAGE SUPPLIED COMPLETE ONLY, NO PARTS.

WATERTIGHT DECK CONNECTIONS—Fig. 1189

Brass with Black Plastic Covers — Double Contact — Chromium Plated

The covers snap on or off for quick connection.
The connector is brass, well insulated.

Each	Diameter Inches	Height Inches	Weight Ounces
\$6.00	1-5/8	1-3/16	2

Standard Package, 10 Pieces



Fig. 1189

WATERTIGHT DECK CONNECTION—Fig. 1190

Die Cast Zinc Alloy with Plastic Covers — Double Contact — Chromium Plated

Same as above Fig. 1189 in every detail except metal flange is Die Cast Zinc Alloy.

Each \$3.10

Standard Package, 10 Pieces

Spare Connectors for Figs. 1189 and 1190, See Fig. 42

Spare Covers for male plugs, \$.30 each

Spare Covers for female socket, \$.30 each.



Fig. 1190

WATERTIGHT CABLE OUTLETS—Figs. 424 & 1191

All Brass or Die Cast Zinc Alloy — Chromium Plated

Has rubber grommet for watertight passage of cable through deck or bulkhead, also prevents chafing of cable insulation.

Fig. 424 Each	Fig. 1191 Each	Diameter Base Inches	For Cable Inches	Weight Ounces
\$3.50	\$2.15	1-1/4	5/16	1

Standard Package, 10 Pieces



Fig. 424 — All Brass
Fig. 1191 — Die Cast

FUSED LINE CONNECTOR — Fig. 786

Molded Bakelite — With 20 AMP. Fuse and Wire Leads

For Standard Glass Fuses 1-1/4 Inches Long.

Each	Length Inches	Diameter Inches	Weight Ounces
\$.85	2-1/8	5/8	3/4

Standard Package, 10 Pieces



Fig. 786

HORN PUSH BUTTON — Fig. 275

Brass — Chromium Plated — Bakelite Button and Interior
10 Amps. at 12 Volts

Chromium Plated Each	Length Overall Inches	C to C Holes Inches	Diam. Inches	Weight Ounces
\$1.75	2-5/8	2-1/8	1-1/2	1

Standard Package, 10 Pieces



Fig. 275



Fig. 134

INDICATOR LIGHT—Fig. 134 WITH DIMMER FOR NIGHT RUNNING

Polished Chromium Plated Brass Bezel
Chromium Plated Facing Washer — Red Lens
Screw Terminals

To regulate the brightness of light simply rotate the Bezel

Each	Diameter Lens Inches	Max. Panel Thickness Inches	Diameter Bezel Inches	Weight Ounces
\$5.25	1/2	1/2	7/8	1-1/2

Lamp Not Included — See Fig. 56 No. 5.



Fig. 135

INDICATOR LIGHT—Fig. 135 WITHOUT DIMMER

Polished Chromium Plated Brass Bezel
Chromium Plated Facing Washer — Clear Lens
Screw Terminals

Each	Diameter Lens Inches	Max. Panel Thickness Inches	Diameter Bezel Inches	Weight Ounces
\$4.50	3/4	1/2	7/8	1-1/2

Lamp Not Included — See Fig. 56 No. 5.



Fig. 136



Fig. 137

"GLO-LITE" INDICATOR LIGHTS—Figs. 136 & 137 With 12 Volt Bulb — Red Color

Fig. 136 for snap in mounting in thin panels.

Fig. 137 with Tinnerman nut for mounting in thick panels.

Fig.	Each	Diameter Lens Inches	For Diameter Hole Inches	Overall Length Inches	Weight Ounces
136	\$1.65	3/8	3/8	1-5/8	1/2
137	.1.80	7/16	1/2	1-3/8	1/2



Fig. 139

INSTRUMENT PANEL LIGHT—Fig. 139

Non Corrosive — Waterproof — Chromium Plated

An excellent shielded light for instruments or charts.

Each	Diameter Shield Inches	Diameter Bezel Inches	Max. Panel Thickness Inches	Weight Ounces
\$4.40	1/2	3/4	3/8	3/4

Lamp Not Included — See Fig. 56 No. 5.



Fig. 140

UTILITY LIGHT—Fig. 140 White Nylon — With 12 Volt Lamp

For instruments, charts or general fair illumination.

Each	Size Inches	Weight Ounces
\$1.75	1-3/8 x 5/8	1/4



Fig. 184

DASHBOARD LAMP — Fig. 184 Brass — Chromium Plated — Double Contact Socket With Switch — For 6 C.P. Bulb

Bulb is not included.

Each	Length Overall Inches	Size Base Inches	Weight Ounces
\$5.00	2-1/2	1-11/16 x 1-3/16	1-3/4

Standard Package, 10 Pieces

UNIVERSAL WALL OIL LAMP – Fig. 312

Brass

Has polished reflector and gives excellent illumination. Uses No. 2 size wick. Fig. 94 clear chimney and Fig. 173 burner.

Polished Brass Each	Spare Chimneys Each	Spare Burners Each	Height of Back Inches	Diam. of Fount Inches	Weight Pounds
\$14.50	\$1.70	\$1.75	9	5	1-1/2



Fig. 312

JUNIOR CABIN OIL LAMP – Fig. 168

Double Swing – Weighted Base – All Brass

Same construction as our well known Newport Cabin Lamp Fig. 141, but reduced in size for use where space or headroom is limited.

Polished Brass Each	Chromium Plated Each	Overall Height Inches	Extension Inches	Capacity Fount Pints	Weight Ounces
\$24.50	\$27.00	9	5	1/2	19



Fig. 168

NEWPORT CABIN OIL LAMP – Fig. 141

Double Swing – Weighted Base – All Brass

This lamp is of very sturdy construction, refined appearance and minimum practical extension from wall. Diameter of wall plate 2-1/2 inches.

No.	Polished Brass Each	Chromium Plated Each	Overall Height Inches	Extension Inches	Capacity Fount Pints	Weight Pounds
1	\$29.00	\$31.50	10-1/2	5-1/2	1	1-3/4
2	30.00	33.00	12-1/2	6	1-1/4	2



Fig. 141

SMOKE BELL AND ARM – Fig. 128

All Brass

No.	Polished Brass Each	Chromium Plated Each	Diam. Bell Inches	Extension to Center Inches	Weight Ounces
0	\$6.50	\$8.25	3-1/2	3-1/2	3-1/2
1	6.50	8.25	4	4	4
2	6.50	8.25	4	4	4

No. 0 size is for lamp Fig. 168.

No. 1 and 2 sizes are for lamp Fig. 141.



Fig. 128

SPARE PARTS FOR CABIN LAMPS

No.	Each
0 and 1 Spare Burners Fig. 231	\$2.00
0 and 1 Spare Chimneys Fig. 230	1.25
2 Spare Burners Fig. 242 No. 2	4.40
2 Spare Chimneys Fig. 267 No. 2	2.15

LIGHTING FIXTURES
LOW VOLTAGE - 6 TO 32 INC.



Fig. 1274



Fig. 1272




Fig. 1212



Fig. 217 - Die Cast
Fig. 450 - Bronze



Fig. 1295

BULKHEAD FIXTURE—Fig. 1274

Die Cast Zinc Alloy
Chromium Plated or White Acry-Color
Medium Screw Socket - Turn Switch

Chromium Plated Each	White Each	Size Base Inches	Projection Inches	Weight Ounces
\$3.50	\$3.00	2-1/2x1-3/4	2-5/8	10

**BULKHEAD FIXTURE—Fig. 1272**

Die Cast Zinc Alloy
Chromium Plated or White Acry-Color
Medium Screw Socket - Turn Switch
With Power Take-off Receptacle

Chromium Plated Each	White Each	Size Base Inches	Projection Inches	Weight Ounces
\$4.20	\$3.70	2-1/2x1-3/4	2-5/8	10

**BULKHEAD OR CEILING FIXTURE—Fig. 1212**

Die Cast Zinc Alloy
Chromium Plated or White Acry-Color
White Plastic Globe
Two D.C. Bayonet Sockets - Turn Switch

This fixture designed for arrangement in Modular Form.

Chromium Plated Each	White Each	Length Inches	Width Inches	Depth Inches	Weight Ounces
\$5.75	\$5.30	5-1/2	4-1/2	1-1/2	12

**BULKHEAD FIXTURES—Figs. 217 and 450**

Medium Screw Socket - Turn Switch

DIE CAST ZINC ALLOY—Fig. 217

Chromium Plated Each	White Acry-Color Each	Size Base Inches	Projection Less Lamp Inches	Weight Ounces
\$3.20	\$2.50	2-1/2x2-1/4	2-1/2	8

CAST BRONZE—Fig. 450

Polished Bronze Each	Chromium Plated Each	Size Base Inches	Projection Less Lamp Inches	Weight Ounces
\$8.80	\$9.50	2-1/2x2-1/4	2-1/2	8

**BULKHEAD FIXTURE—Fig. 1295**

Die Cast Zinc Alloy
Chromium Plated or White Acry-Color
Medium Screw Socket - Turn Switch
With Power Take-off Receptacle

Chromium Plated Each	White Each	Size Base Inches	Projection Less Lamp Inches	Weight Ounces
\$3.90	\$3.20	2-1/2x2-1/4	2-1/2	8-1/2

Spare socket with switch for all above except Fig. 1212, \$1.20 each.
Spare power take-off receptacles, \$.50 each.



Fig. 217 Available in Skin Pack.
See Skin Pack Section.

NEW LIGHTING FIXTURES



FOR CABIN, STATEROOM OR BERTH – ADJUSTABLE ANGLE SHADE
 LOW VOLTAGE 6 TO 32 INC.
 ACRY-COLOR FINISH – PUSH TYPE SWITCH – BRASS SWIVEL

No.	Dimensions Wall Plate Inches	Normal Projection Inches	Length Shade Inches	Weight Ounces
1	4-1/2 x 3-1/4	4-3/8	3	13
2	4-1/2 x 3-1/4	5	4-1/2	15

Size No. 1 has Bayonet Double Contact Socket.
 Size No. 2 has Medium Screw Socket.



Fig. 1303 BK – Black
 Fig. 1303 BR – Royal Bronze
 Fig. 1303 GD – Gold
 Fig. 1303 WH – White

Fig. 1303 Single Fixture has opaque shade same color as wall plate.

Each \$9.00
 Specify Size and Color

Fig. 1304 Double Fixture has two opaque shades and two switches. Shades same color as wall plate.

Each \$14.00
 Specify Size and Color



Fig. 1304 BK – Black
 Fig. 1304 BR – Royal Bronze
 Fig. 1304 GD – Gold
 Fig. 1304 WH – White

Fig. 1350 Single Fixture has white translucent plastic shade and white wall plate.

Each \$9.00
 Specify Size




Fig. 1350

Fig. 1360 Double Fixture has two white translucent plastic shades and two switches. Wall plate is white.

Each \$14.00
 Specify Size




Fig. 1360

ADJUSTABLE UTILITY FIXTURE – Fig. 1254
 Zinc Alloy Die Casting – Chromium Plated – Bayonet D.C. Socket – Complete With 12 Volt 6 C.P. Bulb – Shield Swivels To Any Desired Position

A shielded light serving numerous requirements. For berths, instrument panels, chart table, etc.

Each	Diameter Overall Inches	Length Neck Inches	O.D. Neck Inches	Weight Ounces
\$4.75	2-5/8	3/4	7/8	6




Fig. 1254



Fig. 308

FLUSH TYPE DOME LIGHTS—Fig. 308

Die Cast Zinc Alloy
Chromium Plated or White Acry-Color
Double Contact Socket — Push Switch

For installation into the ceiling, providing more headroom and modern lighting.

No.	Chromium Plated Each	White Each	Diameter Glass Inches	Diameter Overall Inches	Depth Above Flange Inches	Depth Below Flange Inches	Weight Ounces
0	\$6.00	\$5.25	3	3-3/4	5/8	3/4	5
1	6.75	6.00	4	4-1/2	3/4	1-1/4	7
2	7.75	6.75	5	5-1/2	3/4	1-1/2	9



Fig. 300

DOME LIGHTS — Fig. 300

Die Cast Zinc Alloy
Chromium Plated or White Acry-Color
Double Contact Socket — Push Switch

No.	Chromium Plated Each	White Each	Diameter Glass Inches	Diameter Overall Inches	Depth Overall Inches	Weight Ounces
0	\$5.75	\$5.00	3	3-3/4	1-1/2	7
1	6.50	5.75	4	5-3/8	1-7/8	9
2	7.50	6.50	5	6-1/2	2	11

Spare Globes for Figs. 300 and 308. See Fig. 257.

Spare Switches for Figs. 300 and 308. See Fig. 703




Fig. 385

"RADIANT" DOME LIGHT Fig. 385

Wrought Brass — Chromium Plated — Opal Globe —
Double Contact Socket — Toggle Switch

Each	Diam. Base Inches	Diam. Globe Inches	Depth Inches	Weight Ounces
\$20.00	7	5-3/8	2-5/8	16

Spare Globes. See Fig. 133

Spare Switches. See Fig. 745



Fig. 555

DOME LIGHT — Fig. 555

Cast Bronze — Chromium Plated — Toggle Switch —
With Fig. 257 Diffusing Globe

Has Fig. 346 medium screw socket and will accommodate a 15-watt bulb. Fig. 340.

Each	Diam. Globe Inches	Diam. Base Inches	Depth Inches	Weight Pounds
\$41.00	6	7-7/8	3-1/8	3-3/4




Fig. 761

MODERN DESIGN DOME LIGHT—Fig. 761

Chromium Finish — Nylon Base and Globe — With 12 Volt,
12 C.P. Fig. 70 Bulb — Impervious to Heat and Salt Atmosphere.

Each	Length Overall Inches	Width Overall Inches	Depth Overall Inches	Weight Ounces
\$3.20	7	2-3/4	3/4	2

DOMELIGHT—Fig. 318

Low Voltage — 6 to 32 Inc.

White Translucent Plastic Globe — 18-8 Stainless Steel Base — Brass Sockets — 3 Position Toggle Switch.

Complete with 4, 12 volt, 15 C.P. bulbs, all double contact bayonet base.

Each	Length Inches	Width Inches	Depth Inches	Weight Ounces
\$21.00	9-3/4	3-3/4	1-7/8	14



Fig 318

DOMELIGHT — Fig. 753

Low Voltage — 6 to 32 Inc.

Wrought Brass — Toggle Switch — Nickel Plated Reflector Frosted Glass Fig. 132 — Medium Screw Socket Fig. 346

Will accommodate bulbs up to 50 watts.

No. 1 has one socket and switch.

No. 2 has two sockets and switches.

No.	Chromium Plated Each	Diameter Base Inches	Diameter Glass Inches	Depth Overall Inches	Weight Pounds
1	\$52.00	9-1/2	8	3	2
2	54.50	9-1/2	8	3	2-1/4



Fig. 753

WATERTIGHT DOME LIGHT — Fig. 1266

Cast Bronze — Double Contact Socket — Diffusing Globe

For small boats. Will accommodate up to a 21 C.P. bulb. With stainless steel reflector, toggle switch and one packing gland for cable.

Plain Bronze Each	Chromium Plated Each	Extreme Diam. Inches	Diam. Globe Inches	Extreme Depth Inches	Weight Pounds
\$22.50	\$29.75	3-1/2	3-1/4	2-3/4	1-3/4

Spare Sockets, \$.90 each. Spare Globes, \$1.25 each.

Extra packing glands installed, \$3.00 for each gland.



Fig. 1266

MARINE SHIELDS FOR FIXTURES — Figs. 27 & 28

Translucent Plastic — Washable — Hand Laced to Brass Plated Frame — Painted or Plain

Colorful painted marine design makes these shields very decorative and appropriate for a yacht stateroom, cabin, club or marine room. Metal clip is for bulb up to 60 watts.

Painted Each	Plain Each	Width Inches	Height Inches	Weight Ounces
\$2.60	\$2.00	4-1/2	4-5/8	1

Standard Package, 10 Pieces



For Hanging Bulb

Fig. 27



For Upright Bulb

Fig. 28

SHIELD DESIGNS — Figs. 33, 34, & 36

Same quality and construction as Figs. 27 and 28 above. Attractive two color marine designs suitable for hanging and upright bulb.

Painted Each	Width Inches	Height Inches	Weight Ounces
\$2.60	4-1/2	4-5/8	1

Standard Package, 10 Pieces

Figs. 33, 34, 36 Available in Skin Pack — See Skin Pack Section.



Fig. 33



Fig. 34





Fig. 36

PERKO

SECTION E

SEARCHLIGHTS



MANUFACTURED BY

PERKINS MARINE LAMP & HARDWARE CORP., 16490 N. W. 13TH AVE., P. O. BOX D, MIAMI, FLORIDA 33164

Copyright 1972 in U. S. and Canada by Perkins Marine Lamp and Hardware Corp.

For complete line see catalog No. 220

PERKO SEALED BEAM SEARCHLIGHTS

All Brass – Chromium Plated – Clear Lens



Fig. 538

DECK CONTROL – Fig. 538

With Switch in Head

12 Volts – 50,000 Beam C.P. – Range About 1/4 Mile

Each	Diam. Lens Inches	Diam. Base Inches	Height Overall Inches	Weight Pounds
\$22.50	4-1/2	3-1/2	7-1/2	1-1/2




Fig. 534

DECK CONTROL – Fig. 534

With Switch – 12, 24 or 32 Volts

Size No. 2 – 12 Volts – 200,000 Beam Candlepower – Range About 1/2 Mile.

Size No. 2 – 24 Volts – 300,000 Beam Candlepower – Range About 5/8 Mile.

Size No. 3 – 12 Volts – 250,000 Beam Candlepower – Range About 5/8 Mile.

Size No. 3 – 24 Volts – 450,000 Beam Candlepower – Range About 1 Mile.

Size No. 3 – 32 Volts – 260,000 Beam Candlepower – Range About 3/4 Mile.

Horizontal Rotation 350 Degrees

No.	12 Volt Each	24 Volt Each	32 Volt Each	Nominal Diameter Inches	Dimensions Base Inches	* Height Above Deck Inches
2	\$69.50	\$71.50		6	4-7/8 x 3-1/8 x 2	12
**3	71.00	76.00	\$77.00	7	4-7/8 x 3-1/8 x 2	12-1/2

Weight about 5 pounds.

*Height is overall, from deck to top of head.

Length of head excluding handle 6 inches.

NOTE –

**This size has a larger, more powerful sealed beam unit. It does not have the lens bezel illustrated. The unit is held in by a snap ring. Easily removable for quick replacement.



Fig. 440

IMPROVED

HAND SEARCHLIGHTS—Fig. 440

Push Button Switch – 8 Feet of Coiled Cord

Cigar Lighter Plug

Removable from Deck Socket for Portable Operation

No. 1 – 12 Volts – 50,000 Beam C.P. – Range About 1/4 Mile.

No. 3 – 12 Volts – 250,000 Beam C.P. – Range About 5/8 Mile.

No. 3 – 24 Volts – 450,000 Beam C.P. – Range About 1 Mile.

No. 3 – 32 Volts – 260,000 Beam C.P. – Range About 3/4 Mile.

No.	12 Volt Each	24 Volt Each	32 Volt Each	Diam. Lens Inches	Weight Pounds
1	\$32.00			4-1/2	2-1/4
3	50.00	\$55.00	\$55.00	7	3-1/2

PERKO SEALED BEAM SEARCHLIGHTS

Brass Head — Cast Bronze Base — Chromium Plated —
High Power — Long Distance Sealed Beam Spotlight Units

12, 24 or 32 Volts

Size No. 2 — 12 Volts — 200,000 Beam Candlepower — Range About 1/2 Mile.

Size No. 2 — 24 Volts — 300,000 Beam Candlepower — Range About 5/8 Mile.

Size No. 3 — 12 Volts — 250,000 Beam Candlepower — Range About 5/8 Mile.

Size No. 3 — 24 Volts — 450,000 Beam Candlepower — Range About 1 Mile

Size No. 3 — 32 Volts — 260,000 Beam Candlepower — Range About 3/4 Mile.

Horizontal Rotation 350 Degrees

PILOT HOUSE CONTROL — Fig. 535

With White Rubber Grip on Lever Handle

With finishing plate for underside of cabin top and position locking device.

No.	12 Volt Each	24 Volt Each	32 Volt Each	Nominal Diameter Inches	Dimensions Base Inches	*Height Above Deck Inches
2	\$86.00	\$88.00		6	4-7/8 x 3-1/8 x 2	12
*3	87.00	92.00	\$93.00	7	4-7/8 x 3-1/8 x 2	12-1/2

**See note on fig. 534

Weight about 5 pounds.

For thickness of top or deck maximum 4-1/2 inches

*Height is overall, from deck to top of head.

Length of control below base, 7-1/4 inches.

Length of head overall, 6 inches.

For special length of control, price on application.



FLEXIBLE REMOTE CONTROL — Fig. 536

For Operation From Dash

Smooth operation in vertical and horizontal planes by single control handle on dash. Has attractive knob tightening device on dash for maintaining set position of head

No.	With 36 inch Control		With 48 inch Control		With 60 inch Control	
	12 Volt Each	32 Volt Each	12 Volt Each	32 Volt Each	12 Volt Each	32 Volt Each
2	\$92.00		\$94.50		\$97.00	
3	93.50	\$99.50	96.00	\$102.00	98.00	\$104.50

No. 2 — 24 Volt, add \$2.00 to 12 Volt prices.

No. 3 — 24 Volt, add \$5.00 to 12 Volt prices.

No.	Nominal Diameter Inches	Dimensions Base Inches	*Height Above Deck	Length Head Inches	Weight Pounds
2	6	4-7/8 x 3-1/8 x 2	12	6	5
*3	7	4-7/8 x 3-1/8 x 2	12-1/2	6	5-1/2

**See note on fig. 534

SPECIFY SIZE NO. WHEN ORDERING

*Height is overall, deck to top of head.

Above cable lengths are standard stock.

Special lengths longer than above.

add \$2.50 per foot or fraction thereof.

Maximum length for smooth operation is 12 feet.



SPARE SEALED BEAM SPOTLIGHT UNITS — Fig. 433

No.	12 Volt Each	*24 Volt Each	32 Volt Each	Diam. Lens Inches
1	\$4.50			4-1/2
2	9.85	\$ 9.85		6
3	9.85	12.50	\$12.50	7

*Rated voltage is listed at 28 volts.




Fig. 535




Fig. 536




Fig. 433

SEALED BEAM YACHT SEARCHLIGHTS

All Brass Body — Cast Bronze Base and Parts — Waterproof Construction with Terminal Tube Cable Entrances — Position Holding Device — Highly Concentrated Spotlight Beam

12, 24 or 32 Volts

12 Volts — 250,000 Beam Candlepower — Range About 5/8 Mile

24 Volts — 450,000 Beam Candlepower — Range About 1 Mile

32 Volts — 260,000 Beam Candlepower — Range About 3/4 Mile




Fig. 305

LEVER CONTROL — Fig. 305

The Single Lever Handle provides quick control of beam in all directions, horizontal and vertical.

Painted Gray Each	Polished Brass Each	Chromium Plated Each
\$190.00	\$190.00	\$218.00

Specify Voltage

"A" Inches	"B" Inches	"C" Inches	"D" Inches	
8	8-1/2	10	5-5/8	
"E" Inches	"F" Inches	"G" Inches	"H" Inches	Weight Pounds
8-1/2	7-1/4	2	2-1/8	14




Fig. 313

WHEEL CONTROL — Fig. 313

The Wheels provide more precise control of beam. Top Wheel is horizontal control, Bottom Wheel for vertical control.

Painted Gray Each	Polished Brass Each	Chromium Plated Each
\$192.00	\$192.00	\$220.00

Specify Voltage

Figs. 305 and 313

For thickness of top or deck, maximum 4 inches.
Spare Sealed Beam Units, see Fig. 433 No. 3.

Supplied with standard length of controls only. Special lengths in manufacturing quantity of 25 or more, price on application.

PERKO "SOLAR-RAY" SEARCHLIGHTS

ALL VENTED - HALO DEFLECTORS

High Power - Mirror Reflector - 6-12-32-120 Volts - Heavy Gauge Brass Body - Cast Bronze Base and Parts - Waterproof Construction - Conventional Focusing Device. 3 Wire Cable, Grounded.

Fig. 883 DECK CONTROL

No.	Painted Gray Each	Polished Brass Each	Chromium Plated Each
1	\$215.00	\$215.00	\$250.00
2	295.00	295.00	335.00
3	340.00	340.00	395.00

Dimensions And Weight

No.	Diam. Reflector Inches	"A" Inches	"B" Inches	"C" Inches	"D" Inches	Weight Pounds
1	10	10-1/8	9	13	7	25
2	12	12-1/8	10	15	7	30
3	14	14-1/8	11	17	7	45

BULBS AND SOCKETS, SEE NOTE BELOW.



Fig. 884 LEVER CONTROL

No.	Painted Gray Each	Polished Brass Each	Chromium Plated Each
1	\$233.00	\$233.00	\$275.00
2	320.00	320.00	367.00
3	370.00	370.00	422.00

Dimensions and Weight

No.	Diam. Reflector Inches	"E" Inches	"H" Inches	Weight Pounds
1	10	8-1/2	2-1/8	30
2	12	8-1/2	2-1/8	35
3	14	8-1/2	2-1/8	50

Maximum Thickness of Deck, 4 Inches.

Other Dimensions see Fig. 883

BULBS AND SOCKETS, SEE NOTE BELOW.



Fig. 885 WHEEL CONTROL

No.	Painted Gray Each	Polished Brass Each	Chromium Plated Each
1	\$240.00	\$240.00	\$282.00
2	320.00	320.00	367.00
3	385.00	385.00	433.00

Dimensions and Weight


No.	Diam. Reflector Inches	"F" Inches	"G" Inches	"H" Inches	Weight Pounds
1	10	7-1/2	1-1/2	2-1/8	30
2	12	7-1/2	1-1/2	2-1/8	35
3	14	7-1/2	1-1/2	2-1/8	50

Maximum Thickness of Deck, 4 Inches.

Other Dimensions see Fig. 883

NOTE - WHEN ORDERING SEARCHLIGHT, GIVE FIG. NO. OF BULB AND TYPE OF SOCKET AS LISTED ON PAGE E-7. BULBS NOT INCLUDED IN ABOVE PRICES, SEE PAGE E-7 FOR RECOMMENDATIONS AND OTHER INFORMATION.

10 INCH SIZE HAS SINGLE VENTILATION
12 AND 14 INCH SIZES HAVE DUAL VENTILATION



PERKO HIGH POWERED DE LUXE SEARCHLIGHTS

HEAVY DUTY – MARINE – ALL VENTED

With Mirror Reflector – 6-12-32-120 Volts – Packing Glands at Cable and Control Rod Entrances.

BODIES: constructed of heavy wrought base. Internal halo deflectors.


STANDS, YOKES and CONTROL MECHANISM are all cast bronze.

REFLECTORS: glass mirror which projects a highly concentrated beam of light a great distance.

FOCUSING DEVICE: new remote control type permits changing beam diameter from pilot house.

PILOT HOUSE CONTROLS: wheels or lever type. With locking device.

WIRING: 3 wire, grounded, enclosed in flexible metal hose, fully protected from weather.



LEVER CONTROLLED SEARCHLIGHT—Fig. 297

Size Inches	Polished Brass Each	Chromium Plated Each
8	\$345.00	\$380.00
10	380.00	415.00
12	465.00	510.00
14	555.00	600.00

WHEEL CONTROLLED SEARCHLIGHT—Fig. 529

Size Inches	Polished Brass Each	Chromium Plated Each
8	\$365.00	\$400.00
10	408.00	443.00
12	500.00	545.00
14	585.00	630.00

Size Inches	Diameter Reflector Inches	Range	Beam Candle Power
8	8	up to 3/4 mile	350,000
10	10	up to 1 mile	590,000
12	12	up to 1-1/2 miles	700,000
14	14	up to 2 miles	850,000

Size Inches	Length of Body Inches	Clearance of Glass in Door Inches	Height Above Deck Inches	Diameter of Base Inches	Weight Pounds
8	12-3/4	7-3/4	19	6-7/8	30
10	14-3/4	9-1/2	21	6-7/8	34
12	17	11-3/4	24	6-7/8	41
14	19	13-1/2	26	8-1/8	56

NOTES

Standard length of control below base; Fig. 297 all sizes from base to fulcrum of handle is 8 inches; Fig. 529, all sizes from base to center of upper wheel rim is 6-1/2 inches. Maximum thickness of deck for standard Fig. 297 is 4-1/4 Inches. Fig. 529 is 5-1/2 Inches.

NOTE

GIVE FIG. NO. OF BULB TO BE USED – SEE PAGE E-7. BULBS NOT INCLUDED IN ABOVE PRICES. SEE PAGE E-7 FOR RECOMMENDATIONS AND OTHER INFORMATION.

8 and 10 INCH SIZES HAVE SINGLE VENTILATION
12 and 14 INCH SIZES HAVE DUAL VENTILATION

PERKO SEARCHLIGHTS IMPORTANT INFORMATION

INCANDESCENT LAMP RECOMMENDATIONS

FIG.	VOLTS	WATTS	TYPE BASE	**RATED LIFE	SEARCHLIGHT SIZE-INCHES	PRICE
800	6	108	MEDIUM SCREW	50 HOURS	8-10-12	\$10.75
801	12	130 C.P.	D.C. BAYONET	50 "	8-10-12	5.50
802	32	300	MEDIUM SCREW	50 "	8-10-12	17.50
806	32	900	MOGUL	100 "	12-14	33.00
807	120	500	MEDIUM PREFOCUS	25 "	8-10-12-14	9.25
809	120	750	MEDIUM PREFOCUS	25 "	12-14	15.00
810	120	1000	MEDIUM PREFOCUS	25 "	12-14	12.00
811	120	1000	MOGUL	25 "	12-14	18.00

"QUARTZ" TUNGSTEN-HALOGEN LAMP RECOMMENDATIONS

For more concentrated beam, longer distance, brighter light, longer life etc. we suggest these lamps in the following sizes.

FIG.	VOLTS	WATTS	BASE	**RATED LIFE	SEARCHLIGHT SIZE-INCHES	PRICE
816	12	100	2 PIN-PREFOCUS	50	8-10-12-14	\$11.00
817	32	225	2 PIN-PREFOCUS	50	8-10-12-14	18.00
820	120	600	2 PIN-PREFOCUS	75	8-10-12-14	12.50

Electric Lamps (Bulbs) are not returnable unless the fault is ours.

**These are the "Rated Average Laboratory Life-Hours" of the Bulb Manufacturer. No guarantee that the life is limited to the time indicated.

BULB INFORMATION NECESSARY -

To give good results the bulb and reflector must be perfectly compatible, therefore be sure to mention the Fig. No. of the Bulb desired. Peak candlepower is exceedingly sensitive to many factors, some of which are listed below, reduction may range up to 20%.

Light source out of focus by 1/32 inch.

Difference between Lamp Manufacturers


Under-voltage of only 4%.

SPECIAL CONSTRUCTION OF PEDESTAL -

Searchlights Figs. 297 - 529 - 883 - 884 - 885 can be supplied with special height of pedestal. Give overall height from deck to top of searchlight head not including controls. Supply sketch if possible. Price on application.

SPECIAL CONSTRUCTION OF CONTROLS -

We will supply special vertical length of controls to order. For Lever Controls per Figs. 297, 305 and 884 the "E" dimension, on Figs. 313, 529 and 885 the "F" and "G" dimensions below the base must be given.



SPARE PARTS FOR FIGS. 883, 884, 885.

Diameter Inches	*Reflectors Each	FRONT DOOR WITH GLASS			FOCUSING DEVICE WITH HOUSING			SOCKETS ONLY EACH	
		Painted Each	Pol. Br. Each	Chrome Pltd. Each	Painted Each	Pol. Br. Each	Chrome Pltd. Each	D.C. BAYONET	\$1.50
10	\$35.00	\$40.00	\$40.00	\$46.00	\$24.00	\$24.00	\$27.00	MED. SCREW	1.25
12	40.00	43.00	43.00	49.00	24.00	24.00	27.00	MED. PREFOCUS	3.00
14	60.00	47.00	47.00	53.00	24.00	24.00	27.00	MOGUL SCREW	2.00
								2 PIN PREFOCUS	1.75

*GLASS MIRROR REFLECTOR ONLY, NO METAL BACKING.

PERKO


SECTION F

BLOWERS

VENTILATORS

DRAINS

PUMPS



MANUFACTURED BY

PERKINS MARINE LAMP & HARDWARE CORP., 16490 N. W. 13TH AVE., P. O. BOX D, MIAMI, FLORIDA 33164

Copyright 1972 in U. S. and Canada by Perkins Marine Lamp and Hardware Corp.

PERKINS MARINE LAMP & HARDWARE CORP.




Fig. 778



Speedy Mounting Bracket




Fig. 791



Fig. 193

MARINE EXHAUST BLOWERS—Fig. 778

HEAVY DUTY MOTOR WITH 18 - 8 NON-MAGNETIC STAINLESS STEEL SHAFT - WHITE DELRIN IMPELLER - 12 VOLTS

TESTED AND ACCEPTED FOR LABELING AND LISTING BY THE UNDERWRITERS LABORATORIES, INC.

For removing dangerous gasoline fumes from the bilge and engine room, exhausting excess heat and cooking odors from the galley. Getting rid of foul air or odors from cargo holds and bilges.

An absolute necessity to the motor boat because their use decreases the hazard of fires and explosions from gasoline fumes.

Size No. 1 - Die Cast Housing, White Enamelled Over Zinc Chromate - Supplied complete with speedy mounting bracket.

Size No. 2 - Cast Aluminum Housing, Painted White.

No.	Size Intake Inches	Size Outlet Inches	Dimensions Overall Inches	Rated C.F.M.	Size Flange Inches
1	3	2-1/2	6-1/2 x 6 x 5	109	3 x 3
2	4	3-3/4	7 x 8 x 7	250	4-3/4 x 4-3/8

No.	Each	Spare Impellers Each	Spare Motors Each	Weight Pounds
1	\$24.50	\$2.70	\$13.00	3-1/2
2	51.00	3.25	16.75	6-1/2



IMPROVED EXHAUST BLOWERS FOR BILGE INSTALLATION—Fig. 791

12 Volts

This is our improved Fig. 778 Blower with the motor enclosed in an additional housing. The stainless steel shaft passes through a neoprene seal and the electric cable through a waterproof rubber gland.

No.	Size Intake Inches	Size Outlet Inches	Dimensions Overall Inches	Rated C.F.M.	Flange Inches
1	3	2-1/2	7-1/2 x 6 x 5	109	3 x 3
2	4	3-3/4	8 x 8 x 7	250	4-3/4 x 4-3/8

No.	Each	Spare Impellers Each	Spare Motors Each	Weight Pounds
1	\$27.00	\$2.70	\$13.00	3-3/4
2	53.50	3.25	16.75	6-3/4



BLOWER AND IGNITION SWITCH—Fig. 193

RED LEXAN PLASTIC HOUSING - VAPOR PROOF - MULTIPLE POLE - COPPER CONTACTS - STAINLESS STEEL SPRING.

TESTED AND ACCEPTED FOR LABELING AND LISTING BY THE UNDERWRITERS LABORATORIES, INC.

With these improved switches the engine cannot be started before the blower has been turned on, then before the engine can be stopped the blower must again be started thus clearing out any remaining fumes before and after engine operations.

Each	Diameter Inches	Depth Inches	Weight Ounces
\$17.75	5	1-3/4	10

BLOWER TO VENT

MOUNTING ADAPTER – FIG. 790

Die Cast Zinc Alloy – Painted White \$1.30 Each

For mounting a Fig. 778 or 791 No. 1 Blower as high as possible directly to vent without duct in between. For Vent with 3" neck. Complete with attaching screws.

Weight – 5-1/2 Ounces



Fig. 790

MOUNTING ADAPTERS

FOR EXHAUST DUCT – Figs. 784 & 787

Die Cast Zinc Alloy – Painted White

For Blower size No. 1 only.

Fig. 784 for mounting blower and leading duct to outlet ventilator.

Fig. 787 for outlet end of duct or to support free end of duct in various installations. Can be fastened thru base under deck or thru side if preferred.

Each	Dimensions Inches	Weight Ounces
\$2.65	3-3/4 x 3-1/2 x 1-5/8	14




Fig. 784



Fig. 787

EXHAUST DUCT – Fig. 789

Vinyl – with high tensile spring wire coil non-flammable – resists many corrosive chemicals – long life under exposure to sunlight – color is blue.

Supplied only in 25 foot lengths,
2 lengths per carton. Shipped only in full cartons.

No.	Inside Diameter Inches	Per Length	Weight Per Carton Pounds
1	2-1/2	\$16.00	11
2	3	18.00	12
3	3-1/2	19.50	12
4	4	22.00	13




Fig. 789

COWL VENTILATORS – Fig. 510

Round Mouth – With Threaded Deck Plate – Sheet Steel or Sheet Brass – Cast Bronze Deck Plate

Steel ventilators are finished in White Acry-Color.

Deck Plate Size Inches	White Each	Polished Brass Each	Chromium Plated Each	Diam. Mouth Inches	Height Overall Inches	Weight Pounds
2	\$ 25.50	\$ 41.50	\$ 45.50	4	5-1/2	1-1/8
2-1/2	26.00	45.50	50.00	5	6-1/2	1-3/4
3	32.00	56.50	61.00	6	8	2-1/2
4	45.50	76.00	83.00	8	11	4
5	58.50	98.00	105.00	10	13	6
6	88.00	155.00	165.00	12	16	9
8	119.00	260.00	313.00	16	21	15-1/2



Fig. 510

COWL VENTILATORS – Fig. 513

With Swivel Deck Plate – Sheet Steel or Sheet Brass – Cast Bronze Deck Plate

Deck Plate Size Inches	White Each	Polished Brass Each	Chromium Plated Each	Diam. Mouth Inches	Height Overall Inches	Weight Pounds
3	\$28.50	\$ 60.50	\$ 68.00	6	8	2
4	38.00	72.50	82.00	8	12	3-3/4
5		88.00	98.00	10	13-1/2	4-3/4



Fig. 513

PERKINS MARINE LAMP & HARDWARE CORP.

MINIMUM VENTILATOR REQUIREMENTS FOR MOTOR BOATS

U.S.C.G. - 290 - March 1971

At least two ventilator ducts fitted with cowls or their equivalent for the purpose of properly and efficiently ventilating the bilges of every engine and fuel-tank compartment of boats constructed or decked over after April 25, 1940, using gasoline or other fuel of a flashpoint less than 110° F.



Fig. 864




Fig. 867



Fig. 869




Fig. 654 Bronze
Fig. 870 Die Cast




Fig. 1312



SHELL TYPE VENTILATORS

Cast Bronze or Zinc Alloy Die Castings - Chromium Plated

Die Castings - Dimensions

Size No.	For I.D. Duct Inches	Mouth Opening Square Inches	Length Overall Inches	Width Overall Inches	Average Weight Ounces
1	2-1/2	5	5-1/8	4	22
2	3	7	5-1/8	4	25
3	3-1/2	10	6-1/4	4-3/4	27

Bronze Dimensions

1	2-1/2	5	5-1/8	4	28
2	3	7	5-1/8	4	30

Fig. 864 is die cast and has mounting flange drilled and countersunk for No. 10 F. H. screws

Fig.	No. 1 Each	No. 2 Each	No. 3 Each
864	\$4.20	\$4.70	\$5.80

Fig. 867 is die cast and has three studs 12-24 x 1-1/2 inches long. Nuts and washers included.

Fig.	No. 1 Each	No. 2 Each	No. 3 Each
867	\$3.75	\$3.90	\$4.75

Fig. 869 is die cast and has three studs 12-24 x 1-1/2 inches long. With neck for exhaust duct. Nuts and washers included.

Fig.	No. 1 Each	No. 2 Each
869	\$4.00	\$4.50

Figs. 654 and 870 have flange on front and hole in rear for No. 10 wood screw mounting.

The improved neck eliminates the use of hose clamps and retains the full inside diameter of the duct.

Cowl of Fig. 654 is Bronze but flange and neck is die cast.

Fig.	No. 1 Each	No. 2 Each	No. 3 Each
654	\$14.25	\$17.00	\$6.40
870	4.70	5.20	

®"CHROMALEX" COWL VENTILATORS - Fig. 1312

Black Lexan Base - For 3 Inch Duct
"Perkplate" Chromium Plated Cowl

Lexan is tough and has high impact strength. Cowl is die cast zinc alloy with 7 coats of plating.

Designed for fast mounting.
No Screw Heads will show. Has integral Air Scoop.
No Hose Clamps necessary-Duct threads into collar.

Each	Mouth Opening Square Inches	Length Overall Inches	Width Overall Inches	Height Overall Inches	O.E.M. Package	Weight Ounces
\$4.50	7	5-3/4	4-3/8	2-5/8	50	1

Available in Skin Pack. See Skin Pack Section.

MIDGET CLAM SHELL VENTILATOR – Fig. 315

18-8 Stainless Steel – Polished – Heavy Gauge

Here's a streamlined, midget ventilator with many uses including shielding gas tank vents. Drilled for No. 6 screw.

No.	Each	Base Dimensions Inches	Height Opening Inches	Thickness Inches	Weight Ounces
1	\$.70	1-5/8x1-1/2	7/16	.045	1/2
2	.85	2 x2	9/16	.062	1-1/4

Standard Package, 10 Pieces

Available in Skin Pack. See Skin Pack Section.



Fig. 315

CLAM SHELL VENTILATOR – Fig. 339

Brass – Chromium Plated

Beautifully styled to enhance the appearance of any boat. Bored and countersunk for No. 6 screw.

Each	Width Opening Inches	Height Opening Inches	Base Dimensions Inches	Weight Ounces
\$4.20	2-1/2	1-5/8	4 x 3-3/4	5

Standard Package, 5 Pieces

Available in Skin Pack. See Skin Pack Section.



Fig. 339

CLAM SHELL VENTILATORS – Fig. 323

Cast Bronze

No.	Chromium Plated Each	Width Opening Inches	Height Opening Inches	Size Base Inches	For Screw No.	Weight Ounces
4	\$6.60	2-5/8	1-1/2	3-1/2x3-1/4	7	10
5	9.75	3-1/2	2	3-7/8x3-1/2	7	13

Standard Package, 5 Pieces



Fig. 323

DECK VENTILATOR – Fig. 931

Cast Bronze – Chromium Plated

A very handsome and practical fitting.

Each	Extreme Length Inches	Extreme Width Inches	Opening Inches	Weight Pounds
\$21.00	8-3/4	5-1/2	5-1/4 x 1	2-1/2

Standard Package, 2 Pieces.




Fig. 931

PLASTIC VENTILATORS – Fig. 338

White Acry-Color Finish

No.	Each	Length Overall Inches	Width Overall Inches	Weight Ounces
1	\$5.75	6-1/4	5-1/4	3-1/2
2	6.00	7-1/2	7	5

Standard Package, 5 Pieces.




Fig. 338

LOCKER VENTILATORS – Fig. 783

Cast Bronze – Chromium Plated

Each	Diam. of Opening Inches	Size Plate Inches	Weight Pounds
\$13.60	1-5/8	2-1/2 x 2-1/2	1/2

Standard Package, 5 Pieces.



Fig. 783



Fig. 1069

JUNIOR TRANSOM VENTILATOR – Fig. 1069

Cast Bronze – Chromium Plated

Each	Size Flange Inches	For Screw No.	Weight Pounds
\$6.25	6-1/2x2-1/8	6	1/2

Standard Package, 5 Pieces



Fig. 1062

SENIOR TRANSOM VENTILATOR – Fig. 1062

Cast Bronze – Chromium Plated

Each	Dimensions Inches	For Screw No.	Weight Pounds
\$10.00	10 x 4	8	1

Standard Package, 5 Pieces



Fig. 550

TRANSOM OR LOCKER VENTILATOR – Fig. 550

18-8 Stainless Steel – Polished

Each	Dimensions Inches	For Screw No.	Weight Ounces
\$2.15	7 x 2-1/2	8	3

Standard Package, 10 Pieces



Fig. 1271

TRANSOM OR LOCKER VENTILATOR – Fig. 1271

Die Cast Zinc Alloy – Chromium Plated – With Grill Type Screen

Each	Dimensions Inches	For Screw No.	Weight Ounces
\$1.90	6 x 2	8	3

Standard Package, 10 Pieces



Fig. 1238

TRANSOM OR LOCKER VENTILATOR – Fig. 1238

Die Cast Zinc Alloy – Chromium Plated – With Grill Type Screen

Each	Dimensions Inches	For Screw No.	Weight Ounces
\$1.75	8-3/8 x 2-1/4	8	3

Standard Package, 10 Pieces




Fig. 330

LOCKER VENTILATORS – Fig. 330

18-8 Stainless Steel – Polished

No.	Each	Diameter Inches	For Screw No.	Weight Ounces
1	\$.70	2-1/2	6	1
2	.95	3-1/4	6	2

Standard Package, 10 Pieces

 Available in Skin Pack. See Skin Pack Section.

COMBINATION TRANSOM VENT AND 135°

STERN LIGHT — Fig. 980

18-8 Alloy No. 304 Stainless Steel — Polished



Fig. 980

Complete Each	Length Inches	Width Inches	Length Louvers Inches	Weight Ounces
\$9.70	8	3	2	6

Makes a very neat dual purpose installation. For details on light see Fig. 945.

STAINLESS STEEL LOUVER VENTILATORS

18-8 Alloy No. 304 — Polished

Fig. 334

No.	Each	Size Inches	Length Louvers Inches	Weight Ounces
2	\$1.95	3 x 2-1/2	2	1
2-A	2.20	4 x 2-1/2	3	1-1/2
4	2.60	5-1/2 x 2-1/2	2	2
4-A	2.90	7-1/2 x 2-1/2	3	2-1/2
6	3.45	8 x 2-1/2	2	3
6-A	3.75	11 x 2-1/2	3	4

Standard Package, 10 Pieces per size

Fig. 335

No.	Each	Size Inches	Length Louvers Inches	Weight Ounces
3	\$2.30	3 x 3	2	1-1/2
3-A	2.50	4 x 3-1/2	3	2
6	3.20	5-1/2 x 3	2	2-1/2
6-A	3.50	7-1/2 x 3-1/2	3	3-1/4
9	4.20	8 x 3	2	3-1/2
9-A	4.50	11 x 3-1/2	3	4

Standard Package, 10 Pieces Per size

Fig. 336

No.	Each	Size Inches	Length Louvers Inches	Weight Ounces
4	\$2.60	3-3/4 x 3	2	1-3/4
4-A	2.90	4-3/8 x 4	3	2
5	3.20	4-1/2 x 3	2	2
5-A	3.50	5-3/8 x 4	3	2-1/4
6	3.75	5-1/4 x 3	2	2-1/2
6-A	4.00	6-3/8 x 4	3	3

Standard Package, 10 Pieces Per size

ANGLE TYPE — Fig. 342

Supplied In Pairs, Port and Starboard

No.	Per Pair	Size Inches	Length Louvers Inches	Weight Pair Ounces
3	\$3.50	4-3/4 x 2-1/2	2	1-3/4
3-A	3.75	6 x 3	3	2-1/4
6	5.50	7-3/4 x 2-1/2	2	2-3/4

Standard Package, 5 Pairs Per Size



#2



#4

Fig. 334



#6




#3



#6

Fig. 335



#9



#4



#5



#6

Fig. 336



#3



#6

Fig. 342

BUY STANDARD PACKAGES



Fig. 414 - Brass
Fig. 414-A - Aluminum

TRANSOM DRAIN PLUGS - Fig. 414 & 414-A

Brass or Aluminum - Expanding Plug with Safety Chain

No.	Complete		Plug Only		Tube Only	
	Brass Each	Aluminum Each	Brass Each	Aluminum Each	Brass Each	Aluminum Each
1	\$2.45	\$1.90	\$1.95	\$1.55	\$.70	\$.55
2	2.75	2.15	1.95	1.55	.95	.75

Standard Package, 10 Pieces

No.	Diam. Tube Inches	Length Overall Inches	Length Tube Inches	Weight Ounces
1	1	2-1/2	2	4-1/2
2	1	3-1/4	2-3/4	5

Available in Skin Pack - See Skin Pack Section.



Fig. 263



Fig. 363



Fig. 266

GARBOARD DRAIN PLUGS - Figs. 263, 363 & 266

Cast Bronze

Figs. 263 and 266

Each	Pipe Size Inches	Diam. Flange Inches	Depth Inches	Weight Ounces
\$5.50	3/4	2-5/8	5/8	11

Fig. 363

For plywood, fiberglass or metal hulls.

No.	Each	Pipe Size Inches	Diam. Flange Inches	Length Threaded Neck Inches	Max. Hull Thickness Inches	Weight Ounces
1	\$7.60	3/4	2-3/8	9/16	3/16	13-1/2
2	10.00	3/4	2-3/8	1	1/2	14
3	10.00	3/4	2-3/8	1-1/4	3/4	14-1/2
4	10.00	3/4	2-3/8	1-1/2	1	15

Standard Package, 5 Pieces



Fig. 714 No. 1



Fig. 737 No. 1



Fig. 714 No. 2



Fig. 737 No. 2

GARBOARD DRAIN PLUGS - Figs. 714 & 737

Pressure Cast Silicon Bronze

Figs. 737 No. 1 and 737 No. 2 have extra brass flange and 3 F.H. machine screws, maximum space between flanges is 7/16 inches.

Fig.	No.	Each	Pipe Size Inches	Diam. Flange Inches	Depth Inches	Weight Ounces
714	1	\$2.85	1/2	2	5/8	3
714	2	3.20	1/2	2	5/8	4
737	1	4.30	1/2	2	5/8	6
737	2	4.70	1/2	2	5/8	7

Standard Package, 5 Pieces

GARBOARD DRAIN PLUGS - Fig. 124

Cast Bronze

A few of these drain plugs installed in garboard allows quick drainage of boat when hauled out. Threads are tapered pipe sizes and plugs are watertight.

Each	Pipe Size Inches	Diam. Flange Inches	Depth Inches	Weight Ounces
\$9.00	1	3-1/8	1	10

Furnished complete with galvanized wrench. Spare wrench \$.95 each.

Standard Package, 5 Pieces



Fig. 124



Fig. 729

FLUSH DRAIN PLUG - Fig. 729

Pressure Cast Silicon Bronze

Has wide slot for screw driver or large coin.

Plain Bronze Each	Chromium Plated Each	Pipe Size Inches	Diameter Flange Inches	For Screw No.	Weight Ounces
\$4.30	\$5.15	1/2	2	8	3-1/2

Standard Package, 5 Pieces

BUY STANDARD PACKAGES

SMALL BOAT DRAINER – Fig. 386

Threaded Type – Cast Bronze

Install in after end of boat and be sure that mouth is toward the stern. Made for hulls 3/8 inch or thicker but may be used with thinner hulls by cutting away necessary portion of neck. Depth of mouth below hull is 3/4 inch.

Each	Height Inside Boat Inches	Width Overall Inches	Weight Pounds
\$9.00	2-3/4	2-1/2	1-1/4




Fig. 386



AUTOMATIC SWITCH FOR BILGE PUMPS – Fig. 662

Pressure Operated Diaphragm Type – For Non-Automatic Bilge Pumps – Cast Bronze – With Synthetic Rubber Diaphragm – Heavy Duty Mechanical Switch – For All Low Voltages.

This switch will start the pump operating when the water reaches the top of the switch or 2-1/4 inches. It will turn off again when the water reaches a depth of 1 inch but by connecting 1/4 inch tubing to the 1/8 inch pipe tapped end of switch and into the discharge line of the pump. The pressure in the pump discharge line will continue to operate the switch until the pump sucks air.

Complete Each	Spare Switch Each	Spare Diaphragm Each	Height Inches	Diam. Base Inches	Weight Pounds
\$24.75	\$4.50	\$1.10	2-1/4	4-1/4	2



Fig. 662



PERKO WING PUMPS – Fig. 681

All Bronze – Double Action – Oscillating – Great Capacity – Lift and Head over 35 Ft. Effortless Operation – Hardwood Handle

Constructed entirely of cast bronze, principally for use as a marine bilge pump, but is used in large quantities in the industrial field for pumping oil and gasoline, hot liquids, juices, etc. The interior consists of a cast bronze wing which oscillates on a bronze shaft connected to handle. The wing has lubricated square flax packing set in grooves which runs on interior of drum and as no metal parts rub together this pump will last for years without noticeable wear. Packing is very easily replaced. Intake valves have been greatly improved and priming is unnecessary even after several weeks of disuse.

No.	Each	Size Pipe Connection Inches	Overall Diam. of Body Inches	Capacity Per Minute Gallons	Weight Pounds
1	95.00	3/4	5-3/4	7	14
2	112.00	1	6-5/8	9-3/4	19-1/2

Spare handles complete \$8.25 each. Wood only \$2.20 each.



Fig. 681




Fig. 200



Fig. 202



Fig. 146



Fig. 709



Fig. 208



Fig. 209

BRASS BILGE PUMPS – Fig. 200

Double Action

Heavy brass seamless tubing, cast bronze fittings, treated leather packing, hollow brass ball checks. "D" shaped handle. 5 feet of hose furnished with each pump.

No.	With Hose Each	Height Inches	Diam. Inches	Capacity Per Min. Gallons	Weight Pounds
1	\$19.50	17-5/8	1-1/8	5	2-1/4
2	25.00	20	1-1/2	10	3-1/4

Without hose, deduct \$1.00 each



BRASS BILGE PUMPS – Fig. 202

Double Action

Cast bronze foot rest and two 5 foot lengths of hose for suction and discharge.

No.	With Hose Each	Height Inches	Diameter Inches	Capacity Per Min. Gallons	Weight Pounds
5	\$26.00	18-5/8	1-1/8	5	3
6	30.00	21	1-1/2	10	4

Without hose, deduct \$1.00 for each hose



CRANK CASE PUMP – Fig. 146

Double Action – Brass

For draining the crank case through filler opening, with outlet spout for attaching rubber hose. Intake is bronze flexible metal hose.

Capacity – 30 strokes per gallon.

Complete Each	Spare Intake Hose Each	Length Overall Inches	Length Intake Hose Inches	Diam. Pump Inches	Weight Pounds
\$24.00	\$5.20	17-1/2	12-1/2	1-1/8	2-1/2



JUNIOR STRAINER – Fig. 709

Cast Bronze – For 5/8 Inch Hose

Excellent for use with bilge pumps having 5/8 inch hose for intake such as our Fig. 202, etc.

Each	Length Overall Inches	Width Inches	Weight Ounces
\$3.75	4	1-3/4	6

Standard Package, 5 Pieces.



HOSE AND STRAINER – Figs. 208 & 209

For Figs. 200 and 202 Brass Bilge Pumps

Hose is 1/2 inch inside diameter.

	Each
Fig. 208 – Standard 5 ft. length	\$1.75
Fig. 209 – Cast Bronze Strainer	\$1.40

SPARE PARTS FOR ABOVE PUMPS

	No.	Outside Diam. Inches	Each		No.	Outside Diam. Inches	Each
Flange Washer Fig. 203	No. 1	1-1/16	\$.40	Split Washer Fig. 205	No. 1	13/16	\$.11
	No. 2	1-7/16	.45		No. 2	1-13/16	.17
Cup Washer Fig. 204	No. 1	1-1/16	\$.40	Hollow Ball Fig. 206	No. 1	1/2	\$.35
	No. 2	1-3/8	.45		No. 2	7/8	.40

NAVY TYPE BILGE PUMPS

2-3/4 Inch Brass Cylinder – Cast Bronze Fittings
Flax Packed Plunger – Weighted Valve

CHAMPION – Figs. 1016 and 1018.
For Pipe

Fig.	Each	Extreme Length Inches	Inlet Pipe Thread Inches	Outlet Pipe Thread Inches	Weight Pounds
1016	\$56.00	24	1-1/4	1-1/2	8
1018	47.00	16-1/4	1-1/4	1-1/2	5-1/2

Capacity –
Fig. 1016, 16 Strokes – 5 Gallons
Fig. 1018, 16 Strokes – 3 Gallons



Fig. 1016




Fig. 1018

SUPER – Figs. 701 and 702
For Hose

Fig.	Each	Extreme Length Inches	Inlet Hose Inches	Outlet Hose Inches	Weight Pounds
701	\$56.00	27	1-1/4	1-1/2	9-1/2
702	47.00	18-1/4	1-1/4	1-1/2	7-1/2

Capacity –
Fig. 701, 16 Strokes – 5 Gallons
Fig. 702, 16 Strokes – 3 Gallons



Fig. 701




Fig. 702

SPARE PARTS

Part	Each
Weighted Valve only, Fig. 147	\$2.00
Packed Plunger only, Fig. 151	3.75
Plunger Assembly only, Fig. 108	13.00
For Figs. 701 and 1016	11.00
For Figs. 702 and 1018	

BRONZE NAVY PUMP STRAINERS – Figs. 704, 705, 721 & 722

Fig.	Each	Pipe Thread Inches	For Hose Inches	Length Inches	Width Inches	Weight Pounds
704	\$9.50		1-1/4	7	2-3/4	2
705	8.50		1-1/4	4-3/4	2-3/4	1-1/2
721	8.50	1-1/4		5	2-3/4	1-1/2
722	8.50	1-1/4		4-3/4	2-3/4	1-3/8

Standard Package, 5 Pieces.



Fig. 704




Fig. 705



Fig. 721



Fig. 722

GALLEY AND LAVATORY PUMPS

Bronze – Chromium Plated

Both Feature Inlet Valve Designed to Hold Prime and Leakproof Neoprene U-Cup Seals

Fig.	Chromium Plated Each	Chromium Plated Handle Only Each	Diam. Barrel Inches	Length Neck Inches	Threaded For Pipe Inches	Weight Pounds
467	\$42.50	\$6.25	1-1/2	2-1/2	1/2	3-1/2
473	45.00	7.75	1-1/2	2-1/2	1/2	3-1/2

Repair Kit, each \$3.60



Fig. 467
Metal Handle



Fig. 473
Mahogany Handle

ELECTRIC WATER FAUCETS

Low Voltage

All Cast Bronze – With Adjustable Spout – Turn the Handle and the Water Starts to Flow – No Hand Pumping or Priming Necessary.

HAND CLOSING TYPE – Fig. 727

Chromium Plated Each	Height Above Drain Board Inches	Length Below Drain Board Inches	Weight Pounds
\$32.50	8-1/4	5-1/2	2-1/2



High Spout
Fig. 727

SPRING ACTION – SELF CLOSING TYPE – Fig. 740

Chromium Plated Each	Height Above Drain Board Inches	Spout Projection Inches	Weight Pounds
\$36.50	3-5/8	2-5/8	2-1/2



Fig. 740

FRESH WATER INLET FITTING – Fig. 499

Cast Bronze – Chromium Plated

For obtaining fresh water under pressure at dockside. For all types and sizes of vessels but particularly useful on houseboats.

External portion has a swivel hose connector, standard size, with watertight plug and stainless steel bead chain.

Internal portion has 1/2 inch female N.P. thread and 3/4 inch male N.P. thread.




Fig. 499



Each	Diameter Flange Inches	Weight Ounces
\$10.50	2-3/4	8

PERKO


SECTION G

windows and
portlights

sinks and
lavatories

alcohol stoves

bells
fog horns
etc.



MANUFACTURED BY

PERKINS LAMP & HARDWARE CORP., 16490 N. W. 13TH AVE., P. O. BOX D, MIAMI, FLORIDA 33164

Copyright 1972 in U. S. and Canada by Perkins Marine Lamp and Hardware Corp.

For complete line see catalog No. 220

PERKINS MARINE LAMP & HARDWARE CORP.



Fig. 796

MARINE WINDOWS—Fig. 796

With Spigot — Plain Bronze or Aluminum — Watertight
Two Fastenings — Clear Glass

Furnished Complete With Removable Screen And Outside Finishing Frame.

Length Spigot is 2 inches. Glass thickness is 1/4 inch.

No.	Size of Opening Inches	Plain Bronze Each	Plain Aluminum Each	Dimensions Outside of Frame Inches	Dimensions Outside of Spigot Inches	Bronze Weight Pounds	Aluminum Weight Pounds
1	5x12	\$65.00	\$45.00	7-7/8x14-7/8	5-3/8x12-7/16	15	6-1/2
2	7x16	89.00	56.00	10x19-1/8	7-3/8x16-1/2	22	8-3/4




Fig. 803

MARINE WINDOWS—Fig. 803

Without Spigot — Plain Bronze or Aluminum — Watertight — Two Fastenings — Clear Glass

Furnished complete with removable screen. Without finishing frame.

No.	Size of Opening Inches	Plain Bronze Each	Plain Aluminum Each	Bronze Weight Pounds	Aluminum Weight Pounds
3	5x12	\$52.00	\$37.00	11-1/2	5
4	7x16	69.00	45.00	16	7



Finishing Frame

SPECIAL FINISHING FRAMES FOR FIG. 803

No.	Size of Opening Inches	Plain Bronze Each	Plain Aluminum Each	Bronze Weight Pounds	Aluminum Weight Pounds
3	5x12	\$ 9.00	\$6.50	2-1/2	1
4	7x16	14.50	7.75	3-1/2	1-1/2

NOTE — These special Finishing Frames have mounting holes drilled to line up with those in window frame.

For other dimensions, see Fig. 796 above.

NOTE — Spare Screens for Figs. 796 and 803, size 5x12 inches — \$8.00 each. Size 7x16 inches — \$9.75 each.



Fig. 442

ROUND PORTLIGHT SCREENS—Fig. 442

Bronze — Spring Type

For Figs. 157 & 317 Portlights

For Size Opening Inches	Each	For Size Opening Inches	Each
4	\$4.30	6	\$5.60
5	5.00	8	7.35

Fig. 441



PORTLIGHT CHAINS—Fig. 441

Stainless Steel Chain — Chromium Plated Fittings.

Each	Length Inches	Size Plate Inches	Weight Ounces
\$4.50	8	1-1/4x1	3



Fig. 461

VINYL FOR PORTLIGHTS AND WINDOWS—Fig. 461

Size	Per Length
1/4 inch	\$2.65

Supplied only in 10 foot lengths.

ROUND PORTLIGHTS—Fig. 317

Cast Bronze — Glass Area Is Same Diameter As Opening

Diam. Opening Inches	Plain Bronze Each	Diam. Clear Glass Inches	Outside Diam. Frame Inches	Thickness Glass Inches	Weight Pounds
4	\$19.25	4	7	1/4	3-3/4
5	22.50	5	8	1/4	5
6	25.50	6	9	1/4	6-1/2
*8	38.50	8	11-5/8	1/4	10-1/4

*8" size has two dog bolts.



Fig. 317

MORE-AIR PORTLIGHTS—Fig. 157

Cast Bronze — Plain Complete With Outside Finishing Ring — Glass Area Is Same Diameter As Opening — All Sizes Are Grooved For Screens

Spigot Between Flange and Ring, 1 1/2"

Opening Inches	Plain Bronze Each	Outside Diameter Frame Inches	Thickness Glass Inches	Weight Pounds
4	\$23.50	7	1/4	4-3/4
5	29.50	8	1/4	7-1/4
6	37.00	9	1/4	8-1/2
8	52.00	11-5/8	1/4	12-3/4

NOTE — SCREENS FOR ALL PORTLIGHTS ABOVE SEE FIG. 442.




Fig. 157

DECK LIGHTS—Fig. 838

Cast Bronze — For Wood Decks

Diameter Clear Glass Inches	Plain Bronze Each	Thickness Glass Inches	Outside Diam. Frame Inches	Weight Pounds
4	\$12.30	1/4	6	1-3/4
5	14.00	1/4	7-1/2	2
6	15.50	1/4	8-1/4	2-3/4
*8	30.50	1/4	11	5-1/4

*8 inch size has Safety Glass.



Fig. 838

"NEPTUNE" MARKED LEAD LINES—Fig. 190

Vinylite Plastic Markers — 5/16 Inch Dacron Line

Instead of the old cryptic markings, this line makes use of colored plastic markers printed with numerals in contrasting colors. These markers are soft and resilient, unaffected by salt, grease, oil and sunlight. The Neptune Line was widely used during the war by the Navy, Army and U. S. Maritime Commission. It is also used by skin divers with a float to mark the depth of a dive.

Length Fathoms	Each	Length Fathoms	Each
7	\$11.50	20	\$21.00
10	14.25	25	25.00
15	17.50	30	28.50

NOTE: Markings up to 10 fathoms inclusive marked every fathom and half fathom, the latter indicated by a yellow strip. Longer lines marked according to Navy standard . . . i.e. 2 - 3 - 5 - 7 - 10 - 13 - 15 - 17 - 20 fathoms and every 5 fathoms thereafter.




Fig. 190

SOUNDING LEADS—Fig. 940

All weights from 2 to 10 pounds inclusive carried in stock.

PER POUND — \$.95



Fig. 940

FIBRE GLASS LAVATORIES

Chip Proof — Heat Resistant — Resilient — Glazed White

These sturdy basins have all the appearance of fine vitreous china and will perform all the functions of same while providing light weight and lower cost. Will accommodate regular faucets or our various lavatory pumps.

Supplied complete with 1-1/4 inch tail piece for outlet.



Fig. 823

CORNER TYPE — Fig. 823

Complete Each	Back Width Inches	Front To Back Inches	Size Basin Inches	Depth Basin Inches	Weight Pounds
\$33.00	13-1/2	15-3/4	11-3/4 x 8-1/2	5	2

Spare Tail piece and stopper — \$5.75 each.



Fig. 825

FLAT BACK TYPE — Fig. 825

Complete Each	Back Width Inches	Front To Back Inches	Size Basin Inches	Depth Basin Inches	Weight Pounds
\$28.00	15-1/4	12-3/8	12 x 7-1/2	5	2-1/4

Spare Tail piece and stopper — \$5.75 each.



Fig. 357

DRAIN FITTING — Fig. 357

Brass — Chromium Plated

For use with sinks Figs. 356, 382, 392.

Each	Opening In Sink Inches	Diameter Tail Piece Inches	Weight Ounces
\$7.00	3-1/2	1-1/2	20



Fig. 586

DRAIN FITTING — Fig. 586

Brass — Chromium Plated

For use with sinks Figs. 240 and 391

Each	Opening In Sink Inches	Diameter Tail Piece Inches	Weight Ounces
\$5.00	2	1-1/2	10




Fig. 347

SINK FRAMES — Fig. 347

For Flush Installation — Self Sealing — Stainless Steel
Easily Installed — No Special Tools Required

Complete with mounting lugs, bolts and corner brackets.

No.	Each	For Sink Outside Dimensions Inches
1	\$8.50	12 x 16

RECTANGULAR STAINLESS STEEL SINKS – Fig. 356

Deep Drawn, Seamless Construction –
19 Gauge 18-8 – Natural Finish

Corrosion resistant and immune to rust.
No crevices for dirt or bacteria to collect.
No painted or coated surface to crack or wear off.
Bottom is heavily undercoated for sound deadening.
Packed in individual cartons.

No.	Each	Size Inside Inches	Size Outside Rim Inches	Depth Inside Inches	Weight Pounds
1	\$31.00	10 x 14	12 x 16	7	6

Finishing frame for above, see Fig. 347.
Drain fittings not included, see Fig. 357.




Fig. 356

ROUND STAINLESS STEEL SINKS – Fig. 391

Deep Drawn, Seamless Construction –
20 Gauge 18-8 – Polished Finish – Self Rimming

Bottom heavily undercoated for sound deadening.
Packed in individual carton.

No.	Each	Diameter Inside Inches	Diameter Outside Rim Inches	Depth Inside Inches	Weight Pounds
6	\$20.00	11-3/4	13-3/4	5	2

Finishing frame not required.
Drain fitting not included, see Fig. 586.



Fig. 391

STAINLESS STEEL SINKS – Fig. 392

Deep Drawn, Seamless Construction –
20 Gauge 18-8 – Natural Finish – Self Rimming

Bottom heavily undercoated for sound deadening.
Packed in individual carton.

No.	Each	Size Inside Inches	Size Outside Rim Inches	Depth Inside Inches	Weight Pounds
1	\$37.00	10 x 14	13 x 17	7-1/2	7
2	46.00	14 x 15	17 x 19	7	6-1/2

Finishing frames not required.
Drain fitting not included, see Fig. 357.



Fig. 392

FIBRE GLASS GALLEY SINK – Fig. 382

Glazed White – Self Rimming

Each	Inside Dimensions Inches	Outside Dimensions Rim Inches	Inside Depth Inches	Weight Pounds
\$21.50	11-1/2x16-3/4	13-1/2x18-3/4	6	2-1/4

Drain fitting not included, see Fig. 357.
Finishing frame not required



Fig. 382

ROUND FIBRE GLASS SINK – Fig. 240

Glazed White – Self Rimming

Each	Inside Diameter Inches	Outside Diameter Rim Inches	Inside Depth Inches	Weight Ounces
\$14.50	10-3/4	13	5	14

Drain fitting not included, see Fig. 586.
Finishing frame not required.



Fig. 240

PERKINS MARINE LAMP & HARDWARE CORP.




Fig. 364

PERKO STAINLESS STEEL ALCOHOL STOVE – Fig. 364 2 BURNER – PRESSURE TYPE – SATIN FINISH

18-8 Stainless Steel Body and Tray. Cast Bronze Slotted Burners. Brass, Chromium Plated Guard Rail. Tray is removable for cleaning. Air pressure gauge shows best working pressure.

Pressure pump is brass and has back pressure valve. Fuel tank is hidden behind front apron and holds 1-1/8 gallons. Its top is lined with sheet asbestos for heat insulation. Front section of guard rail is removable.

Perko Burners are by reputation the most dependable and fastest heating of all alcohol burners in the marine field. Using a good grade of "burning alcohol," both burners will operate for 14 hours on one gallon of fuel and one pound of pressure.

Complete Each	Extreme Length Inches	Extreme Width Inches	Extreme Height Inches	Weight Pounds
\$140.00	20-1/2	12	8-1/2	27



Fig. 367

PERKO ALCOHOL BURNER – Fig. 367

Cast Bronze

	Each
Complete	\$26.00
Wire Brush Filters Only	3.30
Priming Pan Only	2.20
Packing Nut for Valve Stem	.65



AIR PUMPS – Fig. 368

All Brass – For Alcohol Stoves



Fig. 368

Each	Length Inches	Diameter Inches	Weight Ounces
\$5.50	5	3/4	6



OFFSET FUNNEL – Fig. 365

Heavy Gauge Zinc – Brass Strainer

In addition to filling stoves, this funnel is handy for many purposes on the boat or at home.



Fig. 365

Each	Capacity Ounces	Diam. Mouth Inches	Diam. Spout Inches	Weight Ounces
\$3.60	3	3	3/8	2



Fig. 795

SEAGOING ASH TRAY—Fig. 795

All Brass – Chromium Plated
Swing Type – Removable

Each	Dimensions Mounting Plate Inches	Overall Height Inches	Weight Ounces
\$8.50	1-3/4 x 1-1/4	3	5-3/4




Fig. 804

CAN AND GLASS HOLDERS—Fig. 804

Swinging Type – All Brass – Chromium Plated

Holds 12 ounce beer cans or straight sided glasses.

Each	Size Mounting Plate Inches	Inside Diam. Ring Inches	Weight Ounces
\$8.50	1-3/4 x 1-1/4	2-3/4	5

Spare Mounting Plates, \$1.90 each.

BRASS FOG BELLS—Fig. 159
 With Removable Arm and Wall Plate
 Clapper has short arm for Lanyard.

Diameter Inches	Plain Brass Each	Polished Brass Each	Chromium Plated Each	Height Overall Inches	Weight Pounds
6	\$11.35	\$13.35	\$15.50	4	1
8	19.00	22.50	24.50	5	2-1/4
Wall Plate Only	1.60	1.90	1.90		
Arm Only	2.45	3.20	3.85		
Clapper Only	2.25		3.20		
Eye Bolt Only	2.25		2.75		



Fig. 159

CAST BRONZE FOG BELLS—Fig. 420
 Medium Weight — With Removable Bracket

Diameter Inches	Polished Bronze Each	Chromium Plated Each	Height Overall Inches	Weight Pounds
6	\$32.00	\$37.00	5	3-1/4
8	60.00	65.00	6-1/8	6-1/2

Wall Plate Only

6	\$4.90	\$5.65	2-1/2	1/3
8	4.90	5.65	2-1/2	1/3



Fig. 420

CAST BRONZE FOG BELLS—Fig. 150
 Heavy Weight — With Removable Bracket

Diameter Inches	Polished Bronze Each	Chromium Plated Each	Height Overall Inches	Weight Pounds
8	\$ 71.00	\$ 77.00	8	9
10	131.00	138.00	10-1/2	16-1/2
12	210.00	220.00	12	31

Wall Plate Only

8	\$5.25	\$ 6.00	2-1/2	1/3
10	9.20	10.50	3-7/8	1
12	9.20	10.50	3-7/8	1



Fig. 150

FOG HORNS—Fig. 162
 Galvanized Steel or Brass — Nylon Mouthpiece

Length Overall Inches	Galvanized Steel Each	Polished Brass Each	Weight Per Dozen Pounds
12-1/2	\$3.85	\$6.70	5

Standard Package, 1 Dozen



Fig. 162

TRIPLEX MOTOR BOAT WHISTLE—Fig. 167
 Plastic

Per Dozen	Length Overall Inches	Width Overall Inches	Weight Per Dozen Pounds
\$6.00	6	1-3/4	1

Standard Package, 1 Dozen

Available in Skin Pack — See Skin Pack Section.




Fig. 167

POLICE OR SIGNAL WHISTLE—Fig. 349
 Brass — Nickel Plated

Per Dozen	Length Inches	Width Inches	Weight Per Dozen Ounces
\$20.00	2	3/4	17

Standard Package, 1 Dozen



Fig. 349

BUY STANDARD PACKAGES




Fig. 706

COURSE PROTRACTOR – Fig. 706

Indicates Course and Reverse Course – Transparent

Arm has various mileage scales used on all coastal and harbor charts. Arm extended on short end to show reverse course. A precision instrument, accurate in detail. Positions, depths, etc., are clearly visible through protractor.

Each	Extreme Length Inches	Diam. Compass Card Inches
\$5.25	21-1/2	6-3/8




Fig. 630

LUCITE PARALLEL RULES—Fig. 630

Transparent – Aluminum Bars – Heavy Type

Chart data shows clearly through transparent lucite. Heavy type with finger grips, and corprene non-sliding discs.

Length Closed Inches	Each	Width Closed Inches*	Thickness Inches	Weight Ounces
12	\$5.25	2-1/2	3/16	6-1/2
15	5.50	2-1/2	3/16	7-1/2
18	7.00	2-1/2	3/16	8-1/2



PARALLEL RULES—Fig. 686

Ebony Finish – Aluminum Bars – Finger Grips and Corprene Non-Sliding Discs

Length Closed Inches	Each	Width Closed Inches	Weight Ounces
12	\$4.75	2-1/2	6
15	5.25	2-1/2	6-1/2
18	7.15	2-1/2	7



Fig. 686



Fig. 693

DIVIDERS—Fig. 693

Brass – Chromium Plated – Navy Type

No.	Each
1 Length, 5-1/2 inches	\$2.75
2 Length, 7 inches	7.20

No. 2 size has straightening device and reversible points. Standard Package, 10 pieces.



Fig. 708

YACHT LOG BOOK—Fig. 708

112 Pages – Water Resistant Binding

Binding is hard Pyroxlin coated linen vellum. Water resistant and washable. Navy blue with gold lettering. In addition to pages for log data, these books contain useful information such as extracts from Bowditch Practical Navigator on symbols for weather, state of sea, cloud formations, force of wind, guesst log and marine telephone log.

Weight, 20 Ounces

Each \$5.25

PERKO

steering equipment

shaft fittings

thru hulls




strainers

fuel fillers

underwater fittings

pulleys, etc.

SECTION H



MANUFACTURED BY

PERKINS MARINE LAMP & HARDWARE CORP., 16490 N. W. 13TH AVE., P. O. BOX D, MIAMI, FLORIDA 33164

Copyright 1972 in U. S. and Canada by Perkins Marine Lamp and Hardware Corp.

For complete line see catalog No. 220




Fig. 657

MAHOGANY STEERING WHEELS—Fig. 657
 With Bronze or Die Cast Hub — Chromium Plated

These 6 spoke wheels are beautifully finished with four coats of marine spar varnish, hand rubbed. The mounting nut is hidden behind a chromium plated cap.

These wheels are very strong and well engineered. The spokes are held firmly within the hub by integral spacers and partitions. Packed in individual cartons.

Nominal Size Inches	Actual Diameter Overall Inches	With Die Cast Hub Each	With Bronze Hub Each	For Shaft Inches	Weight Pounds
18	17-1/4	\$48.00	\$ 61.00	3/4 or 1	5
20	19-1/4	50.00	63.25	3/4 or 1	5
22	22-1/4		70.00	1	6-1/2
24	24-3/8		83.00	1	9
28	28		100.00	1	12
30	30		113.00	1	15

3/4 inch bore on 18 and 20 inch wheels is tapered. 1 inch bore is straight.

Length bore, 18", 20", 22" sizes, is 1-1/4"
 Length bore, 24", 28", 30" sizes, is 1-5/8"

PLEASE SPECIFY TYPE AND BORE OF HUB.




Fig. 976

STEERING WHEELS—Fig. 976
 Cast Bronze — Wood Grips — 1/4 Inch Keyway

No.	Diam. Overall Inches	Polished Bronze Each	Chromium Plated Each	For Shaft Inches	Length Hub Inches	Weight Pounds
4	16	\$44.00	\$46.50	1	2-1/8	4-1/4
5	20	60.00	62.50	1	2-1/8	7-3/4




Fig. 914

STEERING WHEELS—Fig. 914
 Brass — Wood Grips — Round Spokes — 1/4 Inch Keyway

No.	Diam. Overall Inches	Polished Brass Each	Chromium Plated Each	For Shaft Inches	Length Hub Inches	Weight Pounds
4	16	\$38.00	\$42.00	3/4 or 1	2-1/8	4-3/4
5	20	48.00	52.00	3/4 or 1	2-1/8	6-1/4
6	24	57.00	62.00	1	2-1/8	7




Fig. 661

DRUM STEERERS—Fig. 661
 Cast Aluminum — For Tiller Rope — With Die Cast Drum

Diameter Overall Inches	Each	Size Base Inches	Diameter Drum Inches	Length Drum Inches	Weight Pounds
12	\$15.00	4 x 4	2-3/8	2-1/4	3-1/4
16	19.25	4 x 4	2-3/8	2-1/4	4-1/2

HYSPEED RUDDERS— Fig. 818

Cast Manganese Bronze

Constructed in perfectly balanced proportion. Designed for express cruisers, runabouts, speedboats and all boats not carrying a skag

No.	Each	A	Dimension B Inches	C	D	Weight Pounds
1	\$ 68.50	9	12	1	16	13
2	86.50	10-1/2	14	1-1/8	18	17
3	113.00	12	16	1-1/4	18	23




Fig. 818

★ RUDDER STUFFING BOXES—Fig. 1088

Cast Bronze — Plain — With Square Flange — Four Bolt Holes

No.	For Diam. Post Inches	Each	Size Flange Inches	Overall Length Bearing Inches	Drilled For Fastening Inches	Weight Pounds
1	1	\$22.00	3-3/4x3-3/4	5-1/4	3/8	3
2	1-1/8	25.75	3-3/4x3-3/4	5-5/8	3/8	3-1/2
3	1-1/4	30.50	3-3/4x3-3/4	6-1/4	3/8	4



Fig. 1088

★ RUDDER STUFFING BOXES—Fig. 1089

Cast Bronze - Plain — With Oval Flange — Two Bolt Holes

No.	Size Inches	Each	Size Flange Inches	Length Bearing Inches	Drilled for Fastening Inches	Weight Pounds
1	3/4	\$16.50	4 x2	5-1/8	5/16	3
2	7/8	17.50	4-1/4x2-1/4	5-3/8	3/8	3-1/4
3	1	19.25	4-1/4x2-1/4	5-3/8	3/8	3-1/4
4	1-1/8	21.50	5 x2-5/8	5-1/4	1/2	3-3/4
5	1-1/4	28.50	5-3/4x3	6-3/8	1/2	5-1/2
6	1-3/8	33.00	6-1/4x3-1/4	6-3/4	1/2	6-1/2
7	1-1/2	37.50	6-1/2x3-1/2	6-3/4	1/2	6-3/4




Fig. 1089

★ BRONZE COLLARS—Fig. 815

No.	For Diam. Stock Inches	Each	Outside Diameter Inches	Thickness Inches	Weight Ounces
1	3/4	\$3.60	1-1/8	13/16	2-1/4
2	7/8	4.00	1-1/4	7/8	4
3	1	4.65	1-3/4	15/16	7
4	1-1/8	5.10	1-3/4	15/16	6-1/2
5	1-1/4	7.40	2-1/8	15/16	11
6	1-3/8	7.75	2-1/2	1-1/8	19
7	1-1/2	8.50	2-1/2	1-1/8	19



Fig. 815

★ BRONZE UNIVERSAL JOINTS—Fig. 93

Cast Bronze

No.	Each	Tapped for Pipe Inches	Extreme Length Inches	Weight Pounds
1	\$12.50	1/2	4-1/2	1
2	17.00	3/4	6	2-1/4



Fig. 93



Fig. 320

STUFFING BOXES—Fig. 320

Cast Bronze — Regular

No.	Shaft Size Inches	Each	Size Flange Inches	For Diam. Bolt Inches	Length Bearing Inches	Weight Pounds
2	3/4	10.00	4 x1-3/4	3/8	2-1/8	1-1/8
3	7/8	11.30	4-1/8x1-7/8	7/16	2-5/8	1-1/2
4	1	12.85	4-1/4x2-1/8	7/16	2-5/8	1-3/4
5	1-1/8	16.25	4-7/8x2-1/8	1/2	2-7/8	2-1/4
6	1-1/4	19.75	5-3/4x2-3/8	1/2	2-7/8	3
7	1-3/8	24.30	6-1/4x3	1/2	3	3-1/4
8	1-1/2	29.00	6-1/2x3	1/2	3	3-1/2
9	1-3/4	43.00	7 x3-3/4	5/8	4	5-3/4



EXTRA HEAVY STUFFING BOXES—Fig. 819

Rectangular Flange — Cast Bronze

No.	Shaft Size Inches	Each	Size Flange Inches	For Diam. Bolt Inches	Length Bearing Inches	Weight Pounds
1	1	\$28.00	5 x3	3/8	4	5-1/2
2	1-1/8	30.00	5-1/2x3-3/8	1/2	4-1/4	6-1/2
3	1-1/4	36.25	5-5/8x3-5/8	1/2	4-1/4	6-1/2
4	1-3/8	49.00	6 x4	1/2	5	9
5	1-1/2	56.75	6 x4-3/8	1/2	5-1/2	10
6	1-3/4	71.50	6-1/2x4-1/2	5/8	7	13-1/2
7	2	77.00	7-3/4x5	5/8	7-3/8	15-1/2



SELF-ALIGNING STUFFING BOXES—Fig. 734

Cast Bronze — Rectangular Flange

No.	For Shaft Inches	Each	Size Flange Inches	Length from Flange to End of Box Inches	Weight Pounds
3	1	\$24.50	5x3-1/4	6-3/4	5
4	1-1/8	30.00	6x4-1/4	7-3/4	9
5	1-1/4	32.00	6x4-1/4	7-3/4	9-1/2
6	1-3/8	48.00	7x4-1/2	8	12-1/2
7	1-1/2	48.00	7x4-1/2	8-1/4	13

Note: Length Bearing does not include packing nut or space for packing.



PACKING NUTS AND LOCK NUTS—Figs. 73 & 79

For Stuffing Boxes — Cast Bronze

No.	Shaft Size Inches	Fig. 73 Each	Fig. 79 Each	For Use With Figures
1	5/8	\$ 2.35	\$1.25	320 - 672 No. O-L
2	3/4	2.35	1.25	320 & 672 No. 1-L
3	3/4	3.00	1.25	672 No. 1-H & 1089
4	7/8	3.00	1.25	320 & 1089
5	7/8	3.00	1.25	672 No. 2-H
6	1	3.20	1.45	320, 672 No. 3-H, 819, 1088, 1089
7	1-1/8	4.55	2.00	320, 672 No. 4, 819, 1088, 1089
8	1-1/4	4.55	2.00	672 No. 5
9	1-1/4	5.90	2.45	320, 819, 1088, 1089
10	1-3/8	6.25	2.55	320, 672, No. 6, 819, 1089
11	1-1/2	6.25	2.55	672 No. 7
12	1-1/2	7.35	3.00	320, 819, 1089
13	1-3/4	13.50	5.30	320, 819
14	2	14.20	6.15	819



BRASS GREASE CUPS—Fig. 961

No.	Each	Height Closed Inches	Outside Diam. Inches	Pipe Thread Inches	Capacity Ounces
1	\$.90	1-7/16	7/8	1/8	1/4
2	1.15	1-3/4	1-3/16	1/8	1/2
3	1.95	2	1-7/16	1/8	2/3

Standard Package, 10 Pieces.




Fig. 819



Fig. 734



Fig. 73



Fig. 79



Fig. 961

SELF ALIGNING SHAFT LOGS—Fig. 671 Cast Bronze

LIGHTWEIGHT TYPE

No.	Each	Size Shaft Inches	Size Base Inches	Length Overall Inches	Degrees of Angle	Wt. Lbs.
1-L	\$18.50	3/4	9-3/8x2-3/4	15	12	3-1/2
3-L	21.50	1	9-3/8x2-3/4	15	12	3-3/4

HEAVYWEIGHT TYPE

No.	Each	Size Shaft Inches	Size Base Inches	Length Overall Inches	Degrees of Angle	Weight Pounds
1-H	\$25.50	3/4	11-3/8x3-1/2	18	12	5-1/4
3-H	25.50	1	11-3/8x3-1/2	18	12	5-1/4
4	53.00	1-1/8	16-1/2x4-1/4	23-1/2	10	10-1/4
5	53.00	1-1/4	16-1/2x4-1/4	23-1/2	10	10-1/4
6	68.50	1-3/8	19x5	28	10	17-3/4
7	68.50	1-1/2	19x5	28	10	17-3/4

NOTE — Sizes Nos. 1-3 in both the lightweight and heavyweight types are drilled for screws. Balance of sizes are spotted but not drilled.



Fig. 671

SELF ALIGNING SHAFT LOGS—Fig. 589 Cast Bronze — Allows Installation of Engine Well Aft Base is drilled for bolts or screws.

No.	Each	For Size Shaft Inches	Size Base Inches	Length Overall Inches	Degrees of Angle	Wt. Lbs.
3	\$26.00	1	11x5	12-1/4	13	6
4	42.00	1-1/8	13x5-1/2	14-1/2	14	10
5	44.00	1-1/4	13x5-1/2	14-1/2	14	10

Stuffing Box only for above, see Fig. 672 heavy pattern such as No. 1-H, 3-H, etc.



Fig. 589

STUFFING BOX, EXTRA HOSE AND CLAMPS — Figs. 672, 673 and 1092 For Self Aligning Shaft Log

For Log No.	Size Shaft Inches	Fig. 672 Stuffing Box Each	Fig. 673 Hose Each	Fig. 1092 Hose Clamps Per Pair	I.D. Hose Inches	Length Hose Inches
1-L	3/4	\$ 7.75	\$1.20	\$1.30	1-1/4	3-1/4
3-L	1	9.00	1.35	1.35	1-1/2	3-1/2
1-H	3/4	10.75	1.55	1.35	1-3/4	4
2-H	7/8	10.75	1.55	1.35	1-3/4	4
3-H	1	10.75	1.55	1.35	1-3/4	4
4	1-1/8	15.50	3.90	1.45	2-3/8	5
5	1-1/4	15.50	3.90	1.45	2-3/8	5
6	1-3/8	24.50	3.90	1.50	2-5/8	5
7	1-1/2	24.50	3.90	1.50	2-5/8	5



Fig. 672



Fig. 673



Fig. 1092

ZINC MARINE OILERS—Fig. 326 Spring Brass Bottom

Complete Per Dozen	Extra Spouts Per Dozen	Capacity Ounces	Diam. Inches	Length Spout Inches	Weight Per Dozen Pounds
\$27.00	\$7.70	8	4	4	3-1/2

Standard Package, 12 Pieces. Minimum Quantity.



Fig. 326



Fig. 1019

ADJUSTABLE STRUTS—Fig. 1019

Cast Bronze — For Cutless Rubber Bearings

For Diam. Shaft Inches	Width Flange Inches	Length Flange Inches	For Cutless Bearing Code	Length Bearing Inches	Weight Pounds
1	3	5-1/2	Kayak	4	6-3/4
1-1/8	3	5-1/2	Kersey	4-1/2	6-3/4
1-1/4	3-1/2	6-1/2	Kidnap	5	12
1-3/8	3-1/2	6-1/2	Kin	5-1/2	12

PRICES BELOW DO NOT INCLUDE RUBBER BEARING

Lgth. Drop. In.	Size Shaft Inches			
	1	1-1/8	1-1/4	1-3/8
5	\$28.50			
6	29.75	\$29.75	\$42.00	\$42.00
7	32.00	32.00	44.00	44.00
8	33.00	33.00	48.00	48.00
9		36.00	52.00	
10		37.50	53.00	53.00

Specify size of shaft and length of drop, when ordering.



UNIVERSAL STRUTS—Fig. 1055

Cast Manganese Bronze — For Cutless Rubber Bearings

These struts can be made any length shorter than standard by sliding the shank up through the base to the required length. The necessary angle for the shaft is also obtained in the same way.

Two Everdur Hex Head Bolts are furnished. Extreme drop to center of shaft is 7 inches. Base drilled for 5/16 inch bolts. Dimensions of base 5-3/8 x 3-1/8 inches.

PRICES BELOW DO NOT INCLUDE RUBBER BEARING

No.	Each	For Diam. Shaft Inches	For Cutless Bearing Code	Length Bearing Inches	Weight Pounds
1	\$38.50	3/4	Kale	3-1/2	6
2	38.50	7/8	Katy	3-1/2	6
3	45.00	1	Kayak	4	7-1/2
4	45.00	1-1/8	Kersey	4-1/2	7-1/2
5	45.00	1-1/4	Kidnap	5	7-1/2




Fig. 1055

STEERER AND CONTROL PARTS—Fig. 865

Cast Bronze — Plain

No.	Item	Each	Length Overall Inches	Length C to C Inches	Weight Pounds
1	Lever	\$14.00	8	6	1-3/4
1-A	Lever	16.50	10	6-7-8*	2-1/8
1-B	Lever	16.50	10	6-7-8*	2-1/4
1-C	Lever	16.50	10	6-7-8*	2-1/4
2	Clevis	5.00	2-1/2		1/2
2-A	Clevis	5.00	2-1/2		1/2
2-B	Clevis	7.40	4-1/16		3/4
2-C	Clevis	7.40	4-1/16		3/4
3	Lever	11.00	4-1/2	2-3/4	1
8	Bearing	5.85			3/4



1. Lever



2. Clevis



3. Lever



8. Lower Bearing

No.	For Diam. Shaft Inches	For Diam. Pin Inches	Diam. Bolt Inches	Tapped For Rod Inches	Tapped For Pipe Inches	Inside Jaw Inches	Diam. Flange Inches
1	1	1/2					
1-A	1	1/2					
1-B	1-1/8	1/2					
1-C	1-1/4	1/2					
2			1/2	3/4		1/2	
2-A			1/2		1/2	1/2	
2-B			1/2		3/4	9/16	
2-C			1/2	1		9/16	
3	1	1/2	3/8				
8	1						3-1/2

Depth of Bearing — No. 8, 5/8 Inches.

*Nos. 1-A, 1-B, 1-C Are Of Heavy Construction Like No. 1, And With Three Pin Holes.

Fig. 865

CONTROL ROD SOCKETS—Figs. 328, 295 & 298

Plain Brass

Standard Fig. 328

No.	Each	Tapped For Rod Inches	Outside Diam. Inches	Length Overall Inches	Between Jaws Inches	Length Jaws Inches
1	\$.84	1/4 -20	3/8	1-5/8	3/16	5/8
2	.96	5/16-18	7/16	1-5/8	3/16	9/16
3	1.15	3/8 -16	1/2	1-5/8	1/4	3/4

Heavy Duty Fig. 295

4-A	1.50	1/4 -28	1/2	1-3/4	1/4	3/4
5	1.50	5/16-18	1/2	1-3/4	1/4	3/4

Heavy Duty Fig. 298

8	1.20	5/16-18	7/16	1-7/16	1/4	7/16
9	1.15	1/4 -28	7/16	1-3/8	1/4	7/16

Length jaws measured to center of pin.
Standard Package, 10 Pieces per size.



CONTROL WIRE SOCKETS—Fig. 679

Plain Brass

No.	Each	Length Inches	Diameter Inches	Between Jaws Inches	Length Jaws Inches	Weight Ounces
1	\$1.00	1	3/8	1/8	1/2	1/2
2	1.35	1-7/8	1/2	1/4	1-1/16	3/4

Length jaws measured to center of screw.
Standard Package, 10 Pieces per size



BRASS BALL JOINTS—Figs. 792 & 793

Fig. 793 is adjustable for wear. Spring tension around ball with screw for adjusting.

No.	Fig. 792 Each	Fig. 793 Each	Thread Inches	Length Thread Inches	O.D. Female End Inches	Weight Ounces
1	\$1.05	\$1.15	1/4 -20	1/2	5/16	1/2
2		1.50	5/16-18	1/2	7/16	1
3	.95	1.15	1/4 -28	1/2	5/16	1/2



CONTROL WIRE HANDLES—Fig. 692

For Casing With Left Hand Lay — All Brass — Chromium Plated — With Phosphor Bronze Spring

Control wire and casing can be easily attached. No soldering necessary, wire held by set screw in knob. Casing threaded into tube. For use on a dash or bulkhead up to 2 inches thick.

Each	Length Inches	Diam. Stem Inches	Standard Package	Weight Ounces
\$6.25	4-7/8	3/8	10	2



BOWDEN WIRE AND CASING—Fig. 353

Brass — 1/4 Inch O.D. Casing — Left Hand Lay — Wire Diameter .072 Inches

50 FOOT LENGTHS ONLY

No. 1	Casing only per length	\$35.00
No. 2	Wire only, per length	4.15



BOWDEN CASING CLAMP—Fig. 352

Brass — Swivel Type — Plain

Will hold control casing firmly while swivel feature allows smooth sliding of control wire in casing at any angle.

Each	Size Base Inches	Standard Package	Weight Ounces
\$1.75	2-1/4x1	10	3




Fig. 328



Fig. 295



Fig. 298




Fig. 679




Fig. 792




Fig. 793



Fig. 692




Fig. 353



Fig. 352

PERKINS MARINE LAMP & HARDWARE CORP.




Fig. 505

GAS TANK VENT—Fig. 505

Cast Bronze — Chromium Plated

With Brass Wire Mesh Flame Arrester.

Made to meet the requirements of the National Fire Protection Assn. Booklet No. 302 Section No. 323 on vent pipe outlets.

The Flame Arrester is 30 x 30 mesh. The 1/2" I.P.T. is off center to create a water baffle.

Each	Diameter Flange Inches	O.D. Neck Inches	Length Neck Inches	Weight Ounces
\$5.65	2-1/2	1-3/16	1-1/2	6-1/2

Standard Package, 5 Pieces.




Fig. 506

Die Cast Zinc Alloy

Fig. 509

Cast Bronze

GAS TANK VENTS—Figs. 506 & 509

Chromium Plated Finish — With Copper Wire 30 Mesh Screening

Fig. No.	Size	Each	Pipe Size Inches	Hose Size Inches	Max. Wood Thickness Inches	Weight Ounces
506	1	\$2.25	3/8	9/16	1	2
509	1	4.85	3/8	9/16	1	4
509	2	6.25	1/2	5/8	7/8	6

Standard Package, 10 Pieces.



Fig. 503



GAS TANK VENTS—Fig. 503

Cast Bronze — Chromium Plated — With Copper Wire 30 Mesh Screening

No.	Each	Neck Pipe Size Inches	Elbow Pipe Size Inches	Max. Wood Thickness Inches	Weight Ounces
1	\$5.60	3/8	3/8x3/8	1	5-1/2
2	5.60	3/8	3/8x1/2	1	5-1/2
3	7.00	1/2	1/2x1/2	7/8	6

Standard Package, 5 Pieces.



Fig. 515

GAS TANK VENTS—Fig. 515

Cast Bronze — Chromium Plated — With Copper Wire 30 Mesh Screening

No.	Each	Pipe Size Inches	Max. Wood Thickness Inches	Weight Ounces
1	\$5.00	3/8	7/8	3-3/4
2	6.15	1/2	7/8	5-1/4

Standard Package, 10 Pieces.



Fig. 1275

OUTBOARD GAS TANK CLAMPS—Fig. 1275

Die Cast Zinc Alloy

Made to fit most gas tanks now in use. By turning the top portion 180 degrees it will fit tanks with the seam folded either vertically or horizontally.

Each	Length Inches	Width Inches	Weight Ounces
\$0.85	1-1/2	1	2

Standard Package, 10 Pieces

BUY STANDARD PACKAGES

FUEL FILTER AND SEPARATOR—Fig. 299

Tested and accepted for labeling and listed by the Underwriters Laboratories Inc.

Cast Bronze Housing — With "Kwick Klean" Filter Element — "O" Ring Gasket — For Gasoline — Diesel Fuel — Lubricating Oil — Air — Water

The filter elements are guaranteed to strain water from gasoline. They have a high flow rate. They can also be replaced in a few minutes by the removal of one nut. This special highly engineered filter element is not ordinary wire mesh but a wound microcarbon ribbon, phenolic resin impregnated. Easily cleaned by reverse flow or back flushing of compressed air.



LISTED MARINE FILTER 715-B



Fig. 299

Improvements—Threaded here instead of at top flange. This prevents escape of foreign matter into filtering chamber. A universal mounting bracket is supplied.

Size No.	Complete Each	*Spare Elements Each	Length Overall Inches	Diam. Inches	**Tapped For Pipe Inches	Weight Pounds
1	\$27.50	\$1.20	5-1/2	2-3/8	1/4 & 3/8	3-3/4
1-1/2	40.00	1.30	6-1/4	3-1/8	3/8 & 1/2	5-1/2

*No. 1 Element is 1-3/4" O.D. x 1-3/4 long.

No. 1-1/2 Element is 2-1/4" O.D. x 2" long.

**Casting is tapped for large size with bushing for smaller size.

FUEL FILTER—Fig. 303

Cast Bronze with Mounting Bracket — Brass Bowl — "Kwick Klean" Filter Element

Complete Each	Tapped For Pipe Inches	Length Overall Inches	Width Overall Inches	Weight Pounds
\$17.00	3/8	4	3-1/4	1-1/2

Spare Elements — \$1.10 each Spare Gaskets — \$.35 each



Fig. 303

INTAKE WATER STRAINER—Fig. 493-A

Cast Bronze — Stainless Steel Strainer — Transparent Lucite Cylinder

No.	*Pipe Size Inches	Complete Each	Size Cylinder Inches	Height Inches	Width Overall Inches	Weight Pounds
0	3/8 & 1/2	\$22.50	2-1/2x2-3/4	4-1/4	3-1/4	1-5/8

Spare Cylinders — \$3.00 each Spare Gaskets — \$.40 each

Spare Strainers — \$2.25 each

*Casting is tapped for large size with bushing for smaller size.



Fig. 493-A

INTAKE WATER STRAINERS—Fig. 493

Cast Bronze — Stainless Steel Strainer — Transparent Lucite Cylinders — Brass Or Monel Inside Tie Rod

Two Bronze Outside Tie Rods

No.	Complete Each	Spare Lucite Cylinders Each	Spare Cylinder Gaskets Each	Spare Strainers Each	With Monel Tie Rod Add Each
1	\$ 39.00	\$ 6.50	\$40	\$ 3.50	\$ 3.20
2	49.00	8.00	.50	5.35	5.80
3	52.00	8.60	.50	5.90	6.25
4	55.00	9.60	.50	6.70	6.50
5	84.50	14.00	.80	7.75	11.75
6	104.00	21.50	.80	11.50	16.25
7	139.00	21.50	.80	11.50	16.25

Spare Nylon Wing Nut Gaskets

Nos. 1 Thru 4. \$.35 each.

Nos. 5, 6, 7. \$.50 each.

No.	Pipe Size Inches	Size Cylinder Inches	Height Inches	Width Overall Inches	Weight Pounds
1	1/2	3-1/2x4	5-3/4	4-1/2	3-3/4
2	3/4	4-1/2x5	7-3/8	5-1/4	5
3	1	4-1/2x5-1/2	8-1/8	5-1/2	5-1/2
4	1-1/4	4-1/2x6	8-3/4	5-1/2	5-3/4
5	1-1/2	6 x8	11-1/2	7	10-1/2
6	2	6 x12	16	7-1/4	12-3/4
7	2-1/2	6 x12	16	7-1/2	17

Height does not include top nut or drain plug.



Fig. 493



1-1/4 and 1-1/2 Inch Sizes
Are Slotted



Other Sizes are
Not Slotted

Fig. 528



Fig. 526



Fig. 524




Fig. 1270




Fig. 827

PIPE DECK PLATES—Fig. 528

Cast Bronze — With Key — I.P.S. Thread

Markings are in the Plate, not in the Cap

UNMARKED — Specify Fig. 528

"GAS" — Specify Fig. 528-G. no 3/4 inch.

"DIESEL" — Specify Fig. 528-D. no 3/4 or 1 inch.

"WATER" — Specify Fig. 528-W. no 3/4 inch.

Pipe Size Inches	Machine Finish Complete Each	Polished Chromium Plated Complete Each	Keys Only Each	Outside Diam. Plate Inches	Weight Pounds
3/4	\$ 5.20	\$ 7.80	\$.35	2-5/8	1/2
1	6.15	8.60	.35	2-7/8	5/8
1-1/4	7.70	10.45	.35	3-5/16	7/8
1-1/2	9.00	11.65	.35	3-5/8	1
2	14.00	17.50	.50	4-1/4	1-1/2
2-1/2	19.00	22.00	.75	4-5/8	2
3	26.00	29.00	1.00	5-3/8	2-1/2

Caps only, price is 50% of complete plate.

REGULAR DECK PLATES—Fig. 526

Cast Bronze — With Key

Diam. Opening Inches	Machine Finish Complete Each	Polished Chromium Plated Complete Each	Keys Only Each	Outside Diam. Plate Inches	Weight Pounds
1-1/2	\$ 6.70	\$ 9.35	\$.35	3-3/16	3/4
2	7.80	10.85	.50	3-5/8	3/4
2-1/2	10.20	13.50	.75	4-1/2	1
3	11.60	17.00	.75	4-7/8	1-1/2
4	18.00	22.25	1.20	5-3/4	2
5	25.75	30.50	1.35	7-1/16	2-3/4
6	35.50	46.00	2.55	8-1/4	5
8	58.00	64.00	3.60	10-1/4	7

Caps only, price is 50% of complete plate.

"WASTE" FITTINGS — Fig. 524

FOR USE IN EMPTYING HOLDING TANKS

Pressure Cast Bronze — Chromium Plated
With Rubber "O" Ring — Airtight

Complies with adopted standard on "Fittings" A.B.Y.C. recommended practices and standards covering sewage holding and/or treatment devices for marine toilet waste.

Each	I.P.S. Thread Inches	Outside Diam. Plate Inches	Weight Pounds
\$11.75	1-1/2	3-5/8	1

"WASTE" FITTING OR TANK FILLER — Fig. 1270

Die Cast Zinc Alloy — Chromium Plated

Cap with holes and slot for key, screw driver or large coin.
Markings on Cap and Flange as Illustrated.

Fig. 1270 marked "WASTE" - no chain

Fig. 1270-A Plain, no marking - with chain

Fig. 1270-B marked "FUEL" - with chain

Fig. 1270-C marked "WATER" - with chain

No.	Each	Inside Diameter Neck Inches	For Hose Inches	Length Neck Inches	Diameter Flange Inches	Weight Ounces
1	\$5.35	1-3/8	1-1/2	2-3/4	3-1/4	14
2	5.35	1-5/8	1-7/8	2-3/4	3-1/4	15

DECK PLATE KEY—Fig. 827

Stainless Steel

Will fit various sizes of deck plates up to 3 inches.

Each	Length Overall Inches	Diameter Metal Inches	Standard Package	Weight Ounces
\$1.40	5-3/4	3/16	10	1-3/4

Available in Skin Pack. See Skin Pack Section



®"CHROMALEX " GAS FILL—Fig. 1313

For 1½ Inch I.D. Hose
Nylon Flange and Cap, Red or Black
"Perkplate" Chromium Metal Parts

Nylon is impervious to gasoline.
Black — Specify Fig. 1313-B
Red — Specify Fig. 1313-R

Each	Diameter Overall Inches	Length Hose Neck Inches	For Screw No.	OEM Package	Weight Ounces
\$3.00	3-1/8	1-5/8	7	50	7

Available in Skin Pack. See Skin Pack Section.



Fig. 1313

GAS TANK CAP—Fig. 1245

With Deck Flange And 15 Inches Of Bead Chain

Die Cast Zinc Alloy — Chromium Plated

Each	Threaded for Pipe Inches	Height Overall Inches	Diam. Deck Flange Inches	For Screw No.	Weight Ounces
\$3.55	1-1/2	1-1/8	3-1/8	7	9-1/2

Spare caps only with chain, \$2.40 each.

Standard Package, 5 Pieces.



Fig. 1245



Fig. 520

GAS TANK CAP — Fig. 520

Cast Bronze — Chromium Plated

No.	Each	Threaded for Pipe Inches	Height Overall Inches	Diam. Deck Flange Inches	Screw No.	Weight Ounces
1	\$11.25	1-1/2	13/16	3-1/4	8	9-1/2

Standard Package, 5 Pieces.



Fig. 1251

GAS TANK FILLER WITH THREADED CAP—Fig. 1251

Die Cast Zinc Alloy — Chromium Plated

No.	Each	Inside Diameter Neck Inches	For Hose Inches	Length Neck Inches	Height Overall Inches	Weight Pounds
1	\$6.00	1-3/8	1-1/2	2-7/8	4-1/4	1-1/8
2	6.00	1-5/8	1-7/8	3-1/8	4-1/4	1-1/4

FUEL TANK FILLER WITH SPLASH GUARD—Fig. 1276

Die Cast Zinc Alloy — Chromium Plated

Splash guard directs spilled fuel over the side. Cap is fitted with 15 inches of bead chain which runs through filler pipe.

No.	Each	Inside Diam. Neck Inches	For Hose Inches	Length Neck Inches	Flange Dimensions Inches	Weight Pounds
1	\$7.00	1-3/8	1-1/2	2-7/8	4x4	1-1/4
2	7.00	1-11/16	1-7/8	3-1/8	4x4	1-5/8



Fig. 1276

DECK PLATE KEY—Fig. 826

Cast Bronze — Adjustable to all sizes of Deck Plates — Improved Unbreakable Pins — Heavy Duty

Will fit all sizes of deck plates up to 8 inch diameter.

Each	Length Overall Inches	Standard Package	Weight Pounds
\$4.90	8-1/2	5	1




Fig. 826




Fig. 252

ELECTROLYSIS COLLARS—Fig. 252

Streamlined Zinc Die Casting — Precision Made And Balanced — For Shaft — Silicon Bronze Bolts and Nuts

The electrolysis collar is the least expensive way of protecting the most expensive parts of any boat against electrolytic action. It is a precision made collar of pure zinc designed to fit properly on any propeller shaft regardless of the shaft R.P.M. These collars can be easily and almost instantly installed by anyone. They are doweled, so the two halves will always locate themselves. These collars not only protect vital underwater fittings such as propellers, struts, shafts, strut bolts, but stop pitting of all underwater fastenings.

Sizes No. 1 thru 5 have 2 bolts, larger sizes 4 bolts.

No.	Each	Shaft Size Inches	Length Overall Inches	Standard Package	Bulk Package	Weight Pounds
1	\$2.10	3/4	2	10	25	3/4
2	2.10	7/8	2	10	25	3/4
3	2.20	1	2-1/4	10	50	1-1/8
4	2.20	1-1/8	2-1/4	10	50	1-1/8
5	2.20	1-1/4	2-1/4	10	50	1-1/8
6	3.00	1-3/8	2-3/4	10	50	1-3/8
7	3.00	1-1/2	2-3/4	10	50	1-3/8
8	3.95	1-3/4	2-7/8	5	25	2-1/2
9	3.95	2	2-7/8	5	25	2-1/2



Fig. 253

ELECTROLYSIS COLLARS—Fig. 253

Zinc Die Castings — Heavy Duty Commercial Type — For Shaft

No.	Each	Shaft Size Inches	Length Overall Inches	Diam. Overall Inches	Weight Pounds
1	\$ 3.85	2	1-1/8	3-3/4	1-1/2
2	3.85	2-1/4	1-1/8	3-3/4	1-1/2
3	6.15	2-1/2	1-5/8	5	3-1/2
4	6.15	3	1-5/8	5	3
5	10.75	3-1/2	1-11/16	6	6
6	10.75	4	1-11/16	6	5



Fig. 407

ELECTROLYSIS ELIMINATORS—Fig. 407

For Rudders

Smooth Zinc Die Castings — Silicon Bronze Flush Bolts And Nuts

No.	Per Set as Illustrated	Diameter Inches	Standard Package	Bulk Package	Length Bolt Inches	Weight Complete Pounds
2	\$2.30	2-7/8	10	50	1-1/2	1
2-A	3.60	3-3/4	5	25	2	1-3/4
3	5.50	5	5	25	2	3



Fig. 244

ELECTROLYSIS ELIMINATORS—Fig. 244

For Small Boat Hulls

Zinc Die Castings

No.	Each	Length Inches	Width Inches	Standard Package	Bulk Package	Weight
1	\$.95	3-1/2	1-3/4	10	100	6-1/2 oz.
2	\$1.75	5-1/4	2-1/8	10	50	1-1/4 lb.

ALL ABOVE ZINCS IN STANDARD OR BULK PACKAGES ONLY. NO BROKEN PACKAGES.

ELECTROLYSIS ELIMINATORS—Fig. 247

For Small Boat Hulls

Die Cast Zinc

Each	Length Inches	Width Inches	Standard Package	Bulk Package	Weight Ounces
\$1.45	4-3/4	2	10	50	14



Fig. 247



ELECTROLYSIS ELIMINATORS — Fig. 241

For Yacht Hulls

Die Cast Zinc

Each	Length Inches	Width Inches	Thickness Inches	Standard Package	Bulk Package	Weight Pounds
\$4.35	9-1/4	3-3/8	3/4	5	25	3-1/4



Fig. 241



ELECTROLYSIS ELIMINATORS—Fig. 345

For Commercial Hulls

Die Cast Zinc

Each	Length Inches	Width Inches	Thickness Inches	Standard Package	Bulk Package	Weight Pounds
\$3.20	6-1/4	2-3/4	5/8	5	25	2-1/4



Fig. 345



ELECTROLYSIS ELIMINATORS—Fig. 254

For Marine Engines

Pure Zinc With Forged Bronze Plug

No.	Complete Each	Spare Zincs Each	Plug I.P.S. Inches	Zinc Dimensions Inches	Weight Ounces
1	\$2.20	\$.80	3/8	3/8x1-3/4	2
2	2.50	1.10	1/2	5/8x2	4-1/2
3	3.30	1.30	3/4	3/4x2	7
4	3.50	1.60	3/4	3/4x3-1/4	8-1/2




Fig. 254

Standard Package, 5 Pieces per size.



DOCK LINE SPRINGS—Fig. 759

Steel — Zinc Plated

A very strong compression spring for dock and mooring lines. It cushions the strain and contributes greatly to the life of the line. Size No. 1 will accommodate 1/2 inch diameter rope, No. 2 for 3/4 inch rope.



Fig. 759

No.	Each	Length Overall Inches	Diameter Spring Inches	Diameter Metal Inches	Compression Inches	Weight Pounds
1	\$2.25	10	1-1/2	3/16	4-1/2	7/8
2	6.75	18	2	1/4	8	2-3/4

ALL ABOVE ZINCS IN STANDARD OR BULK PACKAGES ONLY. NO BROKEN PACKAGES.




Fig. 332

WATER OUTLETS—Fig. 332

Cast Bronze		Plain Bronze Each	Chromium Plated Each		
No.					
	1		\$ 8.50		\$11.00
	2		10.75		13.50
No.	Pipe Size Inches	Diam. Flange Inches	Length of Neck Inches	Weight Ounces	
1	3/4	2-5/8	2-1/4	12	
2	1	2-7/8	3-1/4	16	



Fig. 65

INTAKE STRAINERS—Fig. 65

Cast Bronze — Plain

No.	Pipe Size Inches	Each	Length Neck Inches	Dimensions Strainer Inches	Weight Pounds
1	1/2	\$ 6.20	2-5/8	3 x 4	5/8
2	3/4	8.20	2-9/16	3 x 4	7/8
3	1	10.75	3	3 x 4	1-1/8
4	1-1/4	15.50	3-1/2	3-1/4 x 4-1/4	1-3/4

PIPE TO HOSE ADAPTER—Fig. 76

Cast Bronze

No.	Pipe Size Inches	Each	Hose Size Inches	Length Overall Inches	Weight Ounces
1	1/2	\$1.80	5/8	1-5/8	1-1/2
2	3/4	2.15	3/4	1-3/4	2-1/8
3	1	2.85	1	1-3/4	3-1/2
4	1-1/4	3.70	1-1/4	2	5-1/8
5	1-1/2	4.90	1-1/2	2-1/4	8-1/8
6	2	7.50	2	2-5/8	16



Fig. 76



Fig. 66

SCOOP STRAINERS—Fig. 66

Cast Bronze

No.	Each	Outside Dimension Inches	For Thru-Hull Size Inches	Weight Pounds
1	\$ 1.75	3-1/2x2-1/2	1/2	1/4
2	4.55	5 x3-1/4	1	3/4
3	6.30	6-1/4x4-1/4	1-1/4	1
4	11.00	8 x5-1/8	2	2

Standard Package, 5 Pieces.

ROUND STRAINERS—Fig. 86

Cast Bronze

No.	Each	Outside Diam. Inches	Inside Diam. Inches	For Size Seacock Inches	Weight Pounds
1	\$1.30	2-1/2	1-5/8	1/2	1/5
2	1.55	3	2	-	1/4
3	1.90	3-1/2	2-3/8	3/4 & 1	1/3
4	2.70	4	3	1-1/4	1/3
5	4.60	5	3-3/4	1-1/2	3/4
6	4.90	6	4-1/2	2	1

Standard Package, 5 Pieces.



Fig. 86

THRU-HULL CONNECTIONS—Fig. 322

Cast Bronze — Machined Flange — Threaded to 1/8 Inch From Flange

No.	Pipe Size Inches	Each	Length Neck Inches	Diameter Flange Inches	Weight Pounds
1	3/8	\$ 2.85	2-3/8	1-1/2	1/4
2	1/2	3.20	2-3/8	1-5/8	3/8
3	3/4	4.45	2-1/2	2	1/2
4	1	6.40	2-7/8	2-1/4	3/4
5	1-1/4	9.80	3-1/2	2-7/8	1-1/2
6	1-1/2	12.00	3-3/4	3	1-5/8
7	2	17.50	4	3-1/2	1-3/4
8	2-1/2	25.00	4	4-1/2	2-3/4



Fig. 322



THRU-HULL CONNECTIONS FOR HOSE—Fig. 311

Cast Bronze — Chromium Plated

Each	For Size Hose Inches	Inside Diameter Inches	Length Overall Inches	Diam. Flange Inches	Weight Ounces
\$4.00	3/4 and 1	9/16	3-1/8	2-1/8	7



Fig. 311



THRU-HULL CONNECTIONS FOR HOSE—Fig. 350

Cast Bronze — Machined Flange

No.	For Hose Inches	Plain Each	Polished Chromium Plated Each	Diam. Flange Inches	Maximum Wood Thickness Inches	Weight Pounds
1	5/8	\$ 4.00	\$ 5.30	1-5/8	1-1/4	3/8
2	3/4	4.55	6.00	2	1-5/8	1/2
3	1	6.75	8.30	2-3/8	1-7/8	7/8
4	1-1/4	10.75	12.50	3	2	1-3/8
5	1-1/2	11.40	13.65	3-1/8	2	1-1/2




Fig. 350



FLUSH TYPE "NO BULGE"

THRU HULL CONNECTIONS—Figs. 331 & 361

Cast Bronze

An improved thru hull fitting for all types of boats, but especially appreciated by builders and owners of fibre glass and planked sail boats. Nothing extending beyond hull to cause friction or slow boat down. The ends of these fittings have tapered threads for easy attachment of valves or other pipe fittings.




Fig. 331
Without Strainer




Fig. 361
With Strainer

No.	Pipe Size Inches	Fig. 331 Each	Fig. 361 Each	Length Overall Inches	Inside Diameter Inches	Diameter Flange Inches	Weight Pounds
1	1/2	\$ 7.00	\$ 8.25	2-7/16	1/2	2-1/2	3/4
2	3/4	7.50	8.75	2-3/4	3/4	2-1/2	7/8
3	1	9.85	10.75	3	1	3	1-1/4
4	1-1/4	11.75	12.50	3-3/8	1-1/4	3	1-3/4

BRONZE ROUND WAY SEA COCKS — Figs. 834 & 835

With Drain Plugs and Removable Handle
Complete with Thru-Hull and Tail Piece



Fig. 834



Fig. 835

No.	Pipe Size Inches	Fig. 834 Fig. 835 Each	Diameter Flange Inches	Fastener Size Inches	Weight Pounds
1	3/4	\$ 27.00	3-1/2	3/8	3-3/4
2	1	41.00	4	3/8	5
3	1-1/4	52.00	4-1/2	5/8	8
4	1-1/2	60.00	5	5/8	12
5	2	108.00	6	5/8	18

For Strainers, See Fig. 86.
Spare Tail Pieces, See Figs. 67 or 78.



ECONOMY ROUND WAY SEA COCKS—Fig. 821

Cast Bronze — Drain Plug
Complete with Thru-Hull and Tail Piece



Fig. 821

No.	Pipe Size Inches	Each	Complete Weight Pounds
0	1/2	\$14.50	7/8
1	3/4	17.65	1-1/2
2	1	24.60	2-1/2
3	1-1/4	36.00	4
4	1-1/2	47.00	5-1/4

NOTE: The 1/2" size has connection for 5/8" hose. Other sizes use same size hose as pipe size.

For Strainers, See Fig. 86.
Spare Tail Pieces, See Adapter, Fig. 76.



BRONZE TAIL PIECES—Figs. 67 & 78

For lead pipe or hose connections, furnished complete with rubber washer.



Fig. 67 Straight
Fig. 78, 90 Degree

No.	Pipe Size Inches	O.D. Tail Piece Inches	Fig. 67 Each	Fig. 78 Each
2	3/8	1/2	\$1.90	
3	1/2	5/8	2.05	
4	3/4	3/4	2.45	\$2.45
5	1	1	3.70	3.70
6	1-1/4	1-1/4	4.30	4.30
7	1-1/2	1-1/2	6.15	6.15
8	2	2	7.40	7.40



FLANGED NUTS—Fig. 75

Cast Bronze — For Hull Connections



Fig. 75

No.	Pipe Size Inches	Each	Weight Ounces
1	3/8	\$.60	1
2	1/2	.65	1-1/4
3	3/4	.97	2
4	1	1.45	2-1/2
5	1-1/4	2.45	6
6	1-1/2	2.95	6
7	2	4.45	10
8	2-1/2	4.95	15

EXHAUST FLANGES—Figs. 214 & 738

Cast Bronze

Fig. 214 for Pipe

Size Inches	Plain Each	Chromium Plated Each	Inside Diameter Inches	Outside Diameter Inches	Weight Pounds
1-1/2	\$2.95	\$4.00	1-7/8	3-1/4	1/8
2	3.50	4.90	2-13/32	4	1/3
2-1/2	4.40	6.00	2-29/32	4-1/2	1/2
3	5.65	7.00	3-17/32	5-1/2	3/4
3-1/2	5.65	7.00	4-1/32	6	1

Fig. 738 for Tubing

Size	Plain Each	Chromium Plated Each	Inside Diameter Inches	Outside Diameter Inches	Weight Pounds
2	\$ 3.50	\$ 4.95	2-1/16	4	1/3
2-1/2	4.40	6.10	2-9/16	4-1/2	1/2
3	5.65	7.00	3-1/16	5	5/8
3-1/2	5.80	7.25	3-9/16	5-1/2	3/4
4	5.80	7.25	4-1/16	6	3/4
5	8.25	9.75	5-1/16	7-1/16	1
8	13.25	19.00	8-1/16	10-1/16	1-7/8



Fig. 214 for Pipe

Fig. 738 for Tubing

EXHAUST FITTING—Fig. 755

Cast Bronze — With "No Stain" Collar — For Hose

The outside diameter of the neck is for 1-7/8 inch hose which fits over 1-1/2 inch pipe.

Plain Each	Chrome Plated Each	Length Overall Inches	Inside Diameter Inches	Diameter Flange Inches	Weight Pounds
\$6.50	\$9.50	3-1/4	1-9/16	3-1/2	1-1/8




Fig. 755

STAINLESS STEEL MARINE HOSE CLAMPS—Fig. 6400

No Rivets — Welded

Part Number	Each	Size Hose Inches		Clamp Diameter Inches		Box Quantity	Weight Per 100 in Pounds
		From	To	Min.	Max.		
4	\$.55	1/4	5/8	3/8	11/16	10	2
10	.66	3/8	5/8	5/8	1-1/16	10	6
12	.66	5/8	3/4	11/16	1-1/4	10	6
16	.66	3/4	1	13/16	1-1/2	10	7
*20	.68	1	1-1/4	13/16	1-3/4	10	7
*28	.69	1-1/4	1-3/4	1-5/16	2-1/4	10	8
*36	.72	1-3/4	2-1/4	1-13/16	2-3/4	10	9
44	.75	2-1/4	2-3/4	2-5/16	3-1/4	10	9
52	.80	3	3-1/4	2-13/16	3-3/4	10	11
56	.80	3-1/4	3-1/2	3-1/16	4	10	11
64	.85	3-1/2	4	3-9/16	4-1/2	10	12

*The most popular stock sizes.



Fig. 6400

100% ALL 18-8 STAINLESS STEEL BAND, HOUSING AND SCREW.

COCKPIT SCUPPER—Fig. 142

Cast Bronze — With Rubber Ball Back Water Check

Especially needed in sailboats when outlet is below the waterline. With key for removing cap.

Angle of outlet is 45 degrees.

No.	Plain Each	Chromium Plated Each	Diameter Flange Inches	Diameter Grate Inches	For Diam. Hose Inches	Weight Pounds
1	\$11.50	\$14.50	3-1/4	1-13/16	1	1-1/4
2	16.50	20.00	3-3/4	2-1/4	1-1/2	2




Fig. 142



Fig. 565

TILLER ROPE PULLEY—Fig. 565

Swivel Type with Strap — For 1/4" Rope
18-8 Stainless Steel — White Nylon Sheave

Complete Each	Length Overall Inches	Diam. Sheave Overall Inches	Length Strap Inches	Standard Package	Weight Ounces
\$1.55	3-3/4	2-5/16	1-5/8	25	2

Without strap, deduct \$.10 each.
Available in Skin Pack. See Skin Pack Section




Fig. 634

TILLER ROPE PULLEY—Fig. 634

Swivel Snap Hook Type — For 1/4" Rope
18-8 Stainless Steel — White Nylon Sheave

Complete Each	Length Overall Inches	Snap Throat Opening Inches	Diam. Sheave Overall Inches	Standard Package	Wt. Ozs.
\$2.20	4-5/8	1/2	2-5/16	25	2-1/2

Available in Skin Pack, See Skin Pack Section.



Fig. 1255

TILLER ROPE PULLEY—Fig. 1255

Coaming Type — White Nylon Sheave
Die Cast Zinc Alloy — Chromium Plated

No.	Each	Diam. Sheave Inches	For Diam. Rope Inches	Dimensions of Plate Inches	Standard Package	Weight Ounces
1	\$1.60	1-3/4	1/4	3-1/2x1-5/16	25	2
2	1.85	2-5/16	1/4	4-7/8x1-1/4	10	2-1/2



Fig. 1256



Fig. 1261

TILLER ROPE GUIDES—Figs. 1256 & 1261

Die Cast Zinc Alloy — Chromium Plated

Each	Size Hole Inches	Size Base Inches	For Screw No.	Weight Ounces	Standard Package
\$.43	5/16	1-1/4x3/4	6	1/2	25



Fig. 1243

TILLER ROPE GUIDES—Fig. 1243

Die Cast Zinc Alloy — Chromium Plated

Each	For Diam. Rope Inches	Size Base Inches	For Screw No.	Weight Ounces	Standard Package
\$1.40	1/4	2 x 3/4	8	1-3/4	10

Drilled for No. 8 screw



Fig. 154

SHEAVES—Fig. 154

White Nylon — Common Bushed

No.	Each	Diam. Inches	Thickness Inches	For Rope Inches	For Size Pin Inches
20	\$.22	7/8	3/8	1/4	3/16
27	.33	1-3/4	3/8	1/4	1/4
28	.40	2-5/16	3/8	1/4	1/4



FAST EYE BLOCKS—Fig. 43

Galvanized Malleable Iron Or Bronze — Single

Size No.	Galv. Each	Plain Bronze Each	For Diam. Rope Inches	Size Sheaves Inches	Standard Package	Weight Pounds Each
1	\$.57	\$1.15	3/16	3/4x5/16	10	3/32
3	.90	1.45	1/4	1 x3/8	10	3/16
5	1.04	2.65	5/16	1-3/8x7/16	10	1/4
7	1.25	3.00	3/8	1-1/2x1/2	10	3/8
9	1.70		7/16	1-3/4x9/16		1/2
11	2.35		1/2	2 x5/8		5/8
13	4.00		5/8	2-1/2x3/4		1-7/16
15	5.85		3/4	3 x7/8		1-5/8



Fig 43

FAST EYE BLOCKS—Fig. 51

Galvanized Malleable Iron — Double

Size No.	Each	For Diam. Rope Inches	Size Sheaves Inches	Standard Package	Weight Pounds Each
2	\$1.10	3/16	3/4x5/16	10	3/16
4	1.25	1/4	1 x3/8	10	1/4
6	1.80	5/16	1-3/8x7/16	10	3/8
8	2.20	3/8	1-1/2x1/2	10	5/8



Fig. 51

SWIVEL EYE BLOCKS—Fig. 100

Galvanized Malleable Iron Or Bronze — Single

Size No.	Galvanized Iron Each	Plain Bronze Each	For Diam. Rope Inches	Diameter Sheave Inches	Standard Package	Weight Per Doz. in Lbs.
0	\$.66	\$2.80	3/16	1/2	10	1/2
1	.75	2.90	3/16	3/4	10	1-1/4
3	.95	3.80	1/4	1	10	2
5	1.30	4.65	5/16	1-3/8	10	2-7/8
7	1.65	5.30	3/8	1-1/2	10	4-7/8



Fig. 100

SWIVEL EYE BLOCKS—Fig. 101

Galvanized Malleable Iron — Double

Size No.	Each	For Diam. Rope Inches	Diameter Sheave Inches	Standard Package	Weight Per Doz. in Lbs.
00	\$1.10	3/16	1/2	10	1-1/16
2	1.30	3/16	3/4	10	2-1/4
4	1.60	1/4	1	10	3-3/8
6	2.30	5/16	1-3/8	10	4-1/2
8	3.20	3/8	1-1/2	10	7



Fig. 101

WIRE ROPE PULLEYS—Figs. 194 & 279

Galvanized Malleable Iron

Fig. 194 Single

Size No.	Each	For Diam. Rope Inches	Size Sheave Inches	Weight Pounds
1	\$4.40	3/16	2-1/2x3/8	1/2
2	5.15	1/4	3-1/4x1/2	1-1/4
3	7.70	5/16-3/8	4-1/2x5/8	2-1/2



Fig. 194

Side Pattern Single

Fig. 279 Single

Size No.	Each	For Diam. Rope Inches	Size Sheave Inches	Weight Pounds
10	\$4.40	3/16	2-1/2x3/8	5/8
20	5.15	1/4	3-1/4x1/2	1-1/2
30	7.70	5/16-3/8	4-1/2x9/16	2-1/2



Fig. 279

Upright Pattern Single


TILLER ROPE CLAMPS—Figs. 358 & 1226
For 1/8" and 3/16" Rope

Fig. 358—Pressure Cast Silicon Bronze.
Fig. 1226—Die Cast Zinc Alloy.

Fig.	Natural Finish Each	Chromium Plated Each	Length Inches	Width Inches	Standard Package	Weight Ounces
358	\$.77	\$.90	1-1/4	11/16	20	1
1226	.37	.52	1-1/4	11/16	50	1



Fig. 358
Fig. 1226

 Fig. 1226 Available in Skin Pack. See Skin Pack Section.

TILLER ROPE TIGHTENERS—Figs. 732 & 754
Maximum Pull 100 Pounds

Fig. 732-C —Steel, Cadmium Plated
Fig. 732-SS —18-8 Stainless Steel
Fig. 754 —Steel, Cadmium Plated


Fig.	Each	Normal Length Inches	Length Compressed Inches	Outside Diameter Inches	Standard Package	Weight Ounces
732-C	\$.50	4	5	1	10	3-1/2
732-SS	1.10	4	5	1	10	2-1/4
754	.40	4-3/4	6-1/2	7/8	25	3



Fig. 732-C
Fig. 732-SS



Fig. 754

 Fig. 732-C & SS Available in Skin Pack. See Skin Pack Section.

EYE STRAPS—Figs. 562 & 1242

Fig. 562—18-8 Stainless Steel
Fig. 1242—Die Cast Zinc Alloy — Chromium Plated

Fig.	Each	Length Inches	Size Eye Inches	For Screw No.	Weight Ounces	Standard Package
562	\$.13	1-5/8	1/4	10	1/8	50
1242	.24	1-7/8	5/16	8	1/4	50



Fig. 562



Fig. 1242

EYE STRAPS—Fig. 881

Forged Bronze — Very Strong

No.	Natural Bronze Each	Chromium Plated Each	Length Inches	Size Eye Inches	Stock in Eye Inches	For Screw No.	Wt. Ozs.
0	\$.70	\$1.35	1-7/8	1/4	1/4	8	1/2
1	1.05	1.90	2-1/4	5/16	9/32	10	3/4
2	1.15	2.20	2-3/4	1/2	5/16	10	1-1/2

Standard Package, Nos. 0 and 1, 50 pcs. No. 2, 25 pcs.



Fig. 881

DECK STRAPS—Fig. 882

Cast Bronze

No.	Plain Bronze Each	Chromium Plated Each	Length Inches	Size Eye Inches	Standard Package	Wt. Ozs.
1	\$1.50	\$3.35	3-1/2	1/2	10	2-1/2
2	1.50	3.35	4-1/4	9/16	10	2-1/2



Fig. 882

FLANGE EYES—Fig. 877

Cast Bronze

No.	Plain Bronze Each	Polished Chromium Plated Each	Size Opening Inches	Size Base Inches	Standard Package	Weight Ounces
1	\$.65	\$2.55	5/8	2-1/8x 15/16	10	1
2	1.25	3.25	3/4	2-1/4x1-3/16	10	2



Fig. 877

PERKO

**deck
equipment**


cleats & chocks

**chromalex
deck fittings**

bow eyes

**transom handles
etc.**

SECTION |



MANUFACTURED BY

PERKINS MARINE LAMP & HARDWARE CORP., 16490 N. W. 13TH AVE., P. O. BOX D, MIAMI, FLORIDA 33164

Copyright 1972 in U. S. and Canada by Perkins Marine Lamp and Hardware Corp.

For complete line see catalog No. 220

PERKINS MARINE LAMP & HARDWARE CORP.

NEW "SLIMLINE" CLEATS – Figs. 518 & 1252

Fig. 518 – Pressure Cast Silicon Bronze – Chromium Plated
Fig. 1252 – Die Cast Zinc Alloy – Chromium Plated



Fig. 518
Fig. 1252



Length Inches	Base Dimensions Inches	For Diam. Rope Inches	For Screw	Standard Package	Weight Ounces
6-1/2	3 x 1-1/8	3/4	1/4"	5	7

Fig. 518 – \$5.25 Each
Fig. 1252 – \$3.00 Each

"SLIMLINE" CLEAT WITH STUDS—Fig. 527

PRESSURE CAST SILICONE BRONZE—CHROMIUM PLATED

Studs are 1/4 - 20, complete with Nuts and Washers, Length below Cleat is 2".



Fig. 527

Each	Length Inches	Base Dimensions Inches	For Diam. Rope Inches	Standard Package	Weight Ounces
\$5.80	6-1/2	3x1-1/8	3/4	5	8

STREAMLINE CLEATS – Fig. 566

Die Cast Zinc Alloy – Chromium Plated




Fig. 566

Length Inches	Each	Size Base Inches	For Diam. Rope Inches	For Screw No.	Packed Per Box	Weight Ounces
2	\$.82	2-3/16x1-1/8	5/16	6	10	1-1/2
3	1.10	3-1/8 x1-1/2	3/8	8	10	4-1/2
4-1/2	1.75	4-7/16x1-7/8	1/2	10	10	8-1/2
6	2.75	5-1/2 x2	3/4	12	5	13-1/2



Available in Skin Pack. See Skin Pack Section.

MODERN DESIGN CLEATS – Fig. 1250

Die Cast Zinc Alloy – Chromium Plated



Fig. 1250

Length Inches	Each	Size Base Inches	For Diam. Rope Inches	For Screw No.	Packed Per Box	Weight Ounces
3	\$1.25	1-1/2x1-1/4	3/8	8	10	2
4-1/2	1.80	1-7/8x1-1/2	1/2	8	10	5-1/2
6	2.95	2-1/4x2-1/8	3/4	10	5	10-1/2



Available in Skin Pack. See Skin Pack Section.

STURDY CLEATS – Figs. 1200 & 1204

Die Cast Zinc Alloy – Chromium Plated

Fig. 1200 – For Screws or Flat Head Bolts

Fig. 1204 – With Studs, Nuts and Washers



Fig. 1200



Fig. 1204

No.	Fig. 1200 Each	Fig. 1204 Each	Length Inches	Base Inches	For Rope Inches	Weight Ounces
1	\$1.05		2-3/8	7/8 x1/2	3/8	1
2	1.30	\$1.90	3-1/2	1-3/16x11/16	1/2	3
3	1.95	2.35	5	1-7/16x1	5/8	6
4	2.85	3.45	6-1/2	1-3/4 x1-3/16	3/4	9

Standard Package, 10 Pieces.

Fig. 1200 Sizes No. 1 and 2 – For Screw No. 8.

Fig. 1200 Sizes No. 3 and 4 – For Screw No. 10.

Fig. 1204 Size No. 2, Stud is 12/24 x 1-1/4.

Fig. 1204 Sizes No. 3 and 4, Stud is 1/4/20 x 1-1/4.

BOAT CLEATS—Fig. 544

Galvanized Iron Or Cast Bronze

Length Inches	Cast Iron Each	Polished Bronze Each	Chromium Plated Each	Galv. Weight Pounds
* 3	\$.55	\$ 2.85	\$ 3.00	3/16
* 4	.62	3.40	3.70	1/4
* 5	.85	4.85	5.35	3/8
* 6	1.20	5.85	6.15	1/2
8	2.15	9.00	9.35	1-1/4
10	3.55	13.50	14.25	2-1/4
12	5.30			3-3/4
14	7.70			6-1/4

*These sizes are solid base type in Bronze only.
Balance in Bronze and all Galvanized are open base type.

*These sizes are in standard packages of 10 pieces. Bronze only.

4 inch Chrome available in Skin Pack. See Skin Pack Section.



Fig. 544



CAST ALUMINUM CLEATS—Fig. 545

Plain Finish

Length Inches	Each	Size Base Inches	For Screw No.	Standard Package	Weight Ounces
* 3	\$.75	1-1/2x5/8	8	20	1-1/2
* 4	.88	1-5/8x3/4	10	20	2
* 5	.96	2 x7/8	1/4"	20	3
* 6	1.20	2-1/4x7/8	1/4"	10	4
8	1.55	2-5/8x1-1/8	1/4"	10	5
10	3.00	3-5/8x1-1/4	5/16"	1	9
12	4.00	4 x1-1/2	5/16"	1	14

*These sizes are solid base type.
Balance of sizes are open base type.



Fig. 545



YACHT CLEATS

Cast Bronze — Fig. 572

Length Inches	Chromium Plated Each	For Screw No.	Standard Package	Weight Pounds
4-1/2	\$ 6.50	10	10	1/2
5-1/2	7.00	10	10	5/8
6-1/2	8.60	12	10	3/4
*8	10.50	1/4"	5	1-1/4
*10	17.00	5/16"	1	2
*12	24.50	5/16"	1	3

*These Sizes Are Hollow, Balance Of Sizes Are Solid.

Die Cast Zinc Alloy — Chromium Plated — Fig. 1188

Length Inches	Each	Width Base Inches	For Screw No.	Standard Package	Weight Ounces
4	\$2.50	1-5/8	10	10	3-1/2
6	3.00	1-3/4	10	10	7-1/2

Available in Skin Pack. See Skin Pack Section.



Fig. 572 — Bronze
Fig. 1188 — Die Cast

CAST ALUMINUM SHIP'S CLEATS—Fig. 530

Plain Finish

Length Inches	Each	Size of Base Inches	Holes for Diam. Bolts Inches	Weight Each Pounds
8	\$ 4.30	4 x2-1/4	1/2	1-1/8
10	6.00	4-1/2x3	1/2	1-3/4
12	9.20	6-1/2x2-7/8	5/8	3-1/2
15	13.50	7 x3-1/4	3/4	4-7/8



Fig. 530

PERKINS MARINE LAMP & HARDWARE CORP.



NEW

® "CHROMALEX" DECK FITTINGS
DIE CAST ZINC ALLOY BODY WITH 7 COATS
OF PERKOPLATE LONG LASTING CHROME.
GLOSSY BLACK LEXAN PLASTIC BASE OF
HIGH IMPACT STRENGTH AND TOUGHNESS.



Fig. 1305




Fig. 1315



Fig. 1306



Fig. 1316



Fig. 1307



Fig. 1317

CLOSED BASE CLEATS—Figs. 1305 & 1315

Fig. 1305 For Screws or Bolts

Fig. 1315 With Studs, Nuts and Washers

No.	Fig. 1305 Each	Fig. 1315 Each	Length Overall Inches	Base Inches	For Diam. Rope Inches	Weight Ounces
1	\$1.75	\$2.30	4-1/2	3-3/4x1-1/16	3/8	5-1/2
2	2.70	3.20	6	5 x1-3/8	1/2	11

O.E.M. Package, Fig. 1315 No. 2, 40 pieces. Balance, 50 Pieces.

Fig. 1305 No. 1 for No. 10 Screws.

Fig. 1305 No. 2 for 1/4" Screws.

Fig. 1315 No. 1 Stud is 7/32"x 1-1/2" below base.

Fig. 1315 No. 2 Stud is 1/4"x 1-1/2" below base.

Fig. 1305 Available in Skin Pack. See Skin Pack Section.



OPEN BASE CLEATS—Figs. 1306 & 1316

Fig. 1306 For Screws or Bolts

Fig. 1316 With Studs, Nuts and Washers

No.	Fig. 1306 Each	Fig. 1316 Each	Length Overall Inches	Base Inches	For Diam. Rope Inches	Weight Ounces
1	\$1.75	\$2.30	4-1/2	2-1/2x1-1/16	3/8	5
2	2.70	3.20	6	3-1/4x1-3/8	1/2	10-1/2

O.E.M. Package, Fig. 1316 No. 2, 40 pieces. Balance, 50 Pieces.

Fig. 1306 No. 1 for No. 10 Screws

Fig. 1306 No. 2 for 1/4" Screws.

Fig. 1316 No. 1 Stud is 7/32"x 1-1/2" below base.

Fig. 1316 No. 2 Stud is 1/4"x 1-1/2" below base.

Fig. 1306 Available in Skin Pack. See Skin Pack Section.



SKENE TYPE CHOCKS—Figs. 1307 & 1317

Fig. 1307 For Screws or Bolts

Fig. 1317 With Studs, Nuts and Washers

No.	Fig. 1307 Per Pair	Fig. 1317 Per Pair	Length Overall Inches	Width Base Inches	For Diam. Rope Inches	Weight Ounces
1	\$2.35	\$3.10	3-1/2	7/8	3/8	5
2	3.75	4.80	5	1-1/4	1/2	12

O.E.M. Package, Fig. 1307 No. 1, 50 pairs. Balance, 25 pairs.

Fig. 1307 N. 1 for No. 10 Screws.

Fig. 1307 No. 2 for 1/4" Screws.

Fig. 1317 No. 1 Stud is 7/32"x 1-3/4" below base.

Fig. 1317 No. 2 Stud is 1/4"x 1-3/4" below base.

Fig. 1307 Available in Skin Pack. See Skin Pack Section.



® "CHROMALEX"

STRAIGHT TYPE CHOCKS—Figs. 1308 & 1318

Fig. 1308 For Screws or Bolts

Fig. 1318 With Studs, Nuts and Washers

No.	Fig. 1308 Per Pair	Fig. 1318 Per Pair	Length Overall Inches	Width Base Inches	For Diam. Rope Inches	Weight Ounces
1	\$2.35	\$3.10	3-1/2	7/8	3/8	5
2	3.75	4.80	5	1-1/4	1/2	12

O.E.M. Package, Fig. 1308 No. 1, 50 Pairs.
Balance, 25 Pairs.

Fig. 1308 No. 1 for No. 10 Screws.

Fig. 1308 No. 2 for 1/4" Screws.

Fig. 1318 No. 1 Stud is 7/32"x 1-3/4" below base.

Fig. 1318 No. 2 Stud is 1/4"x 1-3/4" below base.

Fig. 1308 Available in Skin Pack. See Skin Pack Section.




Fig. 1308



Fig. 1318



★
SKENE BOW CHOCKS—Fig. 1223

Die Cast Zinc Alloy — Chromium Plated

Per Pair	Length Overall Inches	Width Inches	For Diam. Rope Inches	For Screw No.	Weight Per Pair Ounces
\$1.80	3-1/2	7/8	1/2	8	4

Standard Package, 10 Pairs.

Available in Skin Pack. See Skin Pack Section



Fig. 1223

★
MODERN DESIGN BOW CHOCKS — Fig. 1253

Die Cast Zinc Alloy — Chromium Plated

For 1/2 inch diameter rope.

Per Pair	Length Overall Inches	Width Inches	For Screw No.	Weight Per Pair Ounces
\$2.35	4	15/16	10	7

Standard Package, 10 Pairs.

Available in Skin Pack. See Skin Pack Section



Fig. 1253

★
MODERN DESIGN BOW CHOCKS WITH STUDS—Fig. 1257

Die Cast Zinc Alloy — Chromium Plated

Studs are 12/24 x 1-5/8" long — with nuts and washers

Per Pair	Length Overall Inches	Width Inches	For Diam. Rope Inches	For Screw No.	Weight Per Pair Ounces
\$3.00	4	15/16	1/2	8	9

Standard Package, 10 Pairs.



Fig. 1257

★
BOW CHOCKS—Fig. 546

Cast Bronze — Chromium Plated

Lgth. Inches	Per Pair	Width Inches	For Diam. Rope Inches	For Screw No.	Wt. Per Pair Lbs.
3	\$ 5.35	5/8	3/8	8	1/4
4	6.50	3/4	5/8	10	1/2
5	12.30	7/8	7/8	10	1
6	16.75	1	1	14	1-1/2
8	22.00	1-1/4	1-1/8	14	3

Standard Package, 5 Pairs.

4 Inch, Available in Skin Pack. See Skin Pack Section.



Fig. 546



STRAIGHT STERN CHOCKS—Fig. 119

Cast Bronze — Chromium Plated

Length Inches	Each	Width Inches	For Diam. Rope Inches	For Screw No.	Wt. Each Lbs.
4	\$ 5.50	7/8	3/4	8	1/4
5	7.30	1	7/8	10	1/2
6	8.25	1-1/8	1	12	3/4
8	14.20	1-5/8	1-1/8	14	1-1/2



Fig. 119



Standard Package, 4, 5 & 6 inches. 5 Pieces.
Available in Skin Pack. See Skin Pack Section.

SKENE BOW CHOCKS—Fig. 160

Cast Bronze — Chromium Plated

Size No.	Per Pair	Length Inches	Width Inches	For Diam. Rope Inches	Standard Package	Weight Per Pair Pounds
1	\$12.25	4-1/2	3/4	5/8	5 Pr.	3/4
2	18.20	5-1/8	1-1/8	3/4	5 Pr.	1-1/2
3	33.75	7-1/4	1-3/8	7/8	1 Pr.	4



Fig. 160

SKENE STERN CHOCKS—Fig. 161

Cast Bronze — Chromium Plated

Size No.	Each	Length Inches	Width Inches	For Diam. Rope Inches	Standard Package	Weight Each Pounds
11	\$ 6.40	4	7/8	5/8	5	1/2
12	12.00	5-3/4	1-1/4	3/4	5	1
13	16.80	7	1-5/8	7/8	1	2



Fig. 161

HAWSE HOLE PLATE—Fig. 752

Cast Bronze

Generally used in the covering board or gunwale deck for passing a dock line to a cleat under the deck.

Plain Bronze Each	Chromium Plated Each	Dimensions Overall Inches	Dimensions Inside Inches	Length Spigot Inches	Weight Pounds
\$8.50	\$12.30	4-1/4x6-1/4	2-1/16x4	1-1/16	1-1/4



Fig. 752

MOORING BITTS— Figs. 608 & 1219


With 18-8 Stainless Steel Cross Pin

Fig. 608 is Cast Bronze, Chromium Plated

Fig. 1219 is Die Cast Zinc Alloy, Chromium Plated

No.	Fig. 608 Each	Fig. 1219 Each	Size Base Inches	Height Inches	For Bolt Size	Weight Pounds
1	\$11.50	—	3 x3	2-1/2	10	7/8
2	19.50	—	4-1/4x4-1/4	3-1/2	1/4"	1-7/8
2-1/2	31.00	\$14.50	5 x5	4-3/4	3/8"	3-1/2
3	36.50	—	6 x6	5	3/8"	4-1/2
4	78.50	—	7 x7	6-1/2	1/2"	12

Fig. 608 Bronze
Fig. 1219 Die Cast



COMBINATION BITT AND ROPE DECK PIPES—

Figs. 431 & 1237

Same as Above. Hollow Body is Drilled to Allow Passage of Line Below Deck.

No.	Fig. 431 Each	Fig. 1237 Each	For Diam. Rope Inches	Weight Pounds
2	\$21.00	—	3/4	1-3/4
2-1/2	32.50	\$16.00	1	3-1/4
3	38.50	—	1	4
4	81.00	—	1-1/4	12



Fig. 431 — Bronze
Fig. 1237 — Die Cast

ROPE AND CHAIN DECK PIPE—Fig. 750

For Lightweight Anchors Using Chain —
Cast Bronze — Chromium Plated

When lightweight anchors are used a short length of chain is generally shackled to the rope line.

This deck pipe will accommodate 3/4 inch line on a thimble, the shackle and 1/4 inch chain. It has a hook for hanging the chain, the weight of which holds the cover down.

Each	Dimensions of Flange Inches	Dimensions Inside Inches	Height Inches	Weight Pounds
\$20.50	5-1/4x4	3-3/4x2-1/2	1-3/8	2

Spare Cover With Hook and Chain, \$12.00.



Fig. 750

ROPE DECK PIPE—Fig. 757

Die Cast Zinc Alloy — Chromium Plated
With Hinged Cover

Each	For Diam. Rope Inches	Inside Diameter Inches	Diameter Flange Inches	Weight Pounds
\$4.00	1	1-3/4	3-3/8	1/2



Fig. 757

ROPE DECK PIPES—Fig. 741

Cast Bronze — Chromium Plated

No.	Each	For Diam. Rope Inches	Inside Diam. Inches	Diam. Flange Inches	For Screw No.	Weight Pounds
0	\$10.50	5/8	1-1/4	3	8	3/4
1	17.00	3/4 & 1	1-5/8	4-1/4	8	1-5/8

Spare caps with Chain, half of above prices.



Fig. 741

FENDER LOCK—Fig. 1299

Die Cast Zinc Alloy — Chromium Plated

Attach and detach fenders instantly, eye is permanently fastened to fender line, it quickly engages the deck flange and stays there until its job is done.

Each	Diameter Flange Inches	I.D. Eye Inches	Weight Ounces
\$1.25	1-1/2	3/8	1

Standard Package, 10 Pieces.


 Available in Skin Pack. See Skin Pack Section



Fig. 1299

FENDER HOOKS—Fig. 1246

Die Cast Zinc Alloy — Chromium Plated

Each	For Rope Diameter Inches	Size Plate Inches	For Screw No.	Weight Ounces
\$.70	3/8	1-3/4x1-1/4	6	1-1/4

Standard Package, 10 Pieces.


 Available in Skin Pack. See Skin Pack Section.



Fig. 1246

SNAP TYPE FENDER HOOK — Fig. 1309

Die Cast Zinc Alloy — Chromium Plated

No more lost fenders, the snap does the job.

Each	For Rope Diameter Inches	Size Plate Inches	For Screw No.	Weight Ounces
\$1.10	1/4	1-9/16x1-3/8	6	1-1/2

Standard Package, 10 Pieces.



Fig. 1309




Fig. 237

BOW EYES—Fig. 237

18-8 Stainless Steel — Polished

No.	Each	Length Shank Inches	Diameter Metal Inches	Length Thread Inches	Inside Eye Inches	Weight Ounces
0	\$2.65	2-1/4	5/16	1-1/8	1	3
1	3.20	3	5/16	3	1	4
2	4.10	6	5/16	4-5/8	1	5-1/2
3	4.55	3	3/8	3	1-1/8	5
4	8.50	3	1/2	3-3/8	1-1/2	12

Standard Package, Nos. 0 thru 3, 10 Pieces. No. 4, 5 Pieces.

Available in Skin Pack. See Skin Pack Section.




Fig. 1232

BOW EYES—Fig. 1232

Die Cast Zinc Alloy — Chromium Plated — Forged Steel Shank, Nut and Washer.

Eye is die cast around the square head of shank.

Each	Length Shank Inches	Length Thread Inches	Diameter Shank Inches	Eye Inside Inches	Standard Package	Weight Ounces
\$2.25	3	2-1/2	3/8	1	10	10

Available in Skin Pack. See Skin Pack Section.



Fig. 1235

BOW EYES—Fig. 1235

Die Cast Zinc Alloy — Chromium Plated — Forged Steel Shanks, Nut and Washer — Shanks Are One Continuous "U" Bolt Cast Inside Eye.

Each	Length Shank Inches	Length Thread Inches	Diameter Shank Inches	Inside Eye Inches	Standard Package	Weight Ounces
\$2.45	3	2-3/4	5/16	1	10	11

Available in Skin Pack. See Skin Pack Section.




Fig. 236

TRANSOM EYES—Fig. 236

18-8 Stainless Steel — Polished

For use as towing or lashing eye, has heavy gauge stainless steel finishing plate, stainless steel nuts and washers.

No.	Each	Diameter Metal Inches	Length Shank Inches	Inside Eye Inches	Dimensions Plate Inches	Weight Ounces
0	\$2.65	5/16	2-1/4	1	3 x 1-3/4	4
1	3.50	5/16	3	1	3 x 1-3/4	6
3	4.55	3/8	3	1-1/8	3 x 1-3/4	10
4	9.00	1/2	3-1/2	1-1/2	4 x 1-3/4	14-1/2

Standard Package, No. 0, 1 — 10 Pieces. Balance 5 Pieces.




Fig. 863


WATER SKI TOWING HOOK—Fig. 863

For Mounting Through Transom — Die Cast Zinc Alloy Hook — Steel Bolt — All Chromium Plated.

Designed for both strength and looks. Polished chromium plated hook provides a good looking fitting and the steel core provides the necessary strength for enjoyable skiing.

Each	Length Overall Inches	Diameter Bolt Inches	Length Bolt Inches	Length Thread Inches	Standard Package	Weight Ounces
\$3.75	6	5/16	3-1/4	2-1/2	10	10

Available in Skin Pack. See Skin Pack Section.



Steel

LIFTING EYE AND CLEAT—Fig. 434

Cast Manganese Bronze — Chromium Plated
For 5/8 Inch Rod

Each	I.D. Eye Inches	Length Cleat Inches	Dimensions Base Inches	Weight Ounces
\$12.50	1-1/16	5-1/2	3x2-1/2	18



Fig. 434

HEAVY DUTY LIFTING EYES—Figs. 429 & 430

Cast Manganese Bronze — Chromium Plated

A good strong eye made to do the job and designed to conform in styling with other fittings on the modern boat.

Fig.	Each	For Rod Inches	I.D. Eye Inches	O.D. Eye Inches	Weight Ounces
429	\$12.00	5/8	1-1/2	2-1/4	19
430	13.50	5/8	1-1/2	2-1/4	17



Fig. 429
INTEGRAL FLANGE



Fig. 430
LOOSE FLANGE

HEAVY DUTY ANGULAR KEEL PLATES—Fig. 447

Cast Manganese Bronze — Plain — For 5/8 Inch Rod

Each	Dimensions Base Inches	For Diam. Bolt Inches	Weight Ounces
\$5.50	3-7/8x1-1/2	1/4	15

Standard Package, 5 Pieces.




Fig. 447

COMBINATION KEEL PLATE & BOW EYE—Fig. 486

STAINLESS STEEL PLATE AND BOW EYE
MANGANESE BRONZE CONNECTING ROD—TAPPED 5/8"

Keel Plate is 5-1/2" long, 1-1/2" wide.

No.	Each	Diameter Bow Eye Inches	Length Shank Inches	Length Thread Inches	Weight Pounds
1	\$11.25	5/16	3	3	1-1/4
3	12.00	3/8	3	3	1-3/8
4	15.00	1/2	3-1/4	3-1/4	1-3/4



Fig. 486

PAD OR LASHING EYES—Fig. 423

Cast Manganese Bronze — Chromium Plated

No.	Each	Size Plate Inches	Size Eye Inches	Size Bolt Inches	Weight Ounces
1	\$5.75	4x2-1/2	1	1/4	8
2	8.00	5x3-1/8	1-1/2x1	5/16	14-1/2



Fig. 423

Standard Package, 5 Pieces.

PERKINS MARINE LAMP & HARDWARE CORP.



®“CHROMALEX” STEP PLATES—Fig. 1225-CH
Die Cast Zinc Alloy — Chromium Plated — With Black Plastic
Non-skid Pads




Fig. 1225-CH

No.	Each	Dimensions Overall Inches	For Screw No.	Standard Package	Weight Ounces
0	\$2.00	8-3/8x2-1/4	8	10	5
1	2.35	8-3/4x3-1/4	8	10	8

Available in Skin Pack. See Skin Pack Section.




Fig. 1225

STEP PLATES—Fig. 1225

Die Cast Zinc Alloy — Chromium Plated — With White
Moulded Step Pads

No.	Complete Each	Overall Dimensions Inches	For Screw No.	Standard Package	Weight Ounces
0	\$2.00	8-3/8x2-1/4	8	10	5
1	2.35	8-3/4x3-1/4	8	10	8
2	4.85	11-1/2x5-3/4	8	10	12

Available in Skin Pack. See Skin Pack Section.




Fig. 1043

STEP PLATES—Fig. 1043

Cast Bronze Frame — Chromium Plated — With White
Moulded Step Pads

No.	Complete Each	Overall Dimensions Inches	For Screw No.	Standard Package	Weight Pounds
0	\$ 5.35	8 x2-1/4	4	10	1/2
1	8.00	8-3/4x3-1/4	6	10	3/4
2	12.60	11-1/2x5-3/4	8	10	1-3/4



Fig. 1050-B — Black
Fig. 1050-W — White

STEP PADS ONLY—Fig. 1050-B or W

Without Frame — For Figs. 1225 & 1043

No.	Each
0	\$.90
1	1.20
2	2.15



No. 1 with Straight Blade



No. 2 with Curved Blade

Fig. 533

HAND WINDSHIELD WIPERS—Fig. 533

For Straight or Curved Windshields — Stainless Steel Extens-
ible Arm and Blade Holder — Other Parts Chromium Plated
— Rustproof — Leakproof — With 12 Inch Blade

The arm is extensible from 9 to 12 inches, spring tension is
adjustable for best wiping pressure.

No. 1 Each	No. 2 Each	Length Overall Inches	Diam. Shaft Inches	Length Handle Inches	Weight Ounces
\$8.85	\$9.65	15 to 18	3/8	2-3/8	8

For thickness of wood up to 1-1/8 inches.

Spare Arm	\$2.65	each
Spare Straight Blade	1.15	each
Spare Curved Blade	2.40	each

Available in Skin Pack. See Skin Pack Section.

® "CHROMALEX"

TRANSOM OR UTILITY HANDLE—Figs. 1336 & 1346

Die Cast Zinc Alloy — Perkoplate Chrome.
Glossy Black Lexan Plastic Base

Fig. 1336 for 1/4" Screws

Fig. 1346 with Studs, Nuts and Washers

Studs are 1/4" x 1-1/2" below base

Fig. 1336 Each	Fig. 1346 Each	Length Overall Inches	Length Inside Inches	Width Overall Inches	Weight Ounces
\$2.25	\$2.75	6-1/4	3-1/2	1-1/4	10

Fig. 1336 Available in Skin Pack. See Skin Pack Section.



Fig. 1336




Fig. 1346



TRANSOM HANDLE—Fig. 1229

Die Cast Zinc Alloy — Chromium Plated

Chromium Plated Each	Length Overall Inches	Length Inside Inches	For Screw No.	Weight Ounces
\$1.20	5-1/4	3-1/2	6	2-1/4

Standard Package, 10 Pieces



Fig. 1229



ROUND GRIP TRANSOM HANDLE—Fig. 1231

Die Cast Zinc Alloy — Chromium Plated

Extra strong for heavy boats. The round grip has no sharp edges and is ample to accommodate a man size hand.

Each	Length Overall Inches	Length Inside Inches	Height Inside Inches	For Screw No.	Weight Ounces
\$1.60	6	3-1/2	1-5/16	1/4"	7-1/4

Standard Package, 10 Pieces.

Available in Skin Pack. See Skin Pack Section.




Fig. 1231



TRANSOM HANDLES—Figs. 775 & 1222

Pressure Cast Silicon Bronze Or Die Cast Zinc Alloy

Fig.	No.	Chrome Plated Each	Length Overall Inches	Length Inside Inches	For Screw No.	Wt. Ozs.
775	1	\$2.85	4-1/4	2-5/8	6	2
775	2	4.20	5-3/4	3-3/4	8	4
1222		1.40	5-3/4	3-3/4	8	3-1/2

Standard Package, 10 Pieces Each Size.

Fig. 775 #2 Available in Skin Pack. See Skin Pack Section.



Fig. 775 — Bronze
Fig. 1222 — Die Cast



BOW HANDLE— Fig. 1221

Die Cast Zinc Alloy — Chromium Plated

Chromium Plated Each	Length Overall Inches	Height Above Deck Inches	For Screw No.	Weight Ounces
\$2.10	6-1/2	2	8	5-1/2

Standard Package, 10 Pieces.



Fig. 1221



BOW HANDLE—Fig. 1234

Die Cast Zinc Alloy — Chromium Plated

Chromium Plated Each	Length Overall Inches	Height Above Deck Inches	For Screw No.	Weight Ounces
\$2.25	6-1/2	2	8	5-1/2

Standard Package, 10 Pieces.



Fig. 1234

PERKINS MARINE LAMP & HARDWARE CORP.

ROWLOCK HORNS AND SOCKETS
 DIE CAST ZINC ALLOY – NATURAL OR CHROMIUM PLATED FINISH
 ALL SOCKETS HAVE DELRIN BEARING – SMOOTH AND QUIET



Fig. 1227



Fig. 1267



Fig. 1262

HORNS ONLY
 Straight Shanks

Diameter Shank Inches	Length Shank Inches	Between Horns Inches	Inside Diameter Fig. 1267 Inches	Weight Per Pair Ounces
1/2	1-3/4	1-3/4	2	9
	Fig.	Natural Finish Per Pair	Chromium Plated Per Pair	
	1227	\$1.60	\$2.85	
	1262	1.30	2.50	
	1267	1.40	2.65	

Standard Package, 10 Pairs

Available in Skin Pack. See Skin Pack Section.



SOCKETS ONLY
 For Straight Shanks Above



Fig. 1185



Fig. 1186



Fig. 1187

Fig.	Length Inches	Width Inches	Depth Inches	Weight Per Pair Ounces
1185	2-7/8	1-1/8	1-1/8	5
1186	4	7/8	1-1/8	9
1187	4	—	1-1/4	6
	Fig.	Natural Finish Per Pair	Chromium Plated Per Pair	
	1185	\$1.55	\$2.20	
	1186	1.95	3.30	
	1187	1.65	2.80	

Standard Package, 10 Pairs.

ROWLOCK HORNS AND SOCKETS
 Cast Iron – Hot Galvanized

Horns Only – Fig. 638



Fig. 638



Fig. 637

No.	Per Pair	Between Horns Inches	Diam. Shank Inches	Length Shank Inches	Weight Per Pair Ounce
0	\$1.45	1-3/4	5/8	2-1/8	11
1	1.60	2	5/8	2-1/8	13

Standard Package 10 Pairs.

Sockets Only – Fig. 637

No.	Per Pair	Length Inches	Width Inches	Depth Inches	Weight Per Pair Ounces
0-1	\$.95	3-1/4	1	1-3/8	6

Standard Package 10 Pairs.



Fig. 233

OWAR LEATHERS AND BUTTONS—Fig. 233

Russet Leather

No.	Per Pair
1 Complete, Leathers and Buttons	\$2.50
2 Leathers Only—7x6-1/2 inches	2.00
3 Buttons Only—1/2x13 inches	.50

Standard Package, 10 Pairs.

ROWLOCK HORNS AND SOCKETS MALLEABLE IRON – HOT GALVANIZED

HORNS ONLY—Figs. 639, 642, 643, 646

Size No.	Between Horns 639 646 Inches	Inside Diam. 642 Inches	Between Horns 643 Inches	Diam. Shank Inches	Length Shank Inches	Weight Per Pair Ounces
0	1-3/4	2	—	5/8	2-1/8	11
1	2	2-1/4	2-1/8	5/8	2-1/8	13

Standard Package, 10 Pairs.

Size No.	Fig. 639 Per Pair	Fig. 642 Per Pair	Fig. 643 Per Pair	Fig. 646 Per Pair
0	\$2.20	\$2.35	—	\$2.15
1	3.10	3.00	2.75	2.50

SOCKETS ONLY—Figs. 636, 640, 649
Size Nos. 0 and 1

Fig.	Length Inches	Width Inches	Depth Inches	Weight Per Pair Ounces
636	3-1/4	1-1/16	1-1/2	6
640	4	—	1-1/2	8
649	4-1/2	3/4	1-3/8	9

Standard Package, 10 Pairs.

Size No.	Fig. 636 Per Pair	Fig. 640 Per Pair	Fig. 649 Per Pair
0-1	\$.95	\$2.00	\$2.50



Fig. 639



Fig. 642



Fig. 643



Fig. 646



Fig. 636



Fig. 640



Fig. 649

DAVIS PATTERN ROWLOCKS—Fig. 641 Malleable Iron – Hot Galvanized

Size No.	Per Pair	Between Horns Inches	Width Top Flange Inches	Depth Socket Inches	Weight Per Pair Pounds
0	\$6.20	1-3/4	7/8	2-1/2	2
1	7.00	2	7/8	2-1/2	2-1/8

Standard Package, 10 Pairs.



Fig. 641

TRANSOM PLATES—Fig. 1224

Die Cast Zinc Alloy – Chromium Plated

For outboard motor brackets, saves wear and tear on transom and helps to prevent loss of motor.

No.	Per Pair	Length Overall Inches	Inside Diameter Inches	Weight Per Pair Ounces	Standard Package
1	\$1.75	3-1/2	1-7/8	2-3/4	10
2	2.55	3-1/2	2-1/16	3	10



Fig. 1224

Available in Skin Pack. See Skin Pack Section.



PERKINS MARINE LAMP & HARDWARE CORP.



Fig. 1337



Fig. 1347

Fig. 1338
For ScrewFig. 1348
With Studs

Fig. 1339



End View



Fig. 413 End Posts

Fig. 413-A Center Posts



Fig. 1297 End Posts

Fig. 1298 Center Posts



Fig. 380 End Posts

Fig. 380-A Center Posts



Fig. 497 - Aluminum

Fig. 498 - Brass

Fig. 916 - Stainless Steel

NEW

"CHROMALEX" GRAB RAILS

Die Cast Zinc Alloy - Chromium Plated
Glossy Black Lexan Base
Anodized Aluminum Tubing

Figs. 1337 and 1338 are for 1/4" Screws or Bolts.

Figs. 1347 and 1348 have 1/4" Studs, 1-3/4" Below Base.

Fig. 1339 Tubing is 1-1/8" wide, 3/8" thick.

Fig.	Each	Height Inches	Base Inches	Weight Ounces
1337	\$1.30	1-3/8	1-3/8 x 1-1/16	3
1338	1.30	1-3/8	1-3/16 x 1/2	3
1347	1.45	1-3/8	1-3/8 x 1-1/16	4
1348	1.45	1-3/8	1-3/16 x 1/2	3-1/2

Fig. 1339 TUBING

6 Foot Lengths - \$6.00 Each

MINIMUM QUANTITY AND STANDARD PACKAGE, 5 LENGTHS



GRAB RAIL POSTS-Figs. 413 & 413-A

Cast Bronze - Chromium Plated - For 1 Inch O.D. 20 Gauge Brass Tubing

Fig.	Each	Height Overall Inches	Dimensions Base Inches	For Screw No.	Standard Package	Weight Ounces
413	\$8.00	2-1/4	3 x 2	8	10	10
413-A	6.75	2-1/4	2-3/4 x 1-1/2	8	5	7-1/4



GRAB RAIL POSTS-Figs. 1297 & 1298

Die Cast Zinc Alloy - Chromium Plated
For 3/4 inch rod or tubing

Each	Height Overall Inches	Diameter Base Inches	Standard Package	Weight Ounces
\$1.40	1-3/4	1-5/8	10	2-3/4



GRAB RAIL POSTS-Figs. 380 & 380-A

Cast Bronze - Hollow - Chromium Plated

No.	Each	Diameter Hole Inches	Height Overall Inches	Diameter Base Inches	Standard Package	Weight Ounces
1	\$8.00	1	3-3/8	2-1/2	5	10



TUBING

ANODIZED ALUMINUM - POLISHED-Fig. 497

Each	Outside Diameter Inches	Length Feet	Weight Ounces
\$5.50	3/4	6	10

MINIMUM QUANTITY AND STANDARD PACKAGE, 3 LENGTHS

BRASS-CHROMIUM PLATED-Fig. 498

Each	Outside Diameter Inches	Length Feet	B & S Gauge	Weight Pounds
\$18.00	1	6	20	2

MINIMUM QUANTITY AND STANDARD PACKAGE, 3 LENGTHS

STAINLESS STEEL TUBING-Fig. 916

18-8 Non Magnetic - Polished - 7/8" O.D. - .049 Wall

Each	Length Feet	Weight Pounds
\$19.00	6	2-1/4

MINIMUM QUANTITY AND STANDARD PACKAGE, 3 LENGTHS

"PERKO" RAIL FITTINGS

Cast Bronze – Polished Chromium Plated

With Stainless Steel Allen Set Screws – Drilled and Countersunk 1/4"

ROUND ANGLE BASE—Fig. 992

Each	For Tubing Inches	Diameter Base Inches	Height Inches	Weight Ounces
\$8.20	7/8	2-5/8	1-3/4	8

Included angle – 60°



Fig. 992

ROUND STRAIGHT BASE—Fig. 973

Each	For Tubing Inches	Diameter Base Inches	Height Inches	Weight Ounces
\$7.85	7/8	2-5/8	1-5/8	7



Fig. 973

RECTANGULAR ANGLE BASE—Fig. 981

Each	For Tubing Inches	Dimensions Base Inches	Height Inches	Weight Ounces
\$8.50	7/8	2-7/8x1-3/4	1-3/4	8

Included angle – 60°




Fig. 981

RECTANGULAR STRAIGHT BASE—Fig. 977

Each	For Tubing Inches	Dimensions Base Inches	Height Inches	Weight Ounces
\$8.00	7/8	2-3/4x1-3/4	1-5/8	6-1/2




Fig. 977

ANGLE TEE—Fig. 990

Right or Left Hand

Each	For Tubing Inches	Length Inches	Height Inches	Weight Ounces
\$7.15	7/8	2	2-3/16	6

Included angle – 60°

Please specify hand.




Fig. 990

STRAIGHT TEE—Fig. 989

Each	For Tubing Inches	Length Inches	Height Inches	Weight Ounces
\$7.15	7/8	2	2	6



Fig. 989

BOW FORM—Fig. 993

With 3/4" Flag Pole Socket

Each	For Tubing Inches	Width Overall Inches	Angle Degree	Weight Ounces
\$11.75	7/8	4-1/4	110	12-1/2



Fig. 993

NOTE – STANDARD PACKAGE, ALL ABOVE FITTINGS, 5 PIECES.

GRAB RAILS—Fig. 936

18-8 Stainless Steel 7/8" Tubing - Chromium Plated Brass Ends – Chromium Plated Cast Bronze Bases – Stainless Steel Screws.

No.	Each	Length Overall Inches	Height Under Tubing Inches	Weight Pounds
1	\$15.50	12	1-1/4	1
2	17.00	18	1-1/4	1-3/8




Fig. 936

PERKINS MARINE LAMP & HARDWARE CORP.



Fig. 180



Fig. 185



Bow

Fig. 218



Stern

Fig. 219



Bow

Fig. 220



Stern

Fig. 221



Fig. 343 Stern

FITTINGS FOR WOOD GUARD RAILS

Cast Bronze — Chromium Plated — Stainless Steel Pins

HINGE—Fig. 180

LATCH—Fig. 185

No.	Fig. 180 Each	Fig. 185 Each	Size Rail Inches	Length Overall Inches	Weight Pounds
1	\$15.75	\$14.75	2-3/8x1-3/8	5	3/4
2	16.75	16.00	2-7/8x1-1/4	5-1/2	1

FLUSH TYPE FLAG POLE SOCKETS—Figs. 218 & 219

Cast Bronze — Chromium Plated

No.	Inside Diam. Inches	Fig. 218 Each	Fig. 219 Each	Diam. Flange Inches	Depth Socket Inches	Weight Ounces
1	3/4	\$3.50	\$3.95	2	1-1/2	4-1/2
2	1	4.60	5.35	2-3/8	1-3/4	5
3	1-1/4	5.35	6.00	2-5/8	2	9
4	1-1/2		8.25	3-1/8	2-3/8	15

Standard Package, 5 Pieces.

UPRIGHT TYPE FLAG POLE SOCKETS—Figs. 220 & 221

Cast Bronze — Chromium Plated

No.	Inside Diam. Inches	Fig. 220 Each	Fig. 221 Each	Diam. Base Inches	Height Inches	Weight Ounces
1	3/4	\$5.35	\$5.50	2-1/8	1-3/4	5-1/4
2	1	6.75	6.90	2-1/2	2	6-3/4
3	1-1/4	7.85	8.00	2-3/4	2-1/8	10-3/4

Standard Package, 5 Pieces.

UPRIGHT TYPE FLAG POLE SOCKETS—Fig. 343

Zamak Die Castings — Chromium Plated — Drilled For No. 6 Screw

Each	Inside Diam. Inches	Size Base Inches	Height Overall Inches	Standard Package	Weight Ounces
\$1.80	3/4	3x2-1/8	2	5	4-1/2

TABLE BRACKETS—Fig. 148

18-8 Stainless Steel — Satin Finish

For removable tables in cabin or cockpit.

A pair of angle brackets attached to table and several pairs of wall plates mounted in cabin and cockpit allows placing of table as desired.

Angle bracket cannot jump out of wall plate when table leg is firmly placed on deck.




Fig. 148

Per Set	Angle Brackets Only Per Pair	Wall Plates Only Per Pair	Dimensions Angle Bracket Inches	Dimensions Wall Plate Inches	Weight Bracket Ounces	Weight Wall Plate Ounces
\$6.50	\$3.25	\$3.25	2-3/4x1-11/16	3-3/8x2	3	3

Standard Package, 5 Sets.

A set consists of 2 brackets and 2 plates.

LADDER HOOKS—Fig. 717

For Folding Boarding Ladders
Cast Bronze — Chromium Plated

A Inches	B Inches	C Inches	Length Curved Arm Inches	Size Plate Inches	Weight Per Set Pounds
6-1/8	4	2-1/2	7	2-1/2x3-1/4	2-1/2
			COMPLETE PER SET	PLATES ONLY PER SET	
			\$31.50	\$10.50	




Fig. 717

LADDER LOCKS—Fig. 669

For Companionway or Upper Berth — Pressure Cast Silicon
Bronze — Chromium Plated

Height Inches	Length Socket Inches	Length Bracket Inches	Weight Per Set Ounces
1-1/4	1	1-3/4	12
Complete Per Set		Sockets Only Per Pair	
\$9.50		\$4.25	



Fig. 669

A set consists of four pieces illustrated.
Standard Package, 5 Sets.

FOLDING STEP—Fig. 344


Cast Bronze — Stainless Steel Spring

For mounting on hull or transom, folds up out of way when
not in use. Spring holds step in position.

Mounting Holes for 5/16 Inch Bolt.

Plain Bronze Each	Chromium Plated Each	Size Step Inches	Size Base Inches	Extends Folded Inches	Weight Pounds
\$6.75	\$14.25	4x2	4-1/4x1-3/4	7/8	1-1/8

Standard Package, 5 Pieces.



FOLDED

OPEN

BOARDING STEP—Fig. 351

Cast Bronze

Designed for mounting on transom, permitting easy access to
or from the water or for mounting on bulkhead for climbing
to the flying bridge.

All high spots are polished.

Plain Bronze Each	Chromium Plated Each	Dimensions Of Step Inches	Dimensions Mounting Bracket Inches	Weight Pounds
\$7.40	\$10.00	6x4-1/4	6x2	1-5/8




Fig. 351

BOARDING STEP—Fig. 501

Cast Bronze

Designed for mounting on transom, permitting easy access to
or from the water or for mounting on bulkhead for climbing
to the flying bridge.

All high spots are polished.

Plain Bronze Each	Chromium Plated Each	Dimensions Of Step Inches	Dimensions Mounting Bracket Inches	Weight Pounds
\$12.00	\$15.80	11x4-1/2	11x2	2-7/8



Fig. 501



Side
Mounting
Fig. 1290



Offset
Mounting
Fig. 1291



Port Side
Fig. 82



Fig. 360



Fig. 1179




Fig. 1180



Fig. 1116

WINDSHIELD ADJUSTERS—Figs. 1290 & 1291

Die Cast Zinc Alloy — Chromium Plated

Per Pair	Spare Knobs Each	Length Overall Inches	Length Adjustment Inches	Diam. Knob Inches	Weight Per Pair Pounds
\$11.00	\$1.00	12	9-1/2	1-3/4	1-1/2

NOTE — When ordering 1/2 pair, specify whether for port or starboard side. Illustration is port side.

WINDSHIELD ADJUSTERS—Fig. 82

Cast Bronze — Chromium Plated

Per Pair	Length Overall Inches	Length Adjustment Inches	Weight Per Pair Pounds
\$30.00	12	9-1/2	2-3/8

NOTE — When ordering 1/2 pair, specify whether for port or starboard side.

"SKIPPER" WINDSHIELD ADJUSTER—Fig. 360

Chromium Plated — For Heavy Cruiser Windshields

Enables the skipper to adjust the windshield with one hand without leaving the wheel. The large bakelite knob is used for pushing, pulling, tightening or loosening in one operation.

Each	Length Base Overall Inches	Length Windshield Arm Inches	Length of Adjustment Inches	Weight Pounds
\$22.00	27-1/2	23	22-1/2	3-3/4

Special sizes to order, in manufacturing quantities only.

WINDSHIELD ADJUSTERS—Fig. 1179

Heavy Pattern — Chromium Plated

Illustration shows swivel base on left side and swinging base on right.

No.	Each	Length Closed Inches	Length Open Inches	Diam. Outside Tube Inches	Weight Ounces
1	\$11.00	10	18	1/2	9
2	11.60	12	20	1/2	11

Standard Package — 10 Pieces.

WINDSHIELD ADJUSTERS—Fig. 1180

Chromium Plated

A powerful non-slip grip keeps this adjuster in desired position.

Each	Length Closed Inches	Length Open Inches	Diam. Outside Tube Inches	Weight Ounces
\$11.25	12	21	1/2	10

Standard Package — 10 Pieces.

WINDSHIELD ADJUSTERS—Fig. 1116

Chromium Plated

No.	Each	Length Inches	Diam. Rod Inches	Weight Ounces
1	\$7.85	8	3/8	11
2	8.20	10	3/8	12
3	8.50	12	3/8	13

HATCH FASTENERS OR WINDSHIELD KEEPER—Fig. 155
 Brass — Chromium Plated — With Phosphor Bronze Internal Spring

This fastener has strong spring action providing quick grip or release and more than adequate holding power.

Each	Length Overall Inches	Size of Mounting Inches	Standard Package	Weight Ounces
\$9.00	3-7/8	1-1/2x9/16	10	3-1/4



Fig. 155



Fig. 697



WINDSHIELD KEEPER OR HATCH FASTENER—Fig. 697
 Chromium Plated

Per Set	Base of Keeper Inches	Base of Plate Inches	Standard Package	Weight Ounces
\$4.25	1-1/2x5/8	1-1/2x3/4	10	3

A set consists of parts illustrated.

WINDSHIELD KEEPER OR HATCH FASTENER—Fig. 967
 Cast Bronze — Chromium Plated

Per Set	Base Of Keeper Inches	Base of Plate Inches	Length Bolt Inches	Standard Package	Weight Ounces
\$8.40	1-9/16x1	1-7/8x7/8	1-1/4	10	6



Fig. 967




Fig. 769

HATCH FASTENER OR WINDSHIELD KEEPER—Fig. 769
 Chromium Plated

Each	Dimensions For Each Base Inches	Standard Package	Weight Ounces
\$6.40	1-1/2x5/8	10	4-1/2

BOAT HOOK HOLDERS—Fig. 492
 18-8 Stainless Steel — Polished

Will accommodate poles up to 1-1/2 inch in diameter, and hold them firmly in place.

Per Pair	Length Inches	Width Inches	For Screw No.	Packed Per Box	Weight Ounces
\$1.45	3-1/2	1	6	10 pr.	1-1/2




Fig. 492

"HOLDALL" SPRING CLAMPS—Fig. 502
 18-8 Stainless Steel — Polished

Excellent for stowing fishing rods, boat hooks, oars, swab, broom, flashlight, flagstaff, pump, etc.

No.	Per Pair	Adjustability Inches	Length From Wall Inches	Width of Metal Inches	For Screw No.	Weight Per Pair Ounces
1	\$1.85	5/8 to 1-1/4	1-1/2	1/2	6	2
2	2.10	1 to 1-3/4	2-1/4	5/8	6	2-1/2




Fig. 502

Standard Package, 10 Pair Per Size.



Fig. 1017

RING BUOY HOLDERS—Fig. 1017

Cast Bronze

Plain Bronze Each	Chromium Plated Each	Width Mounting Plate Inches	Hgt. Over-all Inches	For Screw No.	Wt. Lbs.
\$3.35	\$7.00	3	4-1/2	8	1/2

Standard Package, 5 Pieces.



Fig. 224

BOAT HOOKS—Fig. 224

Ball Points — Galvanized Malleable Iron

Size No.	Each	For Diam. Pole Inches	Extreme Length Inches	Weight Ounces
4	\$3.40	1-1/4	8-1/4	12
5	4.75	1-1/2	9-3/8	18

Standard Package, 10 Pieces.

NOTE — Pole end is measured by outside diameter to fit flush with surface of pole.




Fig. 933

ANCHOR CHOCKS—Fig. 933

Cast Bronze

Consists of four parts illustrated. Head of shank is held fast by slotted casting and thumb screw.

	No. 1		No. 2	
	Plain Bronze	Plain Chromium Plated	Plain Bronze	Plain Chromium Plated
Complete, per set	\$10.60	\$11.75	\$12.30	\$13.20
Shank support only, ea.	4.25	4.80	5.35	5.60
Fluke supports only, pair	3.20	3.75	3.75	4.20
Crown support only, ea.	3.20	3.75	3.75	4.20

Standard Package, 5 Sets. Weight per set, 2 pounds.

No. 2 size for anchors 30 lbs. and larger.



Fig. 417

RINGS—Fig. 417

Polished Brass

No.	Inside Diam. Inches	Thickness Inches	Each	No.	Inside Diam. Inches	Thickness Inches	Each
1	1/2	1/8	\$.15	4	1-1/4	3/16	\$.43
2	3/4	1/8	.22	5	1-1/2	7/32	.50
3	1	3/16	.36	6	1-3/4	1/4	.70
				7	2	1/4	.80

Standard Package 10

Standard Package 5



Fig. 607

RING ON PLATE—Fig. 607

Galvanized Drop Forged Steel

No.	Each	Size Ring Inches	Size Plate Inches	Standard Package	Weight Per 100 Pounds
1	\$2.20	5/16x1-1/2	2-1/8x2-1/8x1/4	10	33
2	2.75	3/8 x2	2-1/8x2-1/8x1/4	10	50



Fig. 1020

RINGS WITH STRAPS—Fig. 1020

Cast Bronze

Plain Bronze Each	Chromium Plated Each	Size Strap Inches	For Screw No.	Weight Ounces
\$2.05	\$4.30	4-1/8x3/4	8	4-1/2

PAINT SCRAPER SET—Fig. 1015

Set consists of handle with 3 blades illustrated, and nut to change and attach blades.

Packed, 1 set to a box.

No. 1 Blade, Triangular—2-3/8x2-3/8 inches.

No. 2 Blade, Triangular—3x3 inches

No. 3 Blade, Oval—2-1/2x1-1/4 inches.

Length Handle—8-1/2 inches.

Weight Per Set, 9 Ounces

Per Set - \$8.50.




Fig. 1015

DOUBLE END SCRAPERS—Fig. 1175

Fine Grade Tool Steel — Heat Treated

Each	Length Inches	Width Inches	Thickness Inches	Width Blade Inches	Weight Pounds
\$2.30	15	1	1/4	1-3/4	1



Fig. 1175

CAULKING IRONS—Fig. 307

Malleable Iron

Size No.	Per Dozen	Thickness Inches	Length Inches	Width Blade Inches	Weight Per Dozen in Lbs.
00	\$45.60	1/32	5	2	7-1/2
0	45.60	1/16	5-5/8	2-1/2	7-1/2
1	49.20	1/8	5-7/8	2-1/4	7-1/2



Fig. 307

Standard Package, 1 Dozen.

SAIL MAKERS PALMS—Fig. 411

Hide Mounted — Right Hand Only

Per Dozen
\$36.00

Weight
Per Dozen
in Pounds
2



Fig. 411

Standard Package, 1 Dozen.

MARLINE SPIKES—Fig. 921

Polished Steel — For Wire Rope

Length Inches	Each	Weight Pounds
10	\$ 7.50	1/2
12	7.75	5/8
14	9.40	1
16	11.00	2-1/4
18	13.00	2-1/4



Fig. 921

MAPLE HAND FIDS—Fig. 923

For use in splicing ropes and light flexible cables, has a rounded end for hand use; varnished finish.

No.	Each	Size Inches	Weight Per Dozen Pounds
0	\$2.25	12x1-3/4	5-1/4
1	2.60	14x1-3/4	5-1/4
2	3.00	16x2	6-3/4
3	3.55	18x2	6-3/4
4	5.50	20x2-1/4	12



Fig. 923

AXE BRACKETS—Fig. 325

18-8 Stainless Steel — Polished

A set consists of one blade socket and one handle bracket as illustrated.

Complete Per Set	Blade Sockets Only Each	Handle Brackets Only Each	For Blade Width Inches	Weight Per Set Ounces
\$2.60	\$1.90	\$.70	6	4-1/2



Fig. 325

Standard Package, 10 Sets.



Fig. 612

FAST EYE BOAT SNAPS—Fig. 612

Galvanized Malleable Iron Or Bronze

Size No.	Galv. Each	Plain Bronze Each	Inside Diam. Eye Inches	Extreme Length Inches	Standard Package	Weight Per 100 Pounds
0	\$.82	\$1.05	3/8	2-1/16	24	6-1/4
1	1.06	1.25	5/8	2-7/8	24	12
2	1.23	1.55	3/4	3	24	13-1/2
3	1.40	2.20	3/4	3-7/8	12	24
4	1.87		7/8	4-1/2	12	40
5	2.35		1-1/8	5	12	50
6	2.95		1-1/8	5-1/4	12	68-3/4



Fig. 613

SWIVEL EYE BOAT SNAPS—Fig. 613

Galvanized Malleable Iron Or Bronze

Size No.	Galv. Each	Plain Bronze Each	Inside Diam. Eye Inches	Extreme Length Inches	Standard Package	Weight Per 100 Pounds
1	\$1.42	\$2.10	9/16	3-1/4	24	12-1/2
2	1.70	2.55	11/16	3-5/8	24	16
3	2.25	3.50	3/4	4-5/8	12	30
4	2.65		13/16	4-7/8	12	42
5	3.30		1-1/16	5-3/4	12	61



Fig. 1289

SWIVEL EYE SNAP—Fig. 1289

Die Cast Zinc Alloy – Chromium Plated – Stainless Steel Spring

Has an interlocking device on tongue and hook, adding considerable strength.

Each	Inside Diam. Eye Inches	Extreme Length Inches	Standard Package	Weight Per 100 Pounds
\$1.30	5/8	3	25	12-1/2

Available in Skin Pack, See Skin Pack Section.



Fig. 659

SWIVEL EYE SNAP—Fig. 659

Cast Bronze

Each	Extreme Length Inches	Inside Eye Inches	Inside Hook Inches	Standard Package	Weight Ounces
\$.75	3-1/2	3/4	7/16	25	2-1/2



Fig. 1041



Fig. 842

FAST EYE BABY SNAPS—Figs. 842 & 1041

Cast Brass

Fig.	Each	Size of Eye Inches	Length Inches	Standard Package	Weight Ounces
842	\$.35	3/8	1-7/8	50	1/2
1041	.38	5/8x3/16	1-5/8	50	1/2



Fig. 1042

SWIVEL EYE BABY SNAPS—Fig. 1042

Cast Brass

Each	Length Inches	Diam. of Eye Inches	Standard Package	Weight Ounces
\$.42	2-5/8	3/8	50	1/2



Fig. 606

SAFETY MOORING HOOKS—Fig. 606

Galvanized Drop Forged Steel – Stainless Steel Spring

These hooks, although light in design, have exceptional strength.

No.	Each	I.D. of Eye Inches	Length Overall Inches	Throat Opening Inches	Standard Package	Weight Per 100 in Lbs.
1	\$1.35	3/4	4	3/4	10	25
1-1/2	1.85	1-1/8	4-3/4	3/4	10	32
2	4.95	1	5-3/8	13/16	5	100

No.1 Available in Skin Pack, See Skin Pack Section.

BUY STANDARD PACKAGES

PERKINS MARINE LAMP & HARDWARE CORP.

NEW SAFETY SNAP—Fig. 614
18-8 STAINLESS STEEL – Non Magnetic
Interlocking Tongue



Each	Length Inches	I.D. Eye Inches	Diam. Steel Inches	Weight Ounces
\$3.00	3	3/8	5/16	2-1/2



Fig. 614

Standard Package, 10 Pieces.

★
"S" HOOKS—Fig. 680
Galvanized Wrought Steel

No.	Nominal Size Inches	Each	Length Overall Inches	Weight Per 100 Pounds
1	3/16	\$.15	1-1/2	2-3/4
2	1/4	.20	2	7
3	5/16	.25	2-1/2	14-1/2
4	3/8	.35	3	18-3/4

Standard Package 50 pieces.



Fig. 680

WIRE ROPE CLIPS—Fig. 333
Malleable Iron Saddle – Steel U-Bolt And Nuts

No.	Size Wire Rope Inches	Cadmium Plated Per 100	Est. Wt. Per 100 in Lbs.	No.	Size Wire Rope Inches	Cadmium Plated Per 100	Est. Wt. Per 100 in Lbs.
1	1/8	\$23.00	4-1/4	5	3/8	\$41.00	24
2	3/16	23.00	7	6	1/2	53.50	37
3	1/4	26.00	14-1/2	7	5/8	69.50	59
4	5/16	27.50	16				



Fig. 333

BRASS ACORN NUTS—Fig. 465
Milled Finish

No.	Size Thread	Plain Each	Polished Brass Each	Chromium Plated Each	Size Hexagon Inches	Weight Ounces
1	8 -32	\$.11	\$.17	\$.32	5/16	1/8
2	1/4 -20	.15			7/16	1/4
3	5/16-18	.50	.65	.85	5/8	5/8
5	3/8 -16	.70			5/8	1
7	1/2 -13	1.10			3/4	2
8	1/2 -13	1.30	1.60	1.80	1	2-1/2
9	5/8 -11	2.00	2.50	2.80	1-1/4	5



Fig. 465

★
BRASS WING NUTS—Fig. 453
U. S. S. Thread

No.	For Diam. Bolt Inches	Threads Per Inch	Plain Brass Each	No.	For Diam. Bolt Inches	Threads Per Inch	Plain Brass Each
1	3/16	24	\$.22	4	3/8	16	\$.38
2	1/4	20	.22	5	1/2	13	1.35
3	5/16	18	.38				



Fig. 453

★
ASSORTED BRASS PINS – Fig. 1176
Flat Head

No.	Each	Diam. Pin Inches	Length Under Head Inches	Diam. Head Inches
1	\$.46	3/16	5/8	1/4
2	.46	3/16	3/4	1/4
4	.55	3/16	1	1/4
5	.55	1/4	5/8	5/16
6	.58	1/4	3/4	5/16
7	.61	1/4	7/8	5/16
8	.67	1/4	1-1/16	5/16
10	.67	1/4	1-1/4	5/16
11	.67	5/16	7/8	3/8
15	.69	5/16	1-1/4	3/8
16	.69	5/16	1-1/2	3/8
27	1.38	1/2	1-1/4	5/8




Fig. 1176




Fig. 314

ANCHOR SHACKLES — Fig. 314

Galvanized Drop Forged Steel Or Bronze — Screw Pin Type

No.	Size Inches	Galvanized Each	Bronze Each	Approx. Weight Per 100 in Pounds
1	3/16	\$.78	\$2.20	7
2	1/4	.93	3.00	11
3	5/16	1.00	3.60	20
4	3/8	1.15	4.65	31
5	7/16	1.45		47
6	1/2	1.73		68
7	5/8	2.80		137
8	3/4	3.85		220



Fig. 466

WIRE ROPE THIMBLES—Fig. 466

Galvanized Steel, Brass Or Stainless Steel

No.	For Size Rope Inches	Galv. Each	Brass Each	Stainless Steel Each	Galv. Wt. Per 100 in Lbs.
1	1/8	\$.18	\$.22	\$.27	2-5/8
2	3/16	.18	.23	.27	2-5/8
3	1/4	.18	.30	.33	4-3/8
4	5/16	.20	.40	.46	5-1/2
5	3/8	.20	.72	.77	10-5/8
6	1/2	.26	1.00	1.10	15-1/2
7	5/8	.61			27-1/2
8	3/4	.82			40
9	7/8	1.20			55
10	1	1.35			79



Fig. 319

CONNECTING OR MISSING LINKS—Fig. 319

Drop Forged Steel — With Interlocking Lugs

No.	Size Inches	Galv. Each	Overall Dimensions Inches	Weight Per 100 Pounds
1	3/16	\$.59	1-3/16x 3/4	3-3/4
2	1/4	.61	1-1/2 x1	7-1/2
4	3/8	.73	2-1/8 x1-3/8	18-3/4



Fig. 785

LAP LINKS—Fig. 785

Galvanized Wrought Steel

No.	Size Inches	Each	Inside Dimensions of Link Inches	No.	Size Inches	Each	Inside Dimensions of Link Inches
1	3/16	\$.21	1 x1/2	4	3/8	\$.55	2 x 7/8
2	1/4	.26	1-1/4x9/16	5	1/2	1.00	2-5/8x1-1/8
3	5/16	.40	1-1/2x7/8				



Fig. 396

PETITE TURNBUCKLES—Fig. 396

Bronze — S.A.E. Threads — Eye and Eye

No.	Each	Diam. Thread Inches	Length Extended Inches	Takeup Inches	Weight Per 100 in Lbs.
1	\$1.28	1/8	3	3/4	3
2	1.35	5/32	4	1-1/8	6-1/4
3	1.85	3/16	5	1-1/2	11-1/2
4	2.25	1/4	5-3/4	1-7/8	15
5	2.95	5/16	6-7/8	2-1/4	24-1/2

Standard Package 10 Pieces.



Fig. 398

PETITE TURNBUCKLES—Fig. 398

Bronze — S.A.E. Threads — Jaw and Jaw



No.	Each	Diameter Thread Inches	Length Extended Inches	Takeup Inches	Width Jaws Inches	Weight Per 100 in Lbs.
4	\$4.50	1/4	5-3/4	1-7/8	1/4	19
5	5.55	5/16	6-7/8	2-1/4	1/4	28

Standard Package, 10 Pieces.

PERKO

door & cabinet
hardware
locks
latches
bolts
hinges
hasps
top fittings

SECTION J



MANUFACTURED BY

PERKINS MARINE LAMP & HARDWARE CORP., 16490 N. W. 13TH AVE., P. O. BOX D, MIAMI, FLORIDA 33164

Copyright 1972 in U. S. and Canada by Perkins Marine Lamp and Hardware Corp.

For complete line see catalog No. 220

PERKINS MARINE LAMP & HARDWARE CORP.




Fig. 928
Fig. 930

RIM LATCH SETS—Figs. 928 & 930
 Die Cast Zinc Alloy – Chromium Plated
 With round knob and lever handle, no keys. Locked by thumb bolt inside. For doors 3/4 to 1-1/2 inches.

Fig. 928—Regular Bevel With Box Strike.
 Fig. 930—Reverse Bevel With Flush Strike.

Per Set	Size Case Inches	Size Escutcheon Inches	Diameter Knob Inches	Backset Inches	Weight Pounds
\$12.25	2-1/8x1-3/4	4-3/8x1-1/4	1-3/4	1-3/8	3/4




Fig. 960

MORTISE LATCH SETS—Fig. 960
 Die Cast Zinc Alloy – Chromium Plated – Reversible
 Locked by dead bolt inside, no keys, with round knob and lever handle. For door 1 to 1-1/2 inches thick. Backset 1-3/8 inches.

Per Set	Size Case Inches	Size Facing Inches	Size Escutcheon Inches	Diameter Knob Inches	Weight Pounds
\$12.00	2-1/4x1-13/16	3-1/2x13/16	4-3/8x1-1/4	1-3/4	1




Fig. 567

TUBULAR LATCH SETS—Fig. 567
 Die Cast Zinc Alloy – Chromium Plated
 Locked from inside by thumb bolt, no keys. Round knob and lever handle. For doors 1 to 1-1/2 inches thick. Backset 1-1/4 inches.

Per Set	Diameter Tube Inches	Size Escutcheon Inches	Diameter Knob Inches	Weight Pounds
\$12.75	3/4	4-3/8x1-1/4	1-3/4	3/4




Fig. 918
Fig. 919

RIM LOCK SETS—Figs. 918 & 919
 Die Cast Zinc Alloy – Chromium Plated
 Five disc tumbler type with dead bolt for inside. With round knob and lever handle, two keys. For doors 3/4 to 1-1/2 inches.

Fig. 918—Regular Bevel With Box Strike.
 Fig. 919—Reverse Bevel With Flush Strike.

Per Set	Size Case Inches	Size Escutcheon Inches	Diameter Knob Inches	Backset Inches	Weight Pounds
\$19.25	3-7/8x2	4-3/8x1-1/4	1-3/4	1-3/8	1-1/4




Fig. 927

MORTISE LOCK SETS—Fig. 927
 Die Cast Zinc Alloy – Chromium Plated – Reversible
 Five disc tumbler type with dead bolt for inside. With round knob and lever handle, two keys. For door 1 to 1-1/2 inches thick. Backset 1-3/8 inches.

Per Set	Size Case Inches	Size Facing Inches	Size Escutcheon Inches	Diameter Knob Inches	Weight Pounds
\$17.25	2-3/4x2	4x13/16	4-3/8x1-1/4	1-3/4	1-1/4

ONE-WAY NIGHT OR SAFETY LATCH—Fig. 948

Die Cast Zinc Alloy — Chromium Plated — With Sliding Safety Catch

Each	Dimensions Without Strike Inches	Weight Ounces
\$5.00	2-1/8x1-3/4	5

Standard Package, 10 Pieces.




Fig. 948

CUPBOARD TURNS—Fig. 949

Cast Brass

No.	Polished Brass Each	Chromium Plated Each	Dimensions Without Strike Inches	Weight Ounces
1	\$6.25	\$7.40	1-3/4x1-1/16	4
2	7.75	9.00	2-1/4x1-9/16	7

Standard Package, 10 Pieces.




Fig. 949

HEAVY DUTY CUPBOARD TURNS—Fig. 978

Die Cast Zinc Alloy — Chromium Plated

High Quality in Design and Smooth Operation

Each	Dimensions Without Strike Inches	Weight Ounces
\$5.00	2-1/8x1-3/4	5

Standard Package, 10 Pieces.




Fig. 978


CUPBOARD CATCHES—Fig. 1102

Die Cast Zinc Alloy — Chromium Plated

Each	Dimensions Without Strike Inches	Weight Ounces
\$4.75	1-1/2x1-3/8	3-1/2

Standard Package, 10 Pieces.

Supplied complete with flush and 3/8 inch offset strike.

Available in Skin Pack. See Skin Pack Section. 



Offset



Flush




Fig. 1102

CUPBOARD BOLT—Fig. 1101

Die Cast Zinc Alloy — Chromium Plated

Each	Dimensions Without Strike Inches	Weight Ounces
\$3.00	1-1/2x1-1/2	2

Standard Package, 10 Pieces.





Fig. 1101

Available in Skin Pack. See Skin Pack Section. 

PERKINS MARINE LAMP & HARDWARE CORP.



Fig. 947

BARREL BOLTS—Fig. 947
Pressure Cast Silicon Bronze

No.	Polished Each	Chromium Plated Each	Length Rod Inches	Size Base Without Strike Inches	Weight Ounces
1	\$4.10	\$4.40	2-3/4	2-1/4x1-3/8	4
2	4.40	4.65	3	x1-1/4	4
3	4.95	5.30	4	4 x1-3/8	5

Standard Package, 5 Pieces. ★



Fig. 1053

SHIP BOLTS—Fig. 1053
Pressure Cast Silicon Bronze

Polished Each	Chromium Plated Each	Size Without Strike Inches	Weight Ounces
\$4.55	\$5.15	2-3/8x1-1/4	1-3/4

Standard Package, 5 Pieces. ★



Fig. 956

CABIN DOOR HOOKS—Fig. 956
Pressure Cast Silicon Bronze

Lgth. Hook In.	Polished Bronze Each	Chromium Plated Each	Wt. Ozs.	Lgth. Hook In.	Polished Bronze Each	Chromium Plated Each	Wt. Ozs.
1-1/2	\$2.40	\$2.65	1	3-1/2	\$2.70	\$3.00	2-1/2
2	2.45	2.70	1-1/2	4	3.80	4.10	3
2-1/2	2.55	2.75	1-3/4	5	4.00	4.55	3-1/2
3	2.65	2.85	2	6	4.30	5.00	5

Standard Package, 10 Pieces. ★



Fig. 1199

CABIN DOOR HOOKS—Fig. 1199
Die Cast Zinc Alloy — Chromium Plated

No.	Length Hook Inches	Each	Weight Ounces
1	1-3/4	\$1.35	1-1/4
2	2-1/4	1.42	1-3/8
3	3	1.50	1-1/2
4	4	1.55	1-3/4

Standard Package, 20 Pieces.



Available in Skin Pack. See Skin Pack Section. ★



Fig. 1287

MODERN DESIGN CABIN DOOR HOOKS—Fig. 1287
Patent Applied for #75,268
Die Cast Zinc Alloy — Chromium Plated

No.	Length Hook Inches	Each	Dimensions Eye Plate Inches	Weight Ounces
1	2	\$1.35	1-1/4x11/16	1-1/4
2	2-1/2	1.40	1-1/4x11/16	1-1/2
3	3	1.50	1-1/4x11/16	1-3/4

Standard Package, 20 Pieces. ★




Fig. 574

DOOR STOP AND HOLDER—Fig. 574
Pressure Cast Silicon Bronze

No.	Polished Each	Chromium Plated Each	Length Inches	Diameter Base Inches	Weight Ounces
1	\$9.50	\$10.00	2-3/8	1-3/4	4-1/2
2	9.75	10.40	3-1/4	1-3/4	5-1/2

Standard Package, 5 Pieces.

BUY STANDARD PACKAGES

DOOR STOP—Fig. 1177

Rubber Bumper with Chromium Plated Holder

Each	Diameter Inches	Length Inches	Standard Package	Weight Ounces
\$1.35	1-1/4	1	10	1



Fig. 1177

DOOR HOLDERS—Fig. 1065

Stainless Steel Clip — Chromium Plated Arrow

Per Set	Base of Arrow Inches	Base of Clip Inches	Projection Inches	Weight Ounces
\$3.30	1-5/8x3/4	1-3/8x7/16	1-3/4	2

Standard Package, 10 Sets.



Fig. 1065

DOOR STOP AND HOLDER—Fig. 576

Stainless Steel No. 316 18-12 — Chromium Plated.

Designed for marine use — holds door firmly in place — no loose parts to rattle or mar finish of door or bulkhead. Complete with Stainless Steel Mounting Screws.

Each Complete	Projection Inches	Weight Ounces	Standard Package
\$2.40	2-1/2	1-3/4	5




Fig. 576

DOOR STOP—Fig. 577

Stainless Steel No. 316 18-12 — Chromium Plated

Many other uses may be found for this item i.e., anti-rattle if ordinary hook and eye already installed, vibration or shock mount, bumpers for sliding doors, etc.

Each	Projection Inches	Weight Ounces	Standard Package
\$1.25	2-1/2	3/4	5



Fig. 577

ELBOW CATCHES—Fig. 1056

Die Cast Zinc Alloy — Chromium Plated

Each	Size Base Inches	Standard Package	Weight Ounces
\$2.05	1-1/8x9/16	25	3/4

Available in Skin Pack. See Skin Pack Section.



Fig 1056

"FLEXA" DOOR CATCHES—Fig. 554

White Nylon Catch — Stainless Steel Spring — With Brass, Chromium Plated Screws — Positive Grip — 18 Pound Pull

Each Complete	Length Catch Inches	Length Ball Head Screw Inches	Standard Package	Weight Ounces
\$.70	1-3/16	3/4	25	1/4




Fig 554

"POLYDEL" DOOR CATCHES—Fig. 559

Grey Delrin Ball Stud — Polyethylene Catch — Holds Door Firmly in Place Against Vibration and Motion

Each	Stud Size Inches	Catch Size Inches	Standard Package	Weight Per 100 Pounds
\$.43	1-1/8x3/8	1-3/8x7/8	25	1

Available in Skin Pack. See Skin Pack Section.




Fig. 559

FRICTION CATCHES—Fig. 178

All Brass — Adjustable Tension

Illustrations are full size. Supplied complete with oblong strike.

Per Set — \$.44

Standard Package, 25 Sets.




Fig. 178

BUY STANDARD PACKAGES

PERKINS MARINE LAMP & HARDWARE CORP.



Fig. 1112




Fig. 1113



Fig 1108



Fig. 1216-B
Without Spring



Fig. 1216
With Spring



Fig. 1051

HATCH HOLD-DOWN CLAMPS

Pressure Cast Silicon Bronze – Polished Chromium Plated

An excellent item with many uses, on hatch covers, windshields, windows, bait and fish boxes, etc.

Flat Mounting Fig. 1112

Each	Length Inches	Width Inches	Standard Package	Weight Ounces
\$8.75	3	1-1/2	5	5-1/2

Angle Mounting Fig. 1113

Each	Length Inches	Width Inches	Standard Package	Weight Ounces
\$8.75	2-1/2	1-1/2	5	5-1/2



ANTI-RATTLE DOOR OR HATCH FASTENER—Fig. 1108

Pressure Cast Silicon Bronze – Chromium Plated

Each	Size Base Inches	Standard Package	Weight Ounces
\$9.00	2-3/4x1-3/4	5	4

Has 1/4 inch hole in lever for padlock.



SPRING TYPE DOOR BUTTON—Fig. 1216

Die Cast Zinc Alloy – Chromium Plated

Eliminates rattling doors. Phosphor bronze coil spring under knob holds button snugly against the plate. Nylon tips under button prevent marring of chrome surface. Drilled and countersunk for #6 screw.

	Each	Plate Diameter Inches	Width Less Keeper Inches	Standard Package	Weight Ounces
Fig. 1216	\$1.80	1-11/16	1-3/16	10	1-1/2
Fig. 1216-B	1.75	1-11/16	1-3/16	10	1-1/2



Available in Skin Pack. See Skin Pack Section.



FLUSH RING CATCHES—Fig. 1051

Die Cast Zinc Alloy – Chromium Plated – Phosphor Bronze Spring

Each	Size Inches	Standard Package	Weight Ounces
\$3.50	1-3/4x1-3/8	10	1-1/2

BUY STANDARD PACKAGES

FLUSH RING PULLS—Fig. 841

Die Cast Zinc Alloy — Chromium Plated

Each	Size Plate Inches	Standard Package	Weight Ounces
\$2.00	1-3/4x1-3/8	10	1

Available in Skin Pack. See Skin Pack Section.




Fig. 841

FLUSH RING PULLS—Fig. 1103

Pressure Cast Silicon Bronze

Polished Each	Chromium Plated Each	Size Plate Inches	Standard Package	Weight Ounces
\$4.30	\$4.80	2-9/16x2	5	3-1/2



Fig. 1103

FLUSH HATCH LIFTING RING—Fig. 575

Safety Type — Pressure Cast Silicon Bronze

No recess to catch heels, chair or table legs, etc.

Polished Each	Chromium Plated Each	Size Plate Inches	Inside Ring Inches	Standard Package	Weight Ounces
\$4.30	\$4.80	2-5/8x2	1	5	3

Available in Skin Pack. See Skin Pack Section.



Fig 575

FLUSH HATCH LIFTING HANDLE—Fig. 1220

Die Cast Zinc Alloy — Chromium Plated

No large recess to catch chairs, heels, table legs, etc.

Each	Dimensions Plate Inches	Inside Handle Inches	Standard Package	Weight Ounces
\$2.65	3x2-1/4	1-7/8x1	5	3



Fig. 1220

HEAVY DUTY

FLUSH HATCH LIFTING HANDLE—Fig. 776

Pressure Cast Silicon Bronze

With Stainless Steel Pin

No.	Burnished Plate Each	Chromium Plated Each	Dimensions Plate Inches	Inside Handle Inches	Weight Per Pair Ounces
1	\$4.75	\$6.00	3 x 2-1/4	1-7/8 x 1	3-1/2
2	6.30	8.00	3-3/4x2-3/4	2-3/16x1-3/16	5-1/2




Fig. 776

Standard Package, 5 Pieces.

Available in Skin Pack. See Skin Pack Section.

HATCH SUPPORT HINGES—Fig. 762

Brass — Chromium Plated

No.	Length Open Inches	Per Pair	For Screw No.	Weight Per Pair Ounces
1	10	\$12.85	8	10
2	12	13.25	8	12
3	14	13.60	8	14

Fig. 762

HATCH ADJUSTERS—Fig. 797

Chromium Plated — Improved With Stop Teeth in Back of Slide.

Chromium Plated Each	Length Arm Inches	Length Adjustment Inches	Length Slide Inches	Weight Ounces
\$10.75	10	9-1/2	10-3/4	13




Fig. 797



Fig. 954

SLIDING WINDOW HANDLE—Fig. 954

18-8 Stainless Steel — Polished — For 1/4 Inch Glass

A useful handle made for easier operation of sliding windows.

Each	Length Inches	Standard Package	Weight Ounces
\$1.40	3	10	1



Fig. 935

SLIDING WINDOW STOP—Fig. 935

Die Cast Zinc Alloy — Chromium Plated

Each	Mounting Plate Inches	Stopping Plate Inches	Standard Package	Weight Ounces
\$2.35	1-7/8x3/4	1-1/2x3/4	10	2



Fig. 937

SLIDING WINDOW LOCK AND ANTI RATTLER—Fig. 937

Die Cast Zinc Alloy — Chromium Plated — Bakelite Knob Plastic Tip

Each	Height Overall Inches	Mounting Plate Inches	*Length Screw Inches	Standard Package	Weight Ounces
\$2.30	1-5/8	1x5/8	1-1/8	10	1-1/4

*Between Knob and Tip



Available in Skin Pack. See Skin Pack Section.



Fig. 934

SLIDING WINDOW LOCK AND ANTI-RATTLER—Fig. 934

Die Cast Zinc Alloy — Chromium Plated — Bakelite Knob Plastic Tip

Each	Height Overall Inches	Dimensions Base Inches	*Length Screw Inches	Standard Package	Weight Ounces
\$1.95	1	2x5/8	1-1/8	10	1-1/4

*Between knob and tip.




Fig. 770

SASH OR HATCH FASTENERS—Fig. 770

Pressure Cast Silicon Bronze — Stainless Steel Pin

Chromium Plated Each	Extreme Length Overall Inches	Width Inches	Length Thread Inches	Standard Package	Weight Ounces
\$7.50	3-3/4	1-5/8	2-1/4	10	6



Fig. 719

TABLE LEG FASTENERS—Fig. 719

Brass — For Fastening Table Leg To Deck

Chromium Plated Each	Length Angle Inches	Width Angle Inches	Standard Package	Weight Ounces
\$5.00	1-3/8	1	10	3

DRAWER PULLS—Fig. 958

Pressed Brass — Chromium Plated

Each	Width Overall Inches	Width Inside Inches	Standard Package	Weight Ounces
\$2.10	3-7/16	2-5/16	10	1



Fig. 958

DRAWER KNOBS—Fig. 925

Brass — Chromium Plated —
For Drawers Up To 1-1/8" Thick

Each	Diameter Inches	Standard Package	Weight Ounces
\$1.45	1	10	1-1/2



Fig. 925

FLUSH PULLS—Fig. 1110

Die Cast Zinc Alloy — Chromium Plated — For Drawers, Sash
Or Sliding Doors

Each	Dimensions Overall Inches	Depth Inches	Standard Package	Weight Ounces
\$2.60	3-11/16x1-11/16	7/16	10	3

Inside recessed for finger grip as illustrated.




Fig. 1110

COAT AND HAT HOOK—Fig. 975

Die Cast Zinc Alloy — Chromium Plated

No.	Each	Projection Inches	Width Base Inches	Standard Package	Weight Ounces
1	\$.60	2	1-1/8	10	1
2	.75	3	1-1/4	10	1-1/2



Fig. 975

WARDROBE OR UTILITY HOOK—Fig. 610

Die Cast Zinc Alloy — Chromium Plated

Each	Projection Inches	Width Base Inches	Standard Package	Weight Ounces
\$.65	1-3/8	1-1/8	10	1/2



Fig. 610

WARDROBE HOOK—Fig. 1106

Die Case Zinc Alloy — Chromium Plated

Each	Projection Inches	Width Base Inches	Standard Package	Weight Ounces
\$.95	3/4	1	10	3/4



Fig. 1106




Fig. 1293

BUTT HINGES—Fig. 1293

Die Cast Zinc Alloy — Chromium Plated
Stainless Steel Removable Pin and Nylon Spacers —
Smooth Operation

No.	Per Pair	Size Open Inches	For Screw No.	Weight Per Pair Ounces
1	\$2.55	1-1/2x1-1/2	8	2
2	2.70	2 x1-1/2	8	2-1/2
3	2.90	2 x2	8	3
4	3.00	2-1/2x2	8	4-1/2
5	3.65	2-1/2x2-1/2	8	5
6	4.10	3 x3	10	7-1/2

Standard Package, 5 Pairs.



BRONZE BUTT HINGES—Fig. 952

Pressure Cast Silicon Bronze — Very Strong
Stainless Steel Removable Pin




Fig. 952

No.	Plain Bronze Finish Per Pair	Polished Chromium Plated Per Pair	Size Open Inches	For Screw No.	Weight Per Pair Ounces
1	\$3.95	\$ 5.25	1-1/2x1-1/4	8	2
2	4.15	5.40	1-1/2x1-1/2	8	2-1/2
3	4.60	6.25	2 x1-1/2	8	2-3/4
4	5.35	7.10	2 x2	8	4
5	5.95	7.65	2-1/2x2	8	5
6	6.80	8.75	2-1/2x2-1/2	8	6-3/4
7	8.75	10.75	3 x3	10	9-1/2

Standard Package, 5 Pairs.



STRAP HINGES—Fig. 120

Pressure Cast Silicon Bronze — Stainless Steel Pin



Fig. 120

No.	Burnished Per Pair	Chromium Plated Per Pair	Length Open Inches	Width At Pin Inches	Weight Per Pair Ounces
1	\$5.70	\$ 8.35	4	1-1/16	4
2	6.60	9.35	6	1-1/8	6
3	9.45	13.65	8	1-3/16	14

Standard Package, 5 Pairs.



SHORTSIDE STRAP HINGES—Fig. 122

Pressure Cast Silicon Bronze — Stainless Steel Pin




Fig. 122

Length Open Inches	Chromium Plated Per Pair	Width Inches	Weight Per Pair Ounces
4-7/8	\$10.00	1-1/8	5

Dimension "A" to Center of Pin 2"

Screw Size No. 10 — Standard Package, 5 Pairs.



"T" HINGES—Fig. 197

Cast Bronze — Stainless Steel Pin




Fig. 197

No.	Burnished Per Pair	Chromium Plated Per Pair	Length Open Inches	Width Overall Inches	Weight Per Pair Pounds
1	\$ 6.60	\$13.50	4	2-1/8	1/2
2	8.00	15.20	6	3	7/8
3	13.20	22.00	8	3-7/8	1-1/2

Standard Package, 5 Pairs.

CUDDY DOOR HINGES—Fig. 808

Die Cast Zinc Alloy — Chromium Plated
With Stainless Steel Pins

Per Pair	Length Open Inches	Extreme Width Inches	For Screw No.	Weight Per Pair Ounces
\$3.75	3	1-1/2	8	3-1/2

Standard Package, 5 Pairs.



Fig. 808

HEAVY DUTY CUDDY DOOR HINGES—Fig. 951-PC

Pressure Cast Silicon Bronze — Chromium Plated
18-8 Stainless Steel Pin

No.	Length Open Inches	Per Pair	Width Inches	For Screw No.	Weight Per Pair Ounces
1	3	\$7.25	1-1/2	8	3-1/2
2	4	8.00	1-1/2	8	5-1/2

Standard Package, 5 Pairs.




Fig. 951-PC

HEAVY DUTY CABINET HINGES

Pressure Cast Silicon Bronze or Die Cast Zinc Alloy
Surface Type — 18-8 Stainless Steel Pin

Fig. No.	Length Open Inches	Chromium Plated Per Pair	Width Inches	For Screw No.	Weight Per Pair Ounces
987 1	2-1/4	\$7.10	1-1/2	8	3-1/2
987 2	2-3/4	7.40	1-1/2	8	4
1213 1	2-1/4	2.80	1-1/2	8	3

Dimension "A" — 9/16"

Standard Package, 5 Pairs.




Fig. 987 — Bronze
Fig. 1213 — Die Cast

HEAVY DUTY CABINET HINGES

Pressure Cast Silicon Bronze or Die Cast Zinc Alloy
3/8" Offset Type — 18-8 Stainless Steel Pin

Fig. No.	Length Open Inches	Chromium Plated Per Pair	Width Inches	For Screw No.	Weight Per Pair Ounces
988 1	2-1/4	\$7.25	1-1/2	8	4
988 2	2-3/4	7.60	1-1/2	8	5
1214 1	2-1/4	2.80	1-1/2	8	4

Dimension "A" — 11/16"

Standard Package, 5 Pairs.




Fig. 988 — Bronze
Fig. 1214 — Die Cast

HEAVY DUTY SHORTSIDE HINGES—Fig. 999

Pressure Cast Silicon Bronze — Chromium Plated
18-8 Stainless Steel Pin

Length Open Inches	Per Pair	Width Inches	For Screw No.	Weight Per Pair Ounces
3-1/2	\$7.60	1-1/2	8	5

Dimension "A" — 1-5/16"

Standard Package, 5 Pairs.




Fig. 999




Fig. 950 Stainless Steel
Fig. 924 Brass

CUDDY DOOR HINGE—Fig. 950

18-8 Stainless Steel — Polished — Stainless Steel Pin
Thickness .075 Inches

A good sturdy hinge strong enough for all doors but lightweight for cupboard and closet doors.

Per Pair	Length Open Inches	Width Inches	Diam. Pin Inches	Standard Package	Weight Per Pair Ounces
\$3.50	3	1-1/2	3/16	5 Pairs	3

SP Available in Skin Pack. See Skin Pack Section.

CUDDY DOOR HINGES—Fig. 924

Wrought Brass — Thickness .051 Inches — Stainless Steel Pin

Polished Brass Per Pair	Chromium Plated Per Pair	Length Open Inches	Extreme Width Inches	Standard Package	Weight Per Pair Ounces
\$2.65	\$3.00	3	1-1/2	5 Pairs	2-1/2

BUTTERFLY HINGES—Fig. 1058

Wrought Brass



Fig. 1058

No.	Length Open Inches	Width at Pin Inches	Thickness Inches	Weight Per Pair Ounces
1	2-1/4	3/4	.040	1/2
2	3	1-1/16	.045	1-1/2

Standard Package, 20 Pairs.

FLAP HINGES—Fig. 929

Stainless Steel — Polished — Thickness .050 Inches




Fig. 929

Per Pair	Length Open Inches	Extreme Width Inches	Standard Package	Weight Per Pair Ounces
\$1.90	2-1/16	3/4	20 Pairs	1

“SEMI-CONCEALED” HINGE—Fig. 271

Wrought Brass — Chromium Plated

For use on doors with 3/8" inset.




Fig. 271

Per Pair	Dimensions Overall Inches	Standard Package	Weight Per Pair Ounces
\$2.25	2-3/4x2-1/8	10 Pairs	2-1/2

HEAVY DUTY CABINET HINGES — Fig. 941

Die Cast Zinc Alloy — Chromium Plated with Stainless Steel Pin — Surface Type



Fig. 941

Per Pair	Size Open Inches	For Screw No.	Weight Per Pair Ounces
\$2.70	1-1/2x1-1/2	8	2-1/4

Dimension "A" — 1/2"
Standard Package, 5 Pairs

HEAVY DUTY CABINET HINGES — Fig. 942

Die Cast Zinc Alloy — Chromium Plated with Stainless Steel Pin — 3/8" Offset Type




Fig. 942

Per Pair	Size Open Inches	For Screw No.	Weight Per Pair Ounces
\$2.70	1-1/2x1-1/2	8	2-1/2

Dimension "A" — 9/16"
Standard Package, 5 Pairs

"PULL-OUT" HINGE—Fig. 149

Cast Bronze

A useful and functional piece of hardware for use on motor box covers.

Plain Bronze Each	Chromium Plated Each	Length Inches	Width at Pin Inches	Standard Package	Weight Ounces
\$5.80	\$9.00	3-3/4	2	5	6-1/2




Fig. 149

HATCH HINGES—Fig. 773

Cast Bronze

For use with flush hatch cover.

Burnished Per Pair	Chromium Plated Per Pair	Length Inches	Width Overall Inches	Weight Per Pair Pounds
\$14.50	\$27.00	3-1/8	2-5/8	1-5/8



Fig. 773

SECURITY HINGED HASPS — Fig. 998

Pressure Cast Silicon Bronze
18-8 Stainless Steel Pin

No.	Plain Bronze Each	Chromium Plated Each	Length Closed Inches	Width Inches	Weight Ounces
1	\$2.50	\$4.20	2	1	2
2	2.90	4.70	3	1	3

Standard Package, 10.



Fig. 998

SECURITY HINGED HASPS—Fig. 979

Wrought Brass — 14 B. & S. Gauge

A lightweight but strong hasp. Ideal for lockers, cupboards, chests, etc.

Polished Brass Each	Chromium Plated Each	Length Closed Inches	Width Inches	Standard Package	Weight Ounces
\$1.80	\$2.30	2-7/8	1	10	1-1/4



Fig 979

SECURITY HINGED HASPS—Fig. 1198

Zamak Die Casting — Chromium Plated

No.	Each	Length Closed Inches	Width Inches	Standard Package	Weight Ounces
1	\$2.50	2	1	10	1-1/2
2	2.55	3	1	10	2-1/4
3	2.65	3-3/4	1	10	2-1/2

Available in Skin Pack. See Skin Pack Section.




Fig. 1198

NEW HINGED LOCKING HASP—Fig. 1194

Die Cast Zinc Alloy — Chromium Plated

Padlock eye swivels to act as a latch.

Each	Length Closed Inches	Width Inches	Standard Package	Weight Ounces
\$2.50	3	1	10	2-1/2




Fig. 1194

CONTINUOUS OR PIANO HINGE—Figs. 211 & 212

For use on Hatch Covers, Locker Doors, Windshields, etc. Countersunk holes are two inches apart, center to center.

BRASS — FIG. 211



Brass, Chromium Plated — Fig. 211

Stainless Steel, Polished — Fig. 212

No.	Chromium Plated Each	Width Open Inches	Length Inches	Thickness Inches	For Screw No.	Weight Pounds
2	\$11.75	1-1/4	72	.040	5	1-1/2
4	12.00	1-1/2	72	.040	5	2
6	17.00	2	72	.045	6	2-1/2

Standard Package, 10 Pieces. Minimum Quantity, No Broken Packages.

STAINLESS STEEL — FIG. 212

Type No. 304, 18-8, Polished

No.	Each	Width Open Inches	Length Inches	Thickness Inches	For Screw No.	Weight Pounds
2	\$11.00	1-1/4	72	.040	6	1-1/3
4	11.80	1-1/2	72	.040	6	2

Standard Package 10 Pieces. Minimum Quantity, No Broken Packages.



FLAT HATCH TRIM—Figs. 243 & 258

For finishing around edges of hatch. Drilled and countersunk off center for No. 6 flat head screws.

BRASS — FIG. 243



Brass, Chromium Plated — Fig. 243

Stainless Steel, Polished — Fig. 258

No.	Chromium Plated Each	Width Inches	Length Inches	Thickness Inches	*Standard Package	Weight Pounds
2	\$ 9.20	1-1/4	72	.040	10	1
4	10.40	1-1/2	72	.040	10	1-1/2

STAINLESS STEEL — FIG. 258

Type 304-18-8 — Polished

No.	Each	Width Inches	Length Inches	Thickness Inches	*Standard Package	Weight Pounds
2	\$7.00	1-1/4	72	.040	10	1
4	7.65	1-1/2	72	.040	10	1-1/2

*Above Standard Package Is Minimum. No Broken Packages.



LADDER HINGES—Fig. 556



Fig 556

Cast Manganese Bronze — Chromium Plated

Per Pair	Length Open Inches	Width Inches	*Standard Package	Weight Per Pair Ounces
\$12.00	5-3/4	3/4	5 Pairs	8



REFRIGERATOR FASTENERS—Fig. 1063

Cast Brass — Chromium Plated

Made either right or left hand with flush striking plate. Holds door without strain on the rivet. Has brass pin. Illustration shows left hand.



Fig 1063

Each	Length Overall Inches	Size Lever Inches	Standard Package	Weight Ounces
\$8.00	4-11/16	3-9/16	5	6-1/2

Specify right or left hand.

LASHING HOOK—Fig. 1249

For Boat Covers — Die Cast Zinc Alloy — Chromium Plated

Chromium Plated Each	Length Overall Inches	Width Overall Inches	Inside Hook Inches	For Screw No.	Standard Package	Weight Ounces
\$.28	15/16	1/2	1/4	6	50	1/2



Fig. 1249

BOAT COVER SOCKETS—Fig. 578

Die Cast Zinc Alloy — Chromium Plated

Sockets will accommodate a piece of wood lattice 3/8 inches thick and up to 1-3/4 inches wide.




Fig. 578

Per Pair	Length Overall Inches	Size Opening Inches	Width Overall Inches	For Screw No.	Weight Per Pair Ounces
\$1.15	3-1/4	1-7/8x7/16	5/8	8	2

Standard Package, 10 Pairs.

 Available in Skin Pack. See Skin Pack Section.

IMPROVED CONVERTIBLE TOP FITTINGS—Fig. 395

Die Cast Zinc Alloy — Chromium Plated

Improvements include more modern design, heavier sections and much better finish.

No.	Each	Item
1	\$1.30	Deck Hinge or Bracket
3	1.20	Socket for 3/4 inch tubing
4	.95	Eye End for 3/4 inch tubing
6	1.75	Slide for 3/4 inch tubing
7	1.00	Deck Socket for Brace
8	1.05	Side Mounting Plate

Standard Package 10 pieces.

Average Weight — 2 ounces each.

No. 8 with special screw.

NOTE — Interesting prices on application to large quantity users or buyers. State quantity per order and delivery requirements.



Hinge No. 1



Eye End No. 4



Socket No. 3



Slide No. 6



Brace Fitting No. 7



Side Plate No. 8

Fig. 395

ALL BRASS CURTAIN FASTENERS

Nickel Plated

Stud Fig. 991, has brass 3/8" No. 7 wood screw.

Single Studs used with one Fig. 996 and one Fig. 997.

Double Studs used with two Fig. 996 and two Fig. 997.

Fig.	Per 100
991	\$43.50
994	31.00
995	34.15
996	7.00
997	3.60

Standard Package 100 Pieces.



Flanged Stud
Single Fig. 994
Double Fig. 995



Screw Stud
Single Fig. 991



Eyelet
Fig. 996



Washer
Fig. 997

PERKINS MARINE LAMP & HARDWARE CORP.



Button
Fig. 896



Eyelet
Fig. 907



STUD
For Canvas
Fig. 901



Socket
Fig. 898



STUD
With Wood Screw
Fig. 900



STUD
With Tapping Screw
Fig. 906



STUD
With Machine Screw
Fig. 917

ALL BRASS "DURABLE TYPE" FASTENERS Nickel Plated

Stud Fig. 900 has brass 3/8" No. 7 wood screw.
Stud Fig. 906 has steel 3/8" No. 7 self-tapping screw.
Stud Fig. 917 has brass 8-32 machine screw 3/8" long.
For canvas to wood, use Figs. 896, 898 and 900.
For canvas to canvas, use Figs. 896, 898, 901 and 907.

Fig.	Per 100
896	\$ 4.20
898	3.50
900	11.00
901	2.20
906	8.00
907	2.10
917	9.50

Standard Package, 100 Pieces.



STUD
With Wood Screw
Single Fig. 114
Double Fig. 115



STUD
With Tapping Screw
Single Fig. 90



STUD
For Machine Screw
Single Fig. 156



Clinch Stud
Single Fig. 60



Clinch Washer
Fig. 62



SOCKET
Single Fig. 116
Double Fig. 117



Clinch
Plate
Fig. 118

"LIFT TYPE" ALL BRASS FASTENERS Nickel Plated

Stud Figs. 114 & 115 have brass 3/8 inch No. 8 wood screw.
Stud Fig. 156 is tapped for No. 6-32 screw.
Stud Fig. 90 has steel 3/8 inch No. 8 self tapping screw.
Single Studs are used with one Fig. 116 and one Fig. 118.
Double Studs are used with two Fig. 117 and two Fig. 118.

Fig.	Per 100
60	\$10.50
62	3.20
90	10.75
114	14.25
115	16.00
116	14.00
117	15.25
118	3.75
156	15.75

Note - Price of Fig. 156 does not include machine screw, just the tapped stud only.

Standard Package, 100 Pieces.



Fig. 290



Fig. 285




Fig. 905

HAND SCREW DRIVER—Fig. 290

For "Lift Type" Studs - Steel With Wood Handle

Each \$9.00

HAND PUNCH—Fig. 285

For "Lift Type" Fasteners - Cast Iron With Steel Cutters


Each \$17.50

HAND SET TOOL—Fig. 905

For "Durable Type" Buttons and Eyelets - Steel

Each \$7.65

SECTION K



FISHING EQUIPMENT

PERKO



FOR SPORT FISHING BOATS

MANUFACTURED BY

PERKINS MARINE LAMP & HARDWARE CORP., 16490 N. W. 13TH AVE., P. O. BOX D, MIAMI, FLORIDA 33164

Copyright 1972 in U. S. and Canada by Perkins Marine Lamp and Hardware Corp.

For complete line see catalog No. 220



Fig. 460



Fig. 476
Fig. 477



Fig. 471

TELESCOPIC FIBERGLASS OUTRIGGERS—Fig. 460

Hollow — Tapered — With Reinforced Joints

This sturdy model is impervious to heat, cold, moisture and sun. Base and tip are equipped with plugs.

No.	Per Pair	Diameter Base Inches	Overall Length Open Feet	Overall Length Closed Inches	Number of Sections	Weight Pounds
3	\$41.00	1-1/8	15	66	3	2-1/2
4	63.00	1-7/8	20	99	4	6-1/2



FIBERGLASS OUTRIGGER KITS — Figs. 476 and 477

Fig. 476 Kit Consists of 1 pr. Fig. 460 #3 poles — 2 Fig. 469 Clips — 1 Set Fig. 468-A Guides.

Fig. 477 Kit Consists of 1 pr. Fig. 471 #3 poles with Guides — 2 Fig. 469 Clips.

Fig. 476 \$53.50 Per Kit
Fig. 477 57.00 Per Kit

NOTE— Due to design of shipping carton Figs. 476 and 477 are sold only in lots of 3 kits.



FIBERGLASS OUTRIGGERS WITH GUIDES — FIG. 471

Telescopic — Hollow — Tapered — With Reinforced Joints

Same Basic Design and Construction as Fig. 460 Except Furnished Complete With Attached Chromium Guides.

No.	Per Pair	Diameter Base Inches	Overall Length Open Feet	Overall Length Closed Inches	Number of Sections	Weight Pounds
3	\$47.00	1-1/8	14-1/2	67	3	2-1/2



OUTRIGGER TROLLING PIN OR CLIP—Fig. 469

High Impact Plastic — Orange Color — Stainless Steel Eyes and Spring — All Salt Water Resistant — High Visibility

Each	Dimensions Inches	Standard Package	Weight Ounces
\$1.60	3-1/2x1-1/2	10	2-1/4



Available in Skin Pack. See Skin Pack Section.



ADJUSTABLE TENSION TROLLING PIN—Fig. 454

High Impact Plastic — Orange Color — Stainless Steel Bolt, Washer and Spring — Chrome Plated — Brass Wing Nut

Each	Length Inches	Width Inches	Standard Package	Weight Ounces
\$2.95	3-1/2	1-1/2	6	2-1/2



OUTRIGGER POLE LINE GUIDES—Fig. 468

White Nylon — Plastic Headless Set Screw

Set A — For No. 3 Outriggers, per set \$6.80
Consists of 2 each Nos. 1-2-3-4

Set B — For No. 4 Outriggers, per set \$7.75
Consists of 2 each Nos. 2-3-5-6

No.	Each	I.D. Ring Inches	I.D. Guide Inches	Weight Ounces
1	\$.75	9/16	1/2	1/4
2	.75	3/4	1/2	1/4
3	1.05	1	1/2	1/4
4	1.05	1-1/8	1/2	1/4
5	1.15	1-1/4	1/2	5/16
6	1.15	1-5/8	1/2	5/16

Standard Package, 6 Pieces.




Fig. 469




Fig. 454



Fig. 468

OUTRIGGER POLE HOLDERS SIDE OR DECK MOUNT TYPE

Requires very little mounting space — Holders remove for uncluttered decks.
Lift Holder and turn for 3 positions — Vertical, fishing, and lowered for bridges.

Supplied in Pairs, for Port and Starboard Mounting. A Pair consists of 2 Plates and 2 Holders.

SIDE MOUNT—Fig. 444

BRONZE CHROMIUM PLATED

Will accommodate Outriggers Figs. 460 No. 3 and 471 No. 3.

Complete Per Pair	Spare Plates Each	*Spare Holders Each	Inside Diameter Tube Inches	Dimensions Plate Inches	Weight Per Pair Pounds
\$63.00	\$18.75	\$12.85	1-1/8	5x2-1/2	5-3/4

*Spare "Holders Only" Specify Port or Starboard.



Fig. 444

DECK MOUNT—Fig. 451

BRONZE CHROMIUM PLATED

No. 1 Will accommodate Outriggers Figs. 460 No. 3 and 471 No. 3.

No. 2 Will accommodate Outriggers Fig. 460 No. 4

No.	Complete Per Pair	Spare Plates Each	*Spare Holders Each	Inside Diameter Tube Inches	Dimensions Plate Inches	Weight Per Pair Pounds
1	\$ 57.50	\$15.65	\$12.85	1-1/8	5x2-1/2	5-1/2
2	141.00	36.00	35.25	1-7/8	8x4-1/2	20

*Spare "Holders Only" Specify Port or Starboard




Fig. 451 No. 1




Fig. 451 No. 2

NEW

DECK MOUNT—Fig. 1314

ACRY-COLOR FINISH — WHITE

Will accommodate Outriggers Figs. 460 No. 3 and 471 No. 3.

Complete Per Pair	Spare Plates Each	*Spare Holders Each	Inside Diameter Tube Inches	Dimensions Plate Inches	Weight Per Pair Pounds
\$17.00	\$4.30	\$4.80	1-1/8	5x2-1/2	2-1/2

*Spare "Holders Only" Specify Port or Starboard



Fig. 1314

PERKO

FIG. 468
LINE GUIDES

Figs. 460 or 471 Poles

FIGS. 454 OR 469
CLIP - PIN


FIG. 564
PULLEY
OR
FIG. 417
1" RING

FIG. 544
3" CLEAT

FIG. 451 OR 1314
POLE HOLDER


FIG. 448, 452
OR 1205
ROD HOLDERS

CRUISING POSITION





OUTRIGGERS
EXTENDED
TO 60° -
TROLLING



FLAT LINE

TROLLING POSITION



Fig. 445

HEAVY DUTY OUTRIGGER POLE HOLDERS—Fig. 445

Heavy Brass Tubing — Cast Bronze Fittings — All Chromium Plated

The sliding clamp and large strong knob provide quick adjustment of angle for fishing, cruising or passing under bridges, a folding hook is supplied for supporting the holder when in down position.

No.	Per Pair	Inside Diameter Outrigger Tube Inches	Length Outrigger Tube Inches	Weight Per Pair Pounds
1	\$242.50	1-7/8	18-1/2	18-1/2
2	260.00	1-7/8	33-1/2	22

NOTE: Furnished complete with Stop Collar for Outrigger Tube, Per Illustration.

No. 1 will support poles about 20 feet long, i.e. Fig. 460 No. 4 No. 2 for poles about 25 or more feet long.



STAINLESS STEEL FISHING ROD HOLDERS—Fig. 452

18-8 SS — Polished

Complete with Delrin Lip and SS Cross Bar for butt of pole. Also a heavy under-flange gasket.

No.	Each	Diameter Inside Lip Inches	Length Overall Inches	Flange Dimensions Inches	Weight Pounds
1	\$11.00	1-1/2	9	4-1/8x3-3/8	1



FISHING ROD HOLDERS — Figs. 448 and 1205

For Mounting in Covering Board or Catwalk. Has White Delrin Lip.

Cast Bronze — Chromium Plated — Fig. 448

No.	Chromium Plated Each	Inside Diameter Inches	Length Overall Inches	Flange Dimensions Inches	Weight Pounds
1	\$16.15	1-1/2	9	4 x 3-1/8	1-1/2
3	\$20.95	1-3/4	11	5-1/8x 4	2-1/4

Die Cast Zinc Alloy — Acry-Color Finish White — Fig. 1205

White Each	Diameter Inside Lip Inches	Length Overall Inches	Flange Dimensions Inches	Weight Pounds
\$6.15	1-1/2	9	4 x 3-1/8	1-1/2

Fig. 1205 Available in Skin Pack — See Skin Pack Section.



ADJUSTABLE FISHING ROD HOLDERS—Fig. 475

Heavy Brass Tubing — Manganese Bronze Castings — With White Vinyl Lip.

May be adjusted quickly to any desired angle or position vertically and horizontally. Locked by large thumb bolt illustrated.



Fig. 475

Plain Finish Each	Chromium Plated Each	Inside Diam. Socket Inches	Length Socket Inches	Dimensions Base Inches	Weight Pounds
\$26.75	\$45.50	1-3/4	9-1/2	3-5/8x2-1/4	3-3/4

FISHING ROD HOLDERS—Fig. 449

Heavy Brass Tubing — Manganese Bronze Castings
Chromium Plated — With White Vinyl Lip

Adaptable to any desired part of the boat, this holder is easily removed when not in use, leaving no projecting hardware.

Complete Each	Spare Mounting Brackets Each	Inside Diameter Holder Inches	Dimensions Mounting Bracket Inches	Weight Complete Pounds
\$25.75	\$5.75	1-3/4	4x3-3/4	2



Fig. 449

FISHING ROD HOLDERS—Fig. 1100

Brass — Chromium Plated — With White Vinyl Lip

Complete Each	Brackets Only Per Pair	Inside Diam. Inches	Length Overall Inches	Width Bracket Inches	Weight Oz.
\$7.95	\$2.85	1-3/4	9	3	16



Fig. 1100

VINYL FISHING ROD HOLDERS—Fig. 1104

With Chromium Plated Brass Brackets

Each	Length Overall Inches	Inside Diameter Inches	Outside Diameter Inches	Width Bracket Inches	Weight Ounces
\$4.90	9	1-3/4	2	3-1/4	12

Spare Brackets, \$2.85 Per Pair

Available in Skin Pack. See Skin Pack Section.



Fig. 1104

DELTRIN AND VINYL LIPS AND LINERS FOR ROD HOLDERS

Fig.	Each	Inside Diameter Inches	Outside Diameter Inches	Length Inches	Weight Ounces
482	\$.95	1-1/2	1-15/16	1-7/8	1-1/2
483	1.05	1-3/4	2-1/4	1	1/2
487	2.30	1-3/4	2-3/32	10-1/2	8

Fig. 482 fits Figs. 448 No. 1, 452, and 1205.

Fig. 483 fits Figs. 449, 475 and 1100

Fig. 487 fits Fig. 448 No. 3



Fig. 482
White
Delrin



Fig. 483
White
Vinyl



Fig. 487
White
Vinyl


SOLID BASE CLEATS—Fig. 544

Cast Bronze — For Outrigger Line

Length Inches	Polished Bronze Each	Chromium Plated Each	For Screw No.	Packed Per Box	Weight Ounces
3	\$2.85	\$3.00	8	10	2-1/2
4	3.40	3.70	10	10	4



Fig. 544



THE USAGE OF OUTRIGGERS

by "Hank" Gartner

Outriggers for sport fishing boats were devised some time ago when it was observed that many members of the billfish family would strike sharply at a trolled bait, literally destroying it, then proceed on their way without getting hooked. With the use of outriggers, the fishing line after leaving the rod tip leads to the "trolling pin" in its raised position.

The line after leaving the pin proceeds aft to the proper position in the wake of the boat that the captain deems best to give the proper trolling action to the bait being trolled whether it be mullet, balao, squid, line bait, etc.

Using outriggers, the fish after striking vigorously at the trolled bait releases the line from the pin permitting a slack loop of line, which in turn lets the struck bait lie motionless in the water.

In theory, the fish believing his prey stunned, grabs the bait and attempts to make off with it. When the fish runs out of the slack loop of line and is brought up by that taut line, theoretically he should be hooked.

Outriggers with their "trolling pin," lead lines and guides should be installed on the boat as indicated in the accompanying diagrams (See center spread). Modifications may be necessary to accommodate each individual owner's boat. It is recommended to have the top guide (Perko Fig. #468) a few inches down from the extreme tip of the pole, this precludes the possibility of the pin wrapping around and tangling on the pole.

Should the owner wish to install dual pins they should be approximately 3' apart on the same lead line.

Outrigger poles (Perko Fig. #460, #3 & #4) should be parallel when in their vertical position. To accomplish this, it may be necessary to build up the deck under the bases of the outrigger pole holders with small teak wedges or fiberglass putty.


The small cleats (Perko Fig. #544-3") should be secured aft of the outrigger base, thus keeping the "trolling pin" line clear of the outrigger pole and the return line.

PERKINS MARINE LAMP & HARDWARE CORP.

16490 NORTHWEST 13TH AVENUE • P.O. BOX D • MIAMI, FLORIDA 33164

PERKO

SECTION - L



CHROMALEX[®]
lights and deck hardware

MANUFACTURED BY

PERKINS MARINE LAMP & HARDWARE CORP., 16490 N. W. 13TH AVE., P. O. BOX D, MIAMI, FLORIDA 33164

Copyright 1972 in U. S. and Canada by Perkins Marine Lamp and Hardware Corp.


For complete line see catalog No. 220

INTERNATIONAL NAVIGATION LIGHTS
BRASS – PERKOPLATE CHROMIUM PLATED
GLOSSY BLACK LEXAN BASE
WITH STAINLESS STEEL SELF TAPPING SCREWS FOR MOUNTING



Fig. 955


CERTIFIED



END VIEW OF REAR AND OUTLINE OF SOCKET INSTALLATION. DRILL SMALL HOLE FOR WIRE ONLY

CERTIFIED

Fig. 915



CERTIFIED

Fig. 904



CERTIFIED



Fig. 945

SIDE LIGHTS—Fig. 955
10 Points – 112-1/2 Degrees
1 Mile Visibility

Certified with No. 90. 12 Volt 6 C.P.
Bulb supplied with lights.

Red and green high intensity fresnel lenses

Per Pair	Length Inches	Width Inches	Depth Inches	Weight Per Pair Ounces
\$14.75	4-1/8	2-1/4	1-3/4	6

Spare lenses, specify Fig. 283. \$.75 each.

Spare sockets. \$.75 each.

SIDE LIGHTS – Fig. 915
10 Points – 112-1/2 Degrees – Red and Green Lenses
1 Mile Visibility

Certified with No. 1416, 12 Volt, 8 C.P.
Bulb supplied with light.

Miniature bayonet type socket
For Mounting on Deck or Top of Deck House

Per Pair	Length Inches	Width Inches	Depth Inches	Weight Per Pair Ounces
\$16.00	4	2-1/8	1-3/4	7

Spare lenses specify Fig. 281. \$.75 each.

COMBINATION BOW LIGHT—Fig. 904
20 Points – 225 Degrees – Red and Green Lenses
1 Mile Visibility

Certified with No. 1416, 12 Volt, 8 C.P.
Bulb supplied with light.

Miniature bayonet type socket.

Each	Length Inches	Width Inches	Height Inches	Weight Ounces
\$9.00	4	2-1/8	1-3/4	3-1/2

Spare lenses, specify Fig. 296. \$.75 each.

TRANSOM STERN LIGHT—Fig. 945
12 Points – 135 Degrees – Clear Lens
2 Mile Visibility

Certified with No. 1416, 12 Volt, 8 C.P.
Bulb supplied with light.

Each	Height of Light Inches	Diameter of Base Inches	Diameter of Neck Inches	Length Neck Inches	Weight Ounces
\$6.75	1-5/8	2-1/4	3/4	7/8	3

Spare lenses, specify Fig. 74-P. \$.85 each.

Spare sockets for Figs. 904, 915, 945. \$1.00 each.

PERKINS MARINE LAMP & HARDWARE CORP.

INTERNATIONAL NAVIGATION LIGHTS

BRASS — PERKOPLATE CHROMIUM PLATED

GLOSSY BLACK LEXAN BASE

WITH STAINLESS STEEL SELF TAPPING SCREWS FOR MOUNTING

Certified with No. 1416, 12 Volt, 8 C.P. Bulb supplied with light — Miniature bayonet type socket.

Height Light Inches	Diameter Base Inches	Diameter Neck Inches	Length Neck Inches	Weight Each Ounces
1-5/8	2-1/4	3/4	7/8	3

SIDE LIGHTS—Fig. 963

10 Points — 112-1/2 Degrees — Red and Green Lenses

1 Mile Visibility

For mounting on deck or top of deck house.

\$13.00 Per Pair

Spare lenses, specify Fig. 281. \$.75 each



Fig. 963

CERTIFIED

★

STERN LIGHT—Fig. 965

12 Points — 135 Degrees — Clear Lens

2 Mile Visibility

\$6.50 each.

Spare lenses, specify Fig. 281 clear.



Fig. 965

CERTIFIED

★

COMBINATION BOW LIGHT—Fig. 972

20 Points — 225 Degrees — Red and Green Lenses

1 Mile Visibility

\$7.25 each

Spare lenses, specify Fig. 296. \$.75 each.



Fig. 972

CERTIFIED

★

COMBINATION BOW LIGHT—Fig. 974

FOR BASS FISHING BOATS

Adjustable or removable when not in use.

When in Fixed Vertical Position the Light should be seen over the Top of the Electric Trolling Motor.

Light Portion is brass, bracket is Die Cast Zinc Alloy
All Chromium Plated

1 Mile Visibility

Each	Height Overall Inches	Dimensions Base Inches	Weight Ounces
\$12.00		2x5/8	9

Spare lenses, specify Fig. 296. \$.75 each.

SPARE SOCKETS FOR ALL ABOVE \$1.00 EACH



Fig. 974

CERTIFIED

COMBINATION BOW LIGHTS—Fig. 1161 & 1310

Fig. 1161 Pressure Cast Bronze Top

Fig. 1310 Die Cast Zinc Alloy Top




Fig. 1161 Bronze
Fig. 1310 Die Cast

Certified and designed to comply with U.S.C.G. inland and international rules with No. 1004, 12 volt, 15 C.P. bulb furnished.

Fig. 1161 Each	Fig. 1310 Each	Size Base Inches	Height Inches	Screw No.
\$9.50	\$6.50	4x3-1/8	1-3/4	8

Weight — 5-1/2 ounces.
OEM Package — 50 pieces.



Fig. 1310 available in Skin Pack
See Skin Pack Section.




Fig. 1162 Bronze
Fig. 1311 Die Cast



Fig. 1330

STERN POLE LIGHTS—Figs. 1162, 1311 & 1330

Fig. 1162 Pressure Cast Bronze Top — Brass Tubing

Fig. 1311 Die Cast Zinc Alloy Top

Fig. 1330 Die Cast Zinc Alloy Top — Double Contact Connector in Base for easy removal and storage

Certified and designed to meet Horizontal Beam requirements of the U.S.C.G. with No. 90, 12 volt, 6 C.P. Bulb furnished.

Size No.	Fig. 1162 Each	Fig. 1311 Each	Fig. 1330 Each	Maximum Length Inches
2	\$13.50	\$8.00	\$13.50	24
3	14.60	8.60	14.10	30
4	15.70	9.20	14.70	36

Base Dimensions — 3-7/8"x2".
Weight — about 1 pound.

OEM Package — 50 pieces.

Fig. 1311 No. 2 available in Skin Pack —
See Skin Pack Section.



GRAB RAILS

Die Cast Zinc Alloy – Chromium Plated
Glossy Black Lexan Base
Anodized Aluminum Tubing

Figs. 1337 and 1338 are for 1/4" screws or bolts.
Figs. 1347 and 1348 have 1/4" studs, 1-3/4" below base.
Fig. 1339 tubing is 1-1/8" wide, 3/8" thick.



Fig. 1337



Fig. 1347



Fig. 1338
For Screw

Fig. 1348
With Studs

Fig.	Each	Height Inches	Base Inches	Weight Ounces
1337	\$1.30	1-3/8	1-3/8x1-1/16	3
1338	1.30	1-3/8	1-3/16x1/2	3
1347	1.45	1-3/8	1-3/8x1-1/16	4
1348	1.45	1-3/8	1-3/16x1/2	3-1/2

Fig. 1339 Tubing
6 foot lengths – \$6.00 each



Fig. 1339



End View

STEP PLATES—Fig. 1225-CH

With black plastic non-skid pads

No.	Each	Dimensions Overall Inches	For Screw No.	Weight Ounces	Std. & OEM Package
0	\$2.00	8-3/8x2-1/4	8	5	10
1	2.35	8-3/4x3-1/4	8	8	10




Fig. 1225-CH

Available in Skin Pack –
See Skin Pack Section.



TRANSOM OR UTILITY HANDLES —Figs. 1336 & 1346

Fig. 1336 for 1/4" screws.
Fig. 1346 with studs, nuts and washers
Studs are 1/4"x 1-1/2" below base



Fig. 1336

Fig. 1336 Each	Fig. 1346 Each	Length Overall Inches	Length Inside Inches	Width Overall Inches	Weight Ounces
\$2.25	\$2.75	6-1/4	3-1/2	1-1/4	10




Fig. 1346

Fig. 1336 – Available in Skin Pack –
See Skin Pack Section.



PERKINS MARINE LAMP & HARDWARE CORP.



Fig. 1305




Fig. 1315

CLOSED BASE CLEATS—Figs. 1305 & 1315

Fig. 1305 For Screws or Bolts

Fig. 1315 With Studs, Nuts and Washers

No.	Fig. 1305 Each	Fig. 1315 Each	Length Overall Inches	Base Inches	For Diam. Rope Inches	Weight Ounces
1	\$1.75	\$2.30	4-1/2	3-3/4x1-1/16	3/8	5-1/2
2	2.70	3.20	6	5 x1-3/8	1/2	11

O.E.M. Package, Fig. 1315 No. 2, 40 pieces. Balance, 50 Pieces.

Fig. 1305 No. 1 for No. 10 Screws.

Fig. 1305 No. 2 for 1/4" Screws.

Fig. 1315 No. 1 Stud is 7/32" x 1-1/2" below base.

Fig. 1315 No. 2 Stud is 1/4" x 1-1/2" below base.

Fig. 1305 Available in Skin Pack. See Skin Pack Section.



Fig. 1306



Fig. 1316

OPEN BASE CLEATS—Figs. 1306 & 1316

Fig. 1306 For Screws or Bolts

Fig. 1316 With Studs, Nuts and Washers

No.	Fig. 1306 Each	Fig. 1316 Each	Length Overall Inches	Base Inches	For Diam. Rope Inches	Weight Ounces
1	\$1.75	\$2.30	4-1/2	2-1/2x1-1/16	3/8	5
2	2.70	3.20	6	3-1/4x1-3/8	1/2	10-1/2

O.E.M. Package, Fig. 1316 No. 2, 40 pieces. Balance, 50 Pieces.

Fig. 1306 No. 1 for No. 10 Screws

Fig. 1306 No. 2 for 1/4" Screws.

Fig. 1316 No. 1 Stud is 7/32" x 1-1/2" below base.

Fig. 1316 No. 2 Stud is 1/4" x 1-1/2" below base.

Fig. 1306 Available in Skin Pack. See Skin Pack Section.



Fig. 1307



Fig. 1317

SKENE TYPE CHOCKS—Figs. 1307 & 1317

Fig. 1307 For Screws or Bolts

Fig. 1317 With Studs, Nuts and Washers

No.	Fig. 1307 Per Pair	Fig. 1317 Per Pair	Length Overall Inches	Width Base Inches	For Diam. Rope Inches	Weight Ounces
1	\$2.35	\$3.10	3-1/2	7/8	3/8	5
2	3.75	4.80	5	1-1/4	1/2	12

O.E.M. Package, Fig. 1307 No. 1, 50 pairs. Balance, 25 pairs.

Fig. 1307 N. 1 for No. 10 Screws.

Fig. 1307 No. 2 for 1/4" Screws.

Fig. 1317 No. 1 Stud is 7/32" x 1-3/4" below base.

Fig. 1317 No. 2 Stud is 1/4" x 1-3/4" below base.

Fig. 1307 Available in Skin Pack. See Skin Pack Section.



STRAIGHT TYPE CHOCKS—Fig. 1308 & 1318

Fig. 1308 for screws or bolts.

Fig. 1318 with studs, nuts and washers.

No.	Fig. 1308	Fig. 1318	Length Overall Inches	Width Base Inches	For Diam. Rope Inches	Weight Ounces
1	\$2.35	\$3.10	3-1/2	7/8	3/8	5
2	3.75	4.80	5	1-1/4	1/2	12

O.E.M. Package, Fig. 1308 No. 1-50 pairs.

Balance, 25 pairs.

Fig. 1308 No. 1 for No. 10 screws.

Fig. 1308 No. 2 for 1/4" screws.

Fig. 1318 No. 1 stud is 7/32"x1-3/4" below base.

Fig. 1318 No. 2 stud is 1/4"x1-3/4" below base.

Fig. 1308 Available in Skin Pack. See Skin Pack Section.



Fig. 1308



Fig. 1318

GAS FILLS—Fig. 1313

Available in Red or Black

For — 1-1/2" I.D. Hose

We use Nylon as the component plastic in this item because it is impervious to gasoline.

Fig.	Each	Diameter Overall Inches	Length Hose Neck Inches	For Screw No.
1313 Bk	\$3.00	3-1/8	1-5/8	7
1313 Red	3.00	3-1/8	1-5/8	7

Weight — 7 ounces.

OEM Package — 50 pieces.

Available in Skin Pack

See Skin Pack Section.



Fig. 1313

COWL VENTILATOR—Fig. 1312

For — 3" Duct

Designed for fast mounting.

No Screw Heads will show. Has integral Air Scoop.

No Hose Clamps necessary — Duct threads into collar.

Each	Mouth Opening Square Inches	Length Overall Inches	Width Overall Inches	Height Overall Inches	Weight Ounces
\$4.50	7	5-3/4	4-3/8	2-5/8	11

OEM Package — 50 pieces.

Available in Skin Pack

See Skin Pack Section.




Fig. 1312

PERKO CHROMALEX®

CHROMALEX® is fashioned from a special marine alloy and finished with our exclusive PERKO-PLATE chromium plating process . . . seven layers of copper-nickel-chromium plating bonded into one dense coating. The colorful bases* are made from LEXAN, a tough space age plastic with molded through colors that can't fade, crack, chip, peel or corrode and to make sure of color quality retention, our LEXAN is ultra violet stabilized.

**The standard stock color is BLACK for all hardware except Fig. 1313 Gas Fill which is also available in RED.*

PERKO

SECTION M

**SKIN
PACK**



MANUFACTURED BY
PERKINS MARINE LAMP & HARDWARE CORP., 16490 N. W. 13TH AVE., P. O. BOX D, MIAMI, FLORIDA 33164

Copyright 1972 in U. S. and Canada by Perkins Marine Lamp and Hardware Corp.

For complete line see catalog No. 220

PERKINS MARINE LAMP & HARDWARE CORP.

NEW



Fig. 1310 SP

"CHROMALEX"® COMBINATION BOW LIGHT—Fig. 1310 SP
Die Cast Zinc Alloy — Chromium Plated — Black Lexan Base —
Red and Green Fresnel Lenses

Non Corrosive Electric Socket with 12 Volt, No. 1004 Bulb

Each	Height Inches	Size Base Inches	Weight Per Package Pounds
\$7.00	1-3/4	4x3-1/8	2-1/2

Dealer Package — 6 Pieces.



Fig. 1218 SP



"RANGER" COMBINATION BOW LIGHT—Fig. 1218 SP

Die Cast Zinc Alloy — Chromium Plated — Red and Green
Fresnel Lenses — Rebulbing Feature — Double Contact Electric
Socket — With 12 Volt, No. 1004 Bulb

Each	Height Inches	Size Base Inches	Height Lens Inches	Staff Socket Inches	Weight Per Package Pounds
\$8.75	3-1/2	6-1/4x3-7/8	2-1/2	3/4	4

Dealer Package — 3 Pieces.



Fig. 1146 SP

"LITTLE JOE" COMBINATION BOW LIGHT—Fig. 1146 SP

Die Cast Zinc Alloy — Chromium Plated — With 12 Volt,
No. 1416 Bulb

Each	Height Inches	Base Inches	Height Lens Inches	Staff Socket Inches	Weight Per Package Pounds
\$6.80	2-1/4	4-1/2x2-3/8	1-7/8	1/2	1-3/4

Dealer Package — 3 Pieces.



Fig. 1311 SP

NEW



"CHROMALEX"® STERN POLE LIGHTS—Fig. 1311 SP

Globe Holder — Knurled Nut — Chromium Plated — Die Cast
Zinc Alloy — Clear High Intensity Fresnel Globe — Delrin Non-
Corrosive D.C. Socket — Complete With 12 Volt Bulb, No. 90
Base Dimension 3-7/8" x 2"

These lights provide maximum beam C.P. over the required area
when the globe is in a vertical position. A detent is placed in base
and pole to hold globe in above position. Height is fully
adjustable from deck level for stowage to maximum length as
noted below.

No.	Each	Maximum Length Inches	Weight Per Package Pounds
2	\$8.70	24	4

Dealer Package — 5 Pieces.



Fig. 1233 SP

STERN POLE LIGHTS—Fig. 1233 SP

Chromium Plated — Die Cast Zinc Alloy Globe Holder and Base
— High Intensity Fresnel Globe — Non Corrosive Electric Socket
With 12 Volt Bulb, No. 90 — Anodized Aluminum Pole Base
Length 3-3/4" — Width 1-5/8"

Size No.	Each	Maximum Length Inches	Weight Per Package Pounds
2	\$8.85	24	4

Dealer Package — 5 Pieces.

ALL ABOVE LIGHTS ARE "CERTIFIED" AND DESIGNED TO COMPLY WITH U.S.C.G.
INLAND AND INTERNATIONAL RULES WHEN EQUIPPED WITH BULBS INDICATED.

FLAG STAFF—Fig. 1230 SP

Ultra Modern Dynaform Taper Design — Die Cast Zinc Alloy — Chromium Plated


Neoprene Rubber "O" Ring in base for holding in Flag Pole socket.

Each	Length Overall Inches	Diameter Base Inches	Weight Per Package Pounds
\$4.30	14	3/4	3-3/4

Dealer Package 6 pieces.



Fig. 1230 SP



ELECTRIC CABIN FIXTURE—Fig. 217 SP

MEDIUM SCREW SOCKET

Die Cast Zinc Alloy — Chromium Plated

Each	Size Base Inches	Projection Less Lamp Inches	Weight Per Package Pounds
\$3.80	2-1/2x2-1/4	2-1/2	3-1/2

Dealer Package 6 pieces.



Fig. 217 SP



MARINE SHIELDS FOR FIXTURES—

Figs. 33 SP, 34 SP, 36 SP

The latest nautical designs — Suitable for hanging and upright bulb

Painted Each	Width Inches	Height Inches	Weight Per Package Pounds
\$3.35	4-1/2	4-5/8	2

Dealer Package 6 pieces.



Fig. 33 SP



Fig. 34 SP



Fig. 36 SP

TRAILER CONNECTOR KIT—Fig. 743 SP

Die Cast Zinc Alloy — Chromium Plated
12 Volt — Complete With Mounting Bracket
Splice Connectors — Nuts and Screws

Price Per Kit	Length Connector Inches	Diameter Connector Inches
\$8.75	3-1/2	1

Dealer Package 3 kits.
Instruction Data Enclosed



Fig. 743 SP

PERKINS MARINE LAMP & HARDWARE CORP.



Fig. 1306 SP

CHROMALEX® OPEN BASE CLEATS—Fig. 1306 SP

Black Lexan Base – Die Cast Zinc Alloy
Chromium Plated – Counter Sunk for Screws

No.	Per Pair	Length Inches	Size Base Inches	For Screw	For Diam. Rope Inches	Weight Per Package Pounds
No. 1	\$3.90	4-1/2	2-1/2x1-1/16	No.10	3/8	4
No. 2	\$3.00	6	3-1/4x1-3/8	1/4"	1/2	4

No. 1 Size Dealer Package 6 pairs.
No. 2 Size Dealer Package 6 pieces.




Fig. 1305 SP

CHROMALEX® CLOSED BASE CLEATS—Fig. 1305 SP

Black Lexan Base – Die Cast Zinc Alloy
Chromium Plated – Counter Sunk for Screws

No.	Per Pair	Length Inches	Size Base Inches	For Screw	For Diam. Rope Inches	Weight Per Package Pounds
No. 1	\$3.90	4-1/2	3-3/4x1-1/16	No.10	3/8	4
No. 2	\$3.00	6	5x1-3/8	1/4	1/2	4

No. 1 Size Dealer Package 6 pairs
No. 2 Size Dealer Package 6 pieces




Fig. 566 SP

STREAMLINE CLEATS—Fig. 566 SP

Die Cast Zinc Alloy – Chromium Plated

Length Inches	Per Pair	Size Base Inches	For Diam. Rope Inches	Weight Per Package Pounds	Dealer Package
2	\$2.10	2-3/16x1-1/8	5/16	3-1/2	12 Prs.
3	2.70	3-1/8 x1-1/2	3/8	5-1/2	12 Prs.
4-1/2	4.30	4-7/16x1-7/8	1/2	8-1/2	6 Prs.
6	Each 3.20	5-1/2 x2	3/4	13	12 Pcs.



Fig. 1188 SP

YACHT CLEATS—Fig. 1188 SP

Die Cast Zinc Alloy – Chromium Plated

Length Inches	Per Pair	Width Base Inches	Weight Per Package Pounds	Dealer Package
4	\$5.90	1-5/8	5	6 Prs.
6	Each 3.45	1-3/4	4	6 Pcs.




Fig. 1250 SP

MODERN DESIGN CLEATS—Fig. 1250 SP

Die Cast Zinc Alloy – Chromium Plated

Length Inches	Per Pair	Size Base Inches	For Diam. Rope Inches	Weight Per Package Pounds	Dealer Package
3	\$2.95	1-1/2x1-1/4	3/8	2-1/2	6 Prs.
4-1/2	4.60	1-7/8x1-1/2	1/2	6	6 Prs.
6	Each 3.30	2-1/4x2-1/8	3/4	5	6 Pcs.



Fig. 544A SP

SOLID BASE CLEAT—Fig. 544A SP

Cast Bronze – Chromium Plated

Length Inches	Each	For Screw No.	Weight Per Package Pounds
4	\$4.20	10	2-1/2

Dealer Package 6 pieces.

CHROMALEX® SKENE TYPE BOW CHOCKS—Fig. 1307 SP

Black Lexan Base — Die Cast Zinc Alloy —
Chromium Plated — Counter Sunk for Screws

No.	Per Pair	Length Overall Inches	Width Base	For Screw	For Diam. Rope Inches	Weight Per Package Pounds
1	\$2.60	3-1/2	7/8	No.10	3/8	3-1/2
2	\$4.15	5	1-1/4	1/4"	1/2	4

Size No. 1 Dealer Package 12 pair

Size No. 2 Dealer Package 6 pair



Fig. 1307 SP

CHROMALEX® STRAIGHT TYPE CHOCKS—Fig. 1308 SP

Black Lexan Base — Die Cast Zinc Alloy —
Chromium Plated — Counter Sunk for Screws

No.	Per Pair	Length Overall Inches	Width Base	For Screw	For Diam. Rope Inches	Weight Per Package Pounds
1	\$2.60	3-1/2	7/8	No.10	3/8	3-1/2
2	\$4.15	5	1-1/4	1/4"	1/2	4

Size No. 1 Dealer Package 12 pair

Size No. 2 Dealer Package 6 pair



Fig. 1308 SP

SKENE BOW CHOCKS—Fig. 1223 SP

Die Cast Zinc Alloy — Chromium Plated

Per Pair	Length Overall Inches	Width Base Inches	For Diam. Rope Inches	Weight Per Package Pounds	Dealer Package
\$2.10	3-1/2	7/8	1/2	4-1/2	12 Prs.



Fig. 1223 SP



MODERN DESIGN BOW CHOCKS—Fig. 1253 SP

Die Cast Zinc Alloy — Chromium Plated

Per Pair	Length Overall Inches	Width Base Inches	For Diam. Rope Inches	Weight Per Package Pounds	Dealer Package
\$3.00	4	13/16	1/2	3-1/2	6 Prs.



Fig. 1253 SP

BOW CHOCKS—Fig. 546 SP

Cast Bronze — Chromium Plated

Length Inches	Per Pair	For Screw No.	Weight Per Package Pounds
4	\$7.90	10	4

Dealer Package 6 pair.



Fig. 546 SP

STERN CHOCK—Fig. 119 SP

Cast Bronze — Chromium Plated

Length Inches	Each	For Screw No.	Weight Per Package Pounds
4	\$6.35	8	2-1/2

Dealer Package 6 pieces.



Fig. 119 SP





Fig. 1313 SP

CHROMALEX® GAS FILL—Fig. 1313 SP

Nylon Flange — Black or Red
Die Cast Zinc Alloy — Chromium Plated
For Use With 1-1/2" I.D. Hose

Each	Diameter Overall Inches	Length Hose Neck Inches	For Screw No.	Weight Per Package Pounds
\$3.25	3-1/8	1-5/8	7	3-1/2

Specify Black or Red
Dealer Package 6 pieces.




Fig. 1312 SP

CHROMALEX® COWL VENTILATOR—Fig. 1312 SP

Black Lexan Base — Die Cast Zinc Alloy
Chromium Plated — For 3" Duct

Each	Mouth Opening Square Inches	Length Overall Inches	Width Overall Inches	Height Overall Inches	Weight Per Package Pounds
\$5.00	7	5-3/4	4-3/8	2-5/8	3

Dealer Package 4 pieces.



Fig. 339 SP

CLAM SHELL VENTILATOR—Fig. 339 SP

Brass — Chromium Plated

Beautifully styled to enhance the appearance of any boat.
Bored and countersunk for No. 6 screw.

Each	Width Opening Inches	Height Opening Inches	Base Dimensions Inches	Weight Per Package Pounds
\$4.70	2-1/2	1-5/8	4x3-3/4	4

Dealer Package 6 pieces.




Fig. 315 SP

MIDGET CLAM SHELL VENTILATOR—Fig. 315 SP

18-8 Stainless Steel — Polished

Here's a streamlined, midget ventilator with many uses including shielding gas tank vents.

No.	Each	Base Dimensions Inches	Height Opening Inches	Weight Per Package Pounds
2	\$1.25	2 x 2	9/16	1-1/2

Dealer Package 12 pieces.




Fig. 330 SP

LOCKER VENTILATORS—Fig. 330 SP

18-8 Stainless Steel - Polished

No.	Each	Diameter Inches	For Screw No.	Weight Per Package Pounds
2	\$1.40	3-1/4	6	1-1/2

Dealer Package 12 pieces.



CHROMALEX® STEP PLATES—Fig. 1225 CH
 Die Cast Zinc Alloy – Chromium Plated –
 Black Plastic Non-Skid Pads

No.	Per Pair	Dimensions Overall Inches	For Screw	Weight Per Package Pounds
0	\$4.60	8-3/8x2-1/4	8	6
1	5.60	8-3/8x3-1/4	8	9-1/2

Dealer Package 6 pairs.



Fig. 1225 CH-SP

STEP PLATES—Fig. 1225 SP
 Die Cast Zinc Alloy – Chromium Plated –
 White Plastic Non-Skid Pads

No.	Per Pair	Dimensions Overall Inches	For Screw	Weight Per Package Pounds
0	\$4.60	8-3/8x2-1/4	8	6
1	5.60	8-3/4x3-1/4	8	9-1/2

Dealer Package 6 pairs.





Fig. 1225 SP

BOW EYES—Fig. 1232 SP
 Die Cast Zinc Alloy – Chromium Plated – Forged Steel Shank,
 Nut and Washer

Each	Length Shank Inches	Length Thread Inches	Diameter Shank Inches	Inside Eye Inches	Weight Per Package Pounds
\$2.60	3	2-1/2	3/8	1	4

Dealer Package 6 pieces.




Fig. 1232 SP

BOW EYES—Fig. 1235 SP
 Die Cast Zinc Alloy – Chromium Plated – Forged Steel Shanks,
 Nut and Washer – Shanks Are One Continuous "U" Bolt Cast
 Inside Eye

Each	Length Shank Inches	Length Thread Inches	Diameter Shank Inches	Inside Eye Inches	Weight Per Package Pounds
\$2.75	3	2-3/4	5/16	1	4-1/4

Dealer Package 6 pieces.



Fig. 1235 SP

BOW EYES—Fig. 237 SP
 18-8 Stainless Steel – Polished

Each	Length Shank Inches	Diameter Metal Inches	Length Thread Inches	Inside Eye Inches	Weight Per Package Pounds
\$3.50	3	5/16	2-1/16	1	2

Dealer Package 6 pieces.





Fig. 237 SP



Fig. 1336 SP

CHROMALEX[®]
TRANSOM OR UTILITY HANDLE—Fig. 1336 SP
 Die Cast Zinc Alloy — Perkplate Chrome
 Glossy Black Lexan Plastic Base

Price Per Pair	Length Overall Inches	Weight Per Package Pounds
\$4.95	6-1/4	7

Dealer Package 6 pairs.




Fig. 1231 SP



ROUND GRIP TRANSOM HANDLE—Fig. 1231 SP
 Die Cast Zinc Alloy — Chromium Plated

Per Pair	Length Overall Inches	Length Inside Inches	Height Inside Inches	For Screw No.	Weight Per Package Pounds
\$3.70	6	3-1/2	1-5/16	10	6-3/4

Dealer Package 6 pairs.



Fig. 775-SP

TRANSOM HANDLES—Fig. 775 SP
 Silicon Bronze — Chromium Plated

No.	Per Pair	Length Overall Inches	Length Inside Inches	Weight Per Package Pounds
2	\$8.50	5-3/4	3-3/4	4

Dealer Package 6 pairs.




Fig. 863 SP



WATER SKI TOWING HOOK - Fig. 863 SP
 For Mounting Through Transom — Die Cast Zinc Alloy — Steel Bolt — Chromium Plated

Each	Length Overall Inches	Diameter Bolt Inches	Length Bolt Inches	Length Thread Inches	Weight Per Package Pounds
\$4.00	6	5/16	3-1/4	2-1/2	3-3/4

Dealer Package 6 pieces



Fig. 1224 SP

TRANSOM PLATES—Fig. 1224 SP
 Die Cast Zinc Alloy — Chromium Plated

No.	Per Pair	Length Overall Inches	Inside Diameter Inches	Weight Per Package Pounds
1	\$2.00	3-1/2	1-7/8	3-1/4

Dealer Package 12 pairs.

SWIVEL EYE PULLEYS—Fig. 565 SP

All 18-8 Stainless Steel except the sheave which is white nylon.

Complete Per Pair	Length Overall Inches	Diam. Sheave Overall Inches	Length Strap Inches	Weight Per Package Pounds
\$3.55	3-3/4	2-3/8	1-5/8	4-1/2

Dealer Package 12 pairs.



Fig. 565 SP

SNAP HOOK PULLEYS—Fig. 634 SP

All 18-8 Stainless Steel except the sheave which is white nylon.

Complete Per Pair	Length Overall Inches	Snap Throat Opening Inches	Diam. Sheave Overall Inches	Weight Per Package Pounds
\$4.40	4-5/8	1/2	2-3/8	5-1/4

Dealer Package 12 pairs.



Fig. 634 SP

TILLER ROPE TIGHTENERS—Fig. 732 SP

Cadmium Plated Steel Per Pair	Stainless Steel Per Pair	Normal Length Inches	Length Compressed Inches	Outside Diameter Inches	Weight Per Package Pounds
\$1.35	\$2.60	4	5	1-1/16	5-1/2

Dealer Package 12 pairs.



Fig. 732 SP



TILLER ROPE CLAMPS—Fig. 1226 SP


Die Cast Zinc Alloy — Chromium Plated

Per Pair	For Rope Diam. Inches	Length Inches	Width Inches	Weight Per Package Pounds
\$1.30	3/16	1-1/4	11/16	2-1/2

Dealer Package 12 pairs.



Fig. 1226 SP



FENDER HOOKS—Fig. 1246 SP

Die Cast Zinc Alloy — Chromium Plated

Per Pair	For Rope Diameter Inches	Size Plate Inches	For Screw No.	Weight Per Package Pounds
\$1.75	3/8	1-3/4x1-1/4	6	2-3/4

Dealer Package 12 pairs.



Fig. 1246 SP

FENDER LOCK—Fig. 1299 SP

Die Cast Zinc Alloy — Chromium Plated

Attach and detach fenders instantly, eye is permanently fastened to fender line, it quickly engages the deck flange and stays there until its job is done.

Per Pair	Diameter Flange Inches	I.D. Eye Inches	Weight Per Package Pounds
\$2.75	1-1/2	3/8	2-1/4

Dealer Package 12 pairs.




Fig. 1299 SP



Fig. 414 SP

TRANSOM DRAIN PLUGS—Fig. 414 SP
For Outboard Boats — Plain Brass — With Safety Chain

To tighten plug, raise handle to position illustrated. Remove plug while boat is in motion and water will drain out. Install in lowest part of transom. Watertight when closed.

No.	Each	Diam. Tube Inches	Length Overall Inches	Length Tube Inches	Weight Per Package Pounds
1	\$2.90	1	2-1/2	2	4

Dealer Package 12 pieces.



Fig. 578 SP

BOAT COVER SOCKETS—Fig. 578 SP
Die Cast Zinc Alloy — Chromium Plated

Per Pair	Length Overall Inches	Size Opening Inches	Width Overall Inches	Weight Per Package Pounds
\$1.40	3-1/4	1-7/8x7/16	5/8	3

Dealer Package 12 pairs.




Fig. 827-SP

DECK PLATE KEY—Fig. 827 SP

Stainless Steel

Will fit various sizes of deck plates up to 3 inches.

Each	Length Overall Inches	Diameter Metal Inches	Weight Per Package Pounds
\$1.90	5-3/4	3/16	1-1/2

Dealer Package 6 pieces.



Fig. 167 SP

TRIPLEX MOTOR BOAT WHISTLE—Fig. 167 SP
Plastic

Each	Length Overall Inches	Width Overall Inches	Weight Per Package Pounds
\$.95	6	1-3/4	1-1/2

Dealer Package 12 pieces.



Fig. 606-SP

SAFETY MOORING HOOKS—Fig. 606 SP

Drop Forged Steel — Stainless Steel Spring

These hooks, although light in design, have exceptional strength.

No.	Galvanized Each	I.D. of Eye Inches	Length Overall Inches	Throat Opening Inches	Weight Per Package Pounds
1	\$1.65	3/4	4	3/4	2-1/2

Dealer Package 12 pieces.

NORTH RIVER ROWLOCKS—Fig. 1228 SP
 Die Cast Zinc Alloy — With Delrin Bearing in Socket
 Between Horns, 1-3/4 Inches

	Complete Per Pair	Dealer Package 6 Prs.	Weight Per Package Pounds 8-1/2
Chromium Plated	\$6.70		




Fig. 1228 SP

RIBBED SIDE PLATE ROWLOCKS—Fig. 1263 SP
 Die Cast Zinc Alloy — With Delrin Bearing in Socket
 Between Horns, 1-3/4 Inches

	Complete Per Pair	Dealer Package 6 Prs.	Weight Per Package Pounds 8
Chromium Plated	\$6.45		




Fig. 1263 SP

**ROUND ROWLOCKS
 WITH FANCY SOCKET—Fig. 1268 SP**
 Die Cast Zinc Alloy — Delrin Bearing in Socket
 Inside Diameter Horns, 2 Inches

	Complete Per Pair	Dealer Package 6 Prs.	Weight Per Package Pounds 8-3/4
Chromium Plated	\$6.60		




Fig. 1268 SP

NORTH RIVER ROWLOCK HORNS—Fig. 1227 SP
 Die Cast Zinc Alloy — Between Horns 1-3/4 Inches

Natural Finish Per Pair	Chromium Plated Per Pair	Diameter Shank Inches	Dealer Package	Weight Per Package Pounds
\$1.75	\$3.05	1/2	6 pairs	4



Fig. 1227 SP

RIBBED ROWLOCK HORNS—Fig. 1262 SP
 Die Cast Zinc Alloy — Between Horns 1-3/4 Inches

Natural Finish Per Pair	Chromium Plated Per Pair	Diameter Shank Inches	Dealer Package	Weight Per Package Pounds
\$1.45	\$2.80	1/2	6 pair	3-3/4



Fig. 1262 SP

PERKINS MARINE LAMP & HARDWARE CORP.



Fig. 1267 SP

ROUND ROWLOCK HORNS—Fig. 1267 SP

Die Cast Zinc Alloy
Inside Diameter 2 Inches

Natural Finish Per Pair	Chromium Plated Per Pair	Diameter Shank	Dealer Package	Weight Per Package Pounds
\$1.55	\$2.90	1/2	6 pair	4-1/2



Fig. 1205-SP

FISHING ROD HOLDERS—Fig. 1205 SP

Acry-Color Finish – White – Has White Delrin Liner

Each	Inside Diam. Inches	Length Overall Inches	Dimensions Flange Inches	Weight Per Package Pounds
\$6.95	1-5/8	9	4x3-1/8	6

Dealer Package 4 pieces.




Fig. 1104-SP

VINYL FISHING POLE HOLDER—Fig. 1104 SP

With Brass Chromium Plated Brackets

Each	Length Overall Inches	Inside Diameter Inches	Outside Diameter Inches	Width Bracket Inches	Weight Per Package Pounds
\$5.60	9	1-3/4	2	3-1/4	6

Dealer Package 6 pieces.




Fig. 469-SP

OUTRIGGER TROLLING PIN OR CLIP—Fig. 469 SP

High Impact Plastic – Orange Color – Stainless Steel Eyes and Spring – All Salt Water Resistant – High Visibility

Per Pair	Dimensions Inches	Weight Per Package Pounds
\$3.85	3-1/2x1-1/2	3

Dealer Package 6 pairs.

**HEAVY DUTY
FLUSH HATCH LIFTING HANDLE—Fig. 776 SP**
Silicon Bronze – Chromium Plated

No.	Each	Dimensions Plate Inches	Inside Handle Inches	Weight Per Package Pounds
1	\$6.75	3x2-1/4	1-3/4x1	1-1/4

Dealer Package 6 pieces.



Fig. 776 SP

FLUSH HATCH LIFTING RING—Fig. 575 SP
Silicon Bronze – Chromium Plated

No recess to catch heels, chair or table legs, etc.

Each	Size Plate Inches	Inside Ring Inches	Weight Per Package Pounds
\$5.25	2x2-5/8	1	1-1/2

Dealer Package 12 pieces.



Fig. 575 SP

FLUSH RING PULLS—Fig. 841 SP
Die Cast Zinc Alloy – Chromium Plated

Each	Size Plate Inches	Weight Per Package Pounds
\$2.45	1-3/4x1-3/8	1

Dealer Package 12 pieces.



Fig. 841 SP

CUPBOARD CATCHES—Fig. 1102 SP
Die Cast Zinc Alloy – Chromium Plated

Each	Without Strike Inches	Weight Per Package Pounds
\$5.15	1-3/8x1-7/16	1

Supplied complete with flush and 3/8 inch offset strike.

Dealer Package 6 pieces.



Fig. 1102 SP

CUPBOARD BOLT—Fig. 1101 SP
Die Cast Zinc Alloy – Chromium Plated

Each	Without Strike Inches	Weight Per Package Pounds
\$3.50	1-1/2x1-1/2	1-1/4

Dealer Package 6 pieces.



Fig. 1101 SP

SPRING TYPE DOOR BUTTON—Fig. 1216 SP
Die Cast Zinc Alloy – Chromium Plated

Eliminates rattling doors. Phosphor bronze coil spring under knob holds button snugly against the plate. Nylon tips under button prevent marring of chrome surface. Drilled and countersunk for #6 screw.

Each	Plate Diameter Inches	Width Less Keeper Inches	Weight Per Package Pounds
\$2.25	1-11/16	1-3/16	1-3/4

Dealer Package 12 pieces.




Fig. 1216 SP



Fig. 1199-SP



CABIN DOOR HOOKS—Fig. 1199 SP
 Die Cast Zinc Alloy — Chromium Plated

Each	Length Hook Inches	Weight Per Package Pounds
\$1.70	1-3/4	2

Dealer Package 12 pieces.



Fig. 1198-SP



SECURITY HINGED HASPS—Fig. 1198 SP
 Die Cast Zinc Alloy — Chromium Plated

Each	Length Closed Inches	Width Inches	Weight Per Package Pounds
\$3.00	3	1	2-1/2

Dealer Package 12 pieces.



Fig. 1056-SP


ELBOW CATCHES—Fig. 1056 SP
 Die Cast Zinc Alloy — Chromium Plated

Each	Size Base Inches	Weight Per Package Pounds
\$2.40	1-1/8x9/16	1

Dealer Package 12 pieces.




Fig. 559-SP

"POLYDEL" DOOR CATCHES—Fig. 559 SP
 Grey Delrin Ball Stud — Polyethylene Catch — Holds Door Firmly in Place Against Vibration and Motion

Per Pair	Stud Size Inches	Catch Size Inches	Weight Per Package Pounds
\$1.10	1-1/8x3/8	1-3/8x7/8	1

Dealer Package 25 pairs.



Fig. 950-SP


CUDDY DOOR HINGE—Fig. 950 SP
 18-8 Stainless Steel — Polished — Stainless Steel Pin — Thickness .075 Inches

A good sturdy hinge strong enough for all doors but lightweight for cupboard and closet doors.

Per Pair	Length Open Inches	Width Inches	Diam. Pin Inches	Weight Per Package Pounds
\$4.20	3	1-1/2	3/16	2

Dealer Package 12 pairs.

SLIDING WINDOW LOCK AND ANTI RATTLER—Fig. 937 SP
 Die Cast Zinc Alloy — Chromium Plated — Bakelite Knob — Plastic Tip

Per Pair	Height Overall Inches	Mounting Plate Inches	Length Screw Inches	Weight Per Package Pounds
\$5.00	1-5/8	1 x 5/8	1-1/8	2

Dealer Package 6 pairs.



Fig. 937-SP

HAND WINDSHIELD WIPERS—Fig. 533 SP

The arm is extensible from 9 to 12 inches, spring tension is adjustable for best wiping pressure.

No. 1 Each	Length Overall Inches	Diam. Shaft Inches	Length Handle Inches	Weight Per Package Pounds
\$9.65	15 to 18	3/8	2-3/8	2

For thickness of wood up to 1-1/8 inches.

Dealer Package 3 pieces.



Fig. 533 SP



BOAT HOOK HOLDERS—Fig. 492 SP

18-8 Stainless Steel — Polished

Will accommodate poles up to 1-1/2 inch in diameter, and hold them firmly in place.

Per Pair	Length Inches	Width Inches	For Screw No.	Weight Per Package Pounds
\$1.95	3-1/2	1	6	3

Dealer Package 12 pairs.




Fig. 492 SP

"HOLDALL" SPRING CLAMPS—Fig. 502 SP

18-8 Stainless Steel — Polished

Excellent for stowing fishing rods, boat hooks, oars, swab, broom, flashlight, flagstaff, pump, etc.

No.	Per Pair	Adjustability Inches	Length From Wall Inches	Width of Metal Inches	For Screw No.	Weight Per Package Pounds
1	\$1.45	5/8 to 1-1/4	1-1/2	1/2	6	3

Dealer Package 12 pairs.




Fig. 502 SP

SWIVEL EYE SNAP—Fig. 1289 SP

Die Cast Zinc Alloy — Chromium Plated

Has an interlocking device on tongue and hook, adding considerable strength.

Each	Inside Diam. Eye Inches	Extreme Length Inches	Weight Per Package Pounds
\$1.65	5/8	3	2-1/2

Dealer Package 12 pieces.



Fig. 1289 SP



Fig. 85-A SP



SAFETY MAIN SWITCH—Fig. 85-A SP

Red Lexan Plastic Housing — Vapor Tight — Bakelite Control Knob — Copper Contacts — Brass Terminals — Stainless Steel Spring.

For Use With Alternators or Generators.

Rated at 210 amperes continuous, 315 amperes intermittent. (6, 12, and 32 volts)

Supplied for flush mounting with battery cable through bulkhead.

Tested and accepted for labeling and listing by the Underwriters Laboratories, Inc.

For 2 or more batteries.

Each	Diameter Inches	Depth Inches	Weight Per Package Pounds
\$18.60	5	1-3/4	4

Dealer Package 3 pieces.




Fig. 105 SP

PUSH AND PULL SWITCHES—Fig. 105 SP

3/4 Inch Knob — 20 Amp. — Chromium Plated Knob — Brass Housing

No.	Chromium Plated Each	Diam. Neck Inches	For Wood Thickness Inches	Length Overall Inches	Diam. Knob Inches	Weight Per Package Pounds
1	\$2.40	3/8	1	3	3/4	3

Dealer Package 12 pieces.





Fig. 255 SP



MOMENTARY STARTER SWITCH OR DASHBOARD HORN BUTTON—Fig. 255 SP

All Brass — Push Button Type — 2 Point, 2 Terminal Spring Action — Chromium Plated Button — 15 Amp.

No.	Each	Diameter Neck Inches	For Wood Thickness Inches	Weight Per Package Pounds
1	\$3.20	5/8	1	3

Dealer Package 6 pieces.




Fig. 316 SP

IGNITION LOCK SWITCH—Fig. 316 SP

Face Plate Chromium Plated — 2 Terminal — 2 Keys — 30 Amp.

No.	Each	Diameter Neck Inches	Length Neck Inches	Weight Per Package Pounds
1	\$4.30	3/4	3/4	2

Dealer Package 6 pieces.

PERKINS MARINE LAMP & HARDWARE CORP.

N-1

NUMERICAL INDEX WITH LIST PRICE AND STANDARD PACKAGE QUANTITIES APPLYING TO CATALOG NO. 220

Figure	Page	List Price	Std. Pkg.
0-1	A-19	Galv Pol Br 37.80 ea 50.00 ea	
0-2, A	A-20	Galv Pol Br 19.50 ea 28.85 ea	
0-4	A-19	DISCONTINUED	
0-5	A-19	DISCONTINUED	
0-6,A,B	A-20	Galv Pol Br 24.00 ea 38.85 ea	
0-8	A-19	DISCONTINUED	
0-9	A-19	DISCONTINUED	
0-40	A-19	DISCONTINUED	
0-50	A-19	DISCONTINUED	
0-80	A-19	DISCONTINUED	
0-90	A-19	DISCONTINUED	
4A & B C/2	A-18	Galv Pol Br 44.00 pr 74.50 pr	
4A & B C/3	A-18	Galv Pol Br 47.50 pr 84.00 pr	
5A & B C/2	A-18	Galv Pol Br 22.00 ea 37.25 ea	
5A & B C/3	A-18	Galv Pol Br 23.75 ea 42.00 ea	
5MB C/3	A-18	Galv Pol Br 29.50 ea 47.75 ea	
17,A,B	A-18	Galv Pol Br 55.60 pr 88.00 pr	
18,A,B	A-18	Galv Pol Br 27.80 ea 44.00 ea	
19,A,B	A-18	Galv Pol Br 57.70 pr 94.50 pr	
20,A,B	A-18	Galv Pol Br 28.85 ea 47.25 ea	

Figure	Page	List Price	Std. Pkg.
21 No. 0	B-5	Galv PI Br 144.00 pr 214.00 pr	
No. 1		Pol Br Galv PI Br 236.00 pr 158.00 pr 237.00 pr	
No. 2		Pol Br Galv PI Br 262.00 pr 199.00 pr 296.00 pr 330.00 pr	
23 No. 0	B-5	Galv PI Br DISCONTINUED DISCONTINUED	
No. 1		Pol br Galv PI Br 79.00 ea 118.50 ea	
No. 2		Pol Br Galv PI Br 131.00 ea 99.50 ea 148.00 ea 165.00 ea	
24 No. 1 No. 2	C-7	.95 ea 1.60 ea	10 10
27,28	D-15	Plain Painted 2.30 ea 2.90 ea	10 10
30B, 30C No. 0	B-4	Galv PI Br Pol Br 144.00 pr 214.00 pr 236.00 pr	
No. 1		Galv PI Br Pol Br 158.00 pr 237.00 pr 262.00 pr	
No. 2		Galv PI Br Pol Br 199.00 pr 296.00 pr 330.00 pr	
31	B-7	Galv PI Br DISCONTINUED DISCONTINUED	
32B, 32C No. 0	B-4	Galv PI Br Pol Br 72.00 ea 107.00 ea 118.00 ea	
No. 1		Galv PI Br Pol Br 79.00 ea 118.50 ea 131.00 ea	
No. 2		Galv PI Br Pol Br 99.50 ea 148.00 ea 165.00 ea	
33, 34, 36	D-15	2.90 ea	10
39	B-8	DISCONTINUED	
42	D-8	1.60 ea	

Where Standard Packaging Not Indicated, Packaged Quantity Is One Unit.

PERKINS MARINE LAMP & HARDWARE CORP.

Figure	Page	List Price	Std. Pkg.
43	H-19		
No. 1		Galv .80 ea	10
		Pl Br 1.60 ea	10
No. 3		Galv 1.30 ea	10
		Pl Br 2.15 ea	10
No. 5		Galv 1.40 ea	10
		Pl Br 3.60 ea	10
No. 7		Galv 1.90 ea	10
		Pl Br 4.20 ea	10
No. 9		Galv 2.45 ea	
No. 11	Galv 3.30 ea		
No. 13	Galv 5.50 ea		
No. 15	Galv 7.80 ea		
44	B-10		
No. 1		Galv 41.00 ea	
		Pol Br 57.00 ea	
No. 2		Galv 50.00 ea	
	Pol Br 69.50 ea		
No. 3	Galv 90.00 ea		
	Pol Br 119.00 ea		
44R, 44F	B-10		
No. 1		Galv 53.00 ea	
		Pol Br 69.00 ea	
No. 2		Galv 62.00 ea	
	Pol Br 81.50 ea		
No. 3	Galv 102.00 ea		
	Pol Br 131.00 ea		
49	B-10	Galv 36.50 ea	
		Pol Br 48.00 ea	
51	H-19		
No. 2		1.40 ea	10
No. 4		1.80 ea	10
No. 6		2.65 ea	10
No. 8	3.05 ea	10	
52	C-7	.85 ea	
56	C-6		
No. 4		1.40 ea	
No. 5	.50 ea		
59	B-7	DISCONTINUED	
60	J-16	12.00 c	100
62	J-16	3.65 c	100
65	H-14		
No. 1		7.35 ea	
No. 2		9.75 ea	
No. 3		12.60 ea	
No. 4	18.25 ea		
66	H-14		
No. 1		2.10 ea	5
No. 2		5.40 ea	5
No. 3		7.35 ea	5
No. 4	13.15 ea	5	

Figure	Page	List Price	Std. Pkg.
67	H-16	DISCONTINUED	
70	C-6		
No. 0		.80 ea	10
No. 1	.80 ea	10	
73	H-4		
No. 1		DISCONTINUED	
No. 2		2.85 ea	
No. 3		3.65 ea	
No. 4		3.65 ea	
No. 5		3.65 ea	
No. 6		3.95 ea	
No. 7		5.50 ea	
No. 8		5.50 ea	
No. 9		7.00 ea	
No. 10		7.60 ea	
No. 11		7.60 ea	
No. 12		9.00 ea	
No. 13		16.25 ea	
No. 14	17.00 ea		
74-P	A-14	1.00 ea	
75	H-16		
No. 1		.75 ea	
No. 2		.80 ea	
No. 3		1.15 ea	
No. 4		1.75 ea	
No. 5		3.00 ea	
No. 6		3.55 ea	
No. 7		5.25 ea	
No. 8	6.00 ea		
76	H-14		
No. 1		2.20 ea	
No. 2		2.65 ea	
No. 3		3.40 ea	
No. 4		4.45 ea	
No. 5		5.80 ea	
No. 6	8.90 ea		
77	C-5	Clear 3.65 ea Green 4.85 ea	
78	H-16	DISCONTINUED	
79	H-4		
No. 1		DISCONTINUED	
No. 2		1.60 ea	
No. 3		1.60 ea	
No. 4		1.60 ea	
No. 5		1.60 ea	
No. 6		1.85 ea	
No. 7	2.40 ea		

PERKINS MARINE LAMP & HARDWARE CORP.

N-3

Figure	Page	List Price	Std. Pkg.
79	H-4	CONTD.	
No. 8		2.40 ea	
No. 9		2.95 ea	
No. 10		3.15 ea	
No. 11		3.15 ea	
No. 12		3.70 ea	
No. 13		6.30 ea	
No. 14		7.35 ea	
82	I-18	36.25 pr	
84B, 84C No. 0	B-4	Galv PI Br Pol Br DISCONTINUED DISCONTINUED DISCONTINUED	
No. 1		Galv 89.00 ea PI Br 128.50 ea Pol Br 141.00 ea	
No. 2		Galv 115.00 ea PI Br 163.50 ea Pol Br 180.50 ea	
85A	D-2	20.50 ea	
86	H-14		
No. 1		1.60 ea	5
No. 2		1.85 ea	5
No. 3		2.25 ea	5
No. 4		3.15 ea	5
No. 5		5.50 ea	5
No. 6		5.75 ea	5
No. 7		16.00 ea	
89	A-17	Galv 21.00 ea Pol Br DISCONTINUED Chr DISCONTINUED	
90	J-16	13.00 c	100
91	A-17		
C/1		Galv 31.50 pr Pol Br 52.00 pr Chr 57.00 pr	
C/2		Galv 34.00 pr Pol Br 55.50 pr Chr 61.00 pr	
C/3		Galv 36.25 pr Pol Br 60.00 pr Chr 65.50 pr	
93	H-3	DISCONTINUED	
94	C-2		
No. 1		1.90 ea	10
No. 2		1.90 ea	10
96	D-2	20.50 ea	
97,A,B	A-18	Galv 27.80 ea Pol Br 44.00 ea	
98	A-17		
C/1		DISCONTINUED	
C/2		Galv. \$17.00 ea Pol. Br. 27.75 ea Chrome 30.50 ea	
C/3		Galv. 18.50 ea Pol. Br. 30.00 ea Chrome 32.75 ea	

Figure	Page	List Price	Std. Pkg.
99	A-17		
C/1		Galv 15.75 ea Pol Br 26.00 ea Chrome 28.50 ea	
C/2		Galv 17.00 ea Pol Br 27.75 ea Chrome 30.50 ea	
C/3		Galv 18.50 ea Pol Br 30.00 ea Chrome 32.75 ea	
100	H-19		
No. 0		Galv .90 ea PI Br 3.60 ea	10
No. 1		Galv 1.00 ea PI Br 3.85 ea	10
No. 3		Galv 1.25 ea PI Br 4.90 ea	10
No. 5		Galv 1.80 ea PI Br 5.90 ea	10
No. 7		Galv 2.25 ea PI Br 6.85 ea	10
101	H-19		
No. 00		1.45 ea	10
No. 2		1.75 ea	10
No. 4		2.05 ea	10
No. 6		3.05 ea	10
No. 8		4.30 ea	10
102, 102A, 102B	A-18	Galv 28.85 ea Pol Br 47.25 ea	
103	A-12	PI Br 16.50 ea	
105	D-4		
No. 1		2.20 ea	10
No. 2		2.60 ea	10
106	C-5	Clear 5.10 ea Colored 7.00 ea	
108	F-11		
No. 1		13.00 ea	
No. 2		15.00 ea	
112	A-13	Clear 25.60 ea Colored 29.25 ea	
114	J-16	17.00 c	100
115	J-16	19.00 c	100
116	J-16	17.00 c	100
117	J-16	20.00 c	100
118	J-16	4.50 c	100
119	I-6		
4"		6.50 ea	5
5"		8.65 ea	5
6"		9.70 ea	5
8"		16.80 ea	

PERKINS MARINE LAMP & HARDWARE CORP.

Figure	Page	List Price	Std. Pkg.	Figure	Page	List Price	Std. Pkg.
120 No. 1	J-10	Burn Br 6.85 pr	5 pr	141 No. 1	D-11	Pol Br 34.00 ea	
No. 2		Chrome 10.00 pr	5 pr	No. 2		Chrome 37.75 ea	
No. 3		Burn Br 7.90 pr	5 pr			Pol Br 35.75 ea	
		Chrome 10.75 pr	5 pr			Chrome 39.00 ea	
		Burn Br 11.25 pr	5 pr	142 No. 1	H-17	PI Br 13.65 ea	
		Chrome 16.50 pr	5 pr	No. 2		Chrome 17.30 ea	
121 No. 1	D-7	4.85 c	100			PI Br 19.75 ea	
No. 2		5.25 c	100			Chrome 23.50 ea	
No. 3		5.75 c	100	145	A-13	DISCONTINUED	
No. 4		5.75 c	100	146	F-10	28.75 ea	
No. 5		6.30 c	100	147	F-11	2.20 ea	
No. 6		7.10 c	100	148	I-16	Complete 7.65 set	5 set
No. 7		7.35 c	100	149	J-13	PI Br 6.50 ea	5
No. 8		9.00 c	100			Chrome 10.75 ea	5
No. 9		10.00 c	100	150 8"	G-7	Pol Br 90.00 ea	
122	J-10	12.00 pr	5 pr			Chrome 97.50 ea	
124	F-8	10.50 ea	5			Pol Br 166.00 ea	
125	B-7	DISCONTINUED				Chrome 174.00 ea	
126	B-9	DISCONTINUED				Pol Br 265.00 ea	
128 No. 0, 1, 2	D-11	Pol. Br 7.60 ea				Chrome 277.00 ea	
		Chrome 9.75 ea		151	F-11	4.50 ea	
129 No. 0	B-5	Galv DISCONTINUED		154 No. 20	H-18	.26 ea	
No. 1		PI Br DISCONTINUED		No. 27		.36 ea	
No. 2		Pol Br DISCONTINUED		No. 28		.47 ea	
		Galv 89.00 ea		155	I-19	10.75 ea	10
		PI Br 128.50 ea		156	J-16	28.00 c	100
		Pol Br 141.00 ea		157 4"	G-3	31.00 ea	
		Galv 115.00 ea				5" 38.50 ea	
		PI Br 163.50 ea				6" 48.00 ea	
		Pol Br 180.50 ea				8" 69.50 ea	
132	C-5	4.35 ea		159 6"	G-7	PI Br 13.65 ea	
133	C-5	4.85 ea				Pol Br 16.00 ea	
134	D-10	9.50 ea	10			Chrome 18.65 ea	
135	D-10	9.50 ea	10			PI Br 22.75 ea	
136	D-10	2.65 ea	10			Pol Br 27.25 ea	
137	D-10	2.85 ea	10			Chrome 29.50 ea	
138 C/1, 2, 3	C-3	3.75 ea		160 No. 1	I-6	14.50 pr	5 pr
139	D-10	5.25 ea	10	No. 2		21.50 pr	5 pr
140	D-10	1.95 ea	10	No. 3		40.00 pr	1 pr
				161 No. 11	I-6	7.60 ea	5
				No. 12		14.20 ea	5
				No. 13		20.00 ea	
				162	G-7	Galv 4.45 ea	12
						Pol Br 8.15 ea	12

Where Standard Packaging Not Indicated, Packaged Quantity is One Unit.

PERKINS MARINE LAMP & HARDWARE CORP.

N-5

Figure	Page	List Price	Std. Pkg.
163	D-7		
No. 1		12.50 c	100
No. 2		12.50 c	100
No. 3		12.50 c	100
No. 4		12.50 c	100
No. 5		13.85 c	100
No. 6		17.50 c	100
164	D-7		
No. 1		22.50 c	100
No. 2		21.00 c	100
No. 3		21.00 c	100
No. 4		21.50 c	100
No. 5		24.00 c	100
165	D-7		
No. 3		29.00 c	100
No. 4		31.00 c	100
No. 5		35.50 c	100
167	G-7	.65 ea	10
168	D-11	Pol Br Chrome	29.00 ea 32.50 ea
173	C-2		2.30 ea 10
178	J-5	.60 set	25 set
180	I-16		
No. 1		18.75 ea	
No. 2		20.00 ea	
184	D-10		6.25 ea 10
185	I-16		
No. 1		17.50 ea	
No. 2		19.00 ea	
190	G-3		
7 Fath		19.00 ea	
10 Fath		24.50 ea	
15 Fath		33.00 ea	
20 Fath		39.75 ea	
25 Fath		48.25 ea	
30 Fath		56.75 ea	
191	D-2		
No. 2			
No. 4			
No. 5			
No. 6			
No. 7			
No. 8			
No. 10			
No. 12			
193	F-2		20.50 ea
194	H-19		
No. 1		5.75 ea	
No. 2		6.90 ea	
No. 3		10.60 ea	
196	D-7		
No. 1		3.30 c	100

Figure	Page	List Price	Std. Pkg.
196	D-7		
No. 2		3.60 c	100
No. 3		3.85 c	100
No. 4		4.10 c	100
No. 5		5.00 c	100
No. 6		6.00 c	100
No. 7		7.50 c	100
197	J-10		
No. 1		Burn Br 7.90 pr Chrome 16.00 pr	5 pr 5 pr
No. 2		Burn Br 9.50 pr Chrome 18.00 pr	5 pr 5 pr
No. 3		Burn Br 15.75 pr Chrome 26.50 pr	5 pr 5 pr
200	F-10		
No. 1		21.50 ea	
No. 2		DISCONTINUED	
202	F-10		
No. 5		DISCONTINUED	
No. 6		DISCONTINUED	
208	F-10		1.90 ea
209	F-10		DISCONTINUED
211	J-14		
No. 2		19.00 ea	10
No. 4		20.00 ea	10
No. 6		24.00 ea	10
212	J-14		
No. 2		13.25 ea	10
No. 4		14.25 ea	10
214	H-17		
1½"		PI Br 3.65 ea Chrome 4.75 ea	
2"		PI Br 4.20 ea Chrome 5.75 ea	
2½"		PI Br 5.25 ea Chrome 7.15 ea	
3"		PI Br 6.80 ea Chrome 8.40 ea	
3½"		PI Br DISCONTINUED Chrome DISCONTINUED	
217	D-12		
		Chrome 4.00 ea White 3.30 ea	
218	I-16		
No. 1		4.10 ea	5
No. 2		5.50 ea	5
No. 3		6.30 ea	5
219	I-16		
No. 1		4.75 ea	5
No. 2		6.30 ea	5
No. 3		7.10 ea	5
No. 4		9.70 ea	5
220	I-16		
No. 1		6.30 ea	5
No. 2		7.90 ea	5
No. 3		9.20 ea	5

Where Standard Packaging Not Indicated, Packaged Quantity is One Unit.

PERKINS MARINE LAMP & HARDWARE CORP.

Figure	Page	List Price	Std. Pkg.
221 No. 1 No. 2 No. 3	I-16	6.55 ea 8.20 ea 9.50 ea	5 5 5
222	C-7	Complete 1.35 ea Gaskets Only .15 ea	
224 No. 4 No. 5	I-20	4.75 ea 6.50 ea	10 10
230	C-2	1.50 ea	10
231	C-2	2.40 ea	10
232	A-3	1.30 ea	
233 No. 1 No. 2 No. 3	I-12	Complete 3.00 pr Leathers 2.40 pr Buttons .60 pr	10 pr 10 pr 10 pr
234	A-9	.22 ea	20
235	A-9	.85 ea	20
236 No. 0 No. 1 No. 3 No. 4	I-8	DISCONTINUED 4.20 ea 5.45 ea 10.75 ea	10 5 5
237 No. 0 No. 1 No. 2 No. 3 No. 4	I-8	DISCONTINUED 3.80 ea 4.90 ea 5.50 ea 10.00 ea	10 10 10 5
240	G-5	DISCONTINUED	
241	H-13	11.20 ea	5
242 No. 2	C-2	4.90 ea	10
243 No. 2 No. 4	J-14	11.00 ea 12.50 ea	10 10
244 No. 1 No. 2	H-12	1.80 ea 5.00 ea	10 10
246 No. 0, 1	C-2	2.70 ea	10
247	H-13	3.00 ea	10
248-P	C-5	Clear 1.55 ea Colored 1.80 ea	
249	C-5	4.25 ea	
250	C-5	Clear 3.20 ea Blue 3.85 ea	

Figure	Page	List Price	Std. Pkg.
251	A-4	1.25 ea	
252 No. 1 No. 2 No. 3 No. 4 No. 5 No. 6 No. 7 No. 8 No. 9	H-12	3.70 ea 3.70 ea 4.75 ea 4.75 ea 4.75 ea 6.30 ea 6.30 ea 9.45 ea 9.45 ea	10 10 10 10 10 10 5 5
253 No. 1 No. 2 No. 3 No. 4 No. 5 No. 6	H-12	7.15 ea 7.15 ea 13.50 ea 13.50 ea 22.00 ea 22.00 ea	
254 No. 1 No. 2 No. 3 No. 4	H-13	Complete 2.65 ea Complete 3.15 ea Complete 3.95 ea Complete 4.20 ea	5 5 5 5
255 No. 1	D-5	3.15 ea	10
256 C/1 C/2 C/3 No. 0 No. 1 No. 2 No. 3	C-4	Clear 4.60 Colored ea 5.50 ea 7.00 10.50 ea Disc. 32.00 ea 23.00 38.00 ea 34.00 47.00 ea 38.50 ea	
257 3" 4" 5" 6"	C-5	2.10 ea 2.75 ea 3.00 ea 3.50 ea	
258 No. 2 No. 4	J-14	8.50 ea 9.15 ea	10 10
259AP	A-4	1.25 ea	
259 C/1 C/2 C/3 No. 0 No. 1 No. 2 No. 3	C-4	4.00 ea 5.20 ea 6.60 ea 15.75 ea 21.00 ea 27.50 ea 32.00 ea	
260 C/2 C/3 Mld 59	C-4	Clear 5.20 Colored ea 6.60 ea 36.00 ea	
261 Jr	C-4	Clear 5.50 ea Colored 6.30 ea	

PERKINS MARINE LAMP & HARDWARE CORP.

N-7

Figure	Page	List Price		Std. Pkg.
261	C-4	Clear	Colored	
Sr.	Cont'd.	6.00	7.00 ea	No. 0 Colored is Amber Only
No. 0		Disc.	25.00 ea	
No. 1		22.00	32.00 ea	
No. 2		27.00	41.00 ea	
No. 3		32.00	51.00 ea	
262	C-2		6.80 ea	
263	F-8		6.50 ea	5
264	C-2		Frosted or Colored	
6"		Clear 10.50	16.00 ea	
8"		13.80	21.50 ea	
10"		22.00	31.50 ea	
265	A-20		8.65 ea	
266	F-8		6.50 ea	5
267	C-2		2.65 ea	10
No. 2				
268	A-20		22.00 ea	
269	C-4	Clear	Colored	
C/1		4.00	ea	
C/2		4.85	ea	
C/3		10.00	ea	
No. 0		14.30	18.70 ea	
No. 1		17.50	20.00 ea	
No. 2		20.50	32.00 ea	
No. 3		24.00	ea	
270	C-7		6.00 ea	
271	J-12		2.75 pr	10 pr
274	C-3		7.60 ea	
275	D-9		2.10 ea	10
276	C-7		1.50 ea	
No. 0, 2, 3, 4				
278	A-11 & A-17		.80 ea	
279	H-19		5.75 ea	
No. 10			6.90 ea	
No. 20			10.60 ea	
No. 30				
281	A-15		.85 ea	
282	C-3	282 only	Complete	
No. 0		9.50	17.25 ea	
No. 1		9.50	17.25 ea	
No. 2		11.00	18.25 ea	
283	A-14		.90 ea	
284, 284A	A-16		.95 ea	

Figure	Page	List Price		Std. Pkg.
285	J-16		23.00 ea	
286	C-3		5.50 ea	
287	C-3		5.50 ea	
288	C-3		11.00 ea	
No. 0			11.25 ea	
No. 1			11.50 ea	
No. 2				
290	J-16		13.50 ea	
291	C-3		7.60 ea	
292	C-3		7.60 ea	
293	C-3		7.60 ea	
295	H-7		DISCONTINUED	
No. 4A				
No. 5				
296	A-14, 15		1.65 set	
297	E-6		DISCONTINUED	
8"				
10"				
12"				
14"				
298	H-7		1.30 ea	10
No. 8			1.25 ea	10
No. 9				
299	H-9	Complete	32.50 ea	
No. 1		Complete	47.25 ea	
No. 1½				
300	D-14	Chrome	White	
No. 0		6.70	5.50 ea	
No. 1		7.60	Discontinued	
No. 2		8.65	7.25 ea	
301A	A-16		2.20 set	
301B			1.20 ea	
302	C-2		.18 ea	10
No. 0			.18 ea	10
No. 1			.18 ea	10
No. 2				
303	H-9	Complete	20.00 ea	
No. 0				
304	D-5		7.50 ea	5
305	E-4	Gray	220.00 ea	
		Pol Br	220.00 ea	
		Chrome	252.00 ea	
306	D-5		3.95 ea	10
No. 1				
307	I-21		57.00 dz	1 dz
No. 00			57.00 dz	1 dz
No. 0			63.60 dz	1 dz
No. 1				

Where Standard Packaging Not Indicated, Packaged Quantity Is One Unit.

PERKINS MARINE LAMP & HARDWARE CORP.

Figure	Page	List Price		Std. Pkg.
308 No. 0 No. 1 No. 2	D-14	Chrome 6.95 ea 7.85 ea 8.90 ea	White 5.75 ea 6.60 ea 7.50 ea	
309	A-13	Clear Colored	20.85 ea 25.00 ea	
310	D-5		7.20 ea	10
311	H-15		4.75 ea	
312	D-11		17.25 ea	
313	E-4	Gray Pol Br Chrome	223.00 ea 223.00 ea 254.00 ea	
314 No. 1 No. 2 No. 3 No. 4 No. 5 No. 6 No. 7 No. 8	I-24	Galv 1.05 ea 1.15 ea 1.25 ea 1.45 ea 1.95 ea 2.90 ea 3.90 ea 5.50 ea	Bronze 2.60 ea 3.55 ea 4.60 ea 5.50 ea	
315 No. 1 No. 2	F-5		.85 ea 1.05 ea	10 10
316 No. 1 No. 2	D-5		4.40 ea 5.90 ea	10 10
317 4" 5" 6" 8"	G-3		32.50 ea 38.00 ea 47.00 ea 66.25 ea	
318	D-15		24.00 ea	
319 No. 1 No. 2 No. 4	I-24		.70 ea DISCONTINUED DISCONTINUED	
320 No. 2 No. 3 No. 4 No. 5 No. 6 No. 7 No. 8 No. 9	H-4		11.80 ea 14.00 ea 15.25 ea 19.50 ea 23.00 ea 29.00 ea 34.75 ea DISCONTINUED	
321	D-4		3.45 ea	10
322 No. 1 No. 2 No. 3 No. 4 No. 5	H-15		3.35 ea 3.85 ea 5.25 ea 7.60 ea 11.50 ea	

Figure	Page	List Price		Std. Pkg.
322 No. 6 No. 7 No. 8	H-15		14.20 ea 20.75 ea 30.00 ea	
323 No. 4 No. 5	F-5		7.90 ea 11.50 ea	5 5
325	I-21		3.10 set	10 set
326	H-5	Complete	31.80 dz	1 dz
328 No. 1 No. 2 No. 3	H-7		.92 ea 1.05 ea 1.25 ea	10 10 10
329	A-13		40.50 ea	
330 No. 1 No. 2	F-6		.85 ea 1.15 ea	10 10
331 No. 1 No. 2 No. 3 No. 4	H-15		8.40 ea 9.25 ea 11.75 ea 14.20 ea	
332 No. 1 No. 2	H-14	Pl Br 10.00 12.60	Chrome 13.00 ea 15.75 ea	
333 No. 1 No. 2 No. 3 No. 4 No. 5 No. 6 No. 7	I-23		30.00 c 31.50 c 35.00 c 39.00 c 55.00 c 72.00 c 93.00 c	25 25 25 10 10 5 5
334 No. 2 No. 2A No. 4 No. 4A No. 6 No. 6A	F-7		2.30 ea 2.65 ea 3.15 ea 3.40 ea 4.20 ea 4.40 ea	10 10 10 10 10 10
335 No. 3 No. 3A No. 6 No. 6A No. 9 No. 9A	F-7		2.75 ea 2.95 ea 3.80 ea 4.20 ea 5.00 ea 5.25 ea	10 10 10 10 10 10
336 No. 4 No. 4A No. 5 No. 5A No. 6 No. 6A	F-7		3.00 ea 3.45 ea 3.80 ea 4.20 ea 4.20 ea 4.75 ea	10 10 10 10 10 10

PERKINS MARINE LAMP & HARDWARE CORP.

N-9

Figure	Page	List Price	Std. Pkg.
337	C-6		
No. 4		.48 ea	10
No. 11		.48 ea	10
No. 12		.66 ea	10
No. 13		.70 ea	10
No. 14		1.40 ea	10
No. 18		1.45 ea	10
No. 19		2.10 ea	10
338	F-5		
No. 1		6.50 ea	5
No. 2		6.75 ea	5
339	F-5	5.00 ea	5
340	C-6		
No. 5		1.55 ea	
No. 6		1.55 ea	
No. 7		1.60 ea	
No. 11		1.25 ea	
No. 12		1.10 ea	
No. 13		1.20 ea	
No. 17		.90 ea	
No. 19		.90 ea	
342	F-7		
No. 3		4.00 pr	5 pr
No. 3A		DISCONTINUED	
No. 6		6.25 pr	5 pr
343	I-16	2.10 ea	5
344	I-17	Pl Br Chrome	5 5
		7.90 ea 16.80 ea	
345	H-13	7.85 ea	5
346	C-7		
No. 1			
2		1.05 ea	5
347	G-4	8.50 ea	
No. 1			
349	G-7	2.10 ea	10
350	H-15	Pl Br Chrome	
No. 1		4.75 6.30 ea	
No. 2		5.40 7.10 ea	
No. 3		8.15 10.00 ea	
No. 4		12.60 14.70 ea	
No. 5		13.65 16.25 ea	
351	I-17	Pl Br Chrome	
		8.65 ea 11.80 ea	
352	H-7	2.10 ea	10
353	H-7		
No. 1		42.00 lgth.	
No. 2		5.00 lgth.	
356	G-5	DISCONTINUED	
No. 1			
357	G-4	7.75 ea	

Figure	Page	List Price	Std. Pkg.
358	H-20	Nat Chrome	.95 ea 1.05 ea 20 20
360	I-18	25.75 ea	
361	H-15		
No. 1		10.00 ea	
No. 2		10.50 ea	
No. 3		13.00 ea	
No. 4		15.25 ea	
362	A-12	Plain Chrome	13.65 ea 16.00 ea
363	F-8		
No. 1		8.60 ea	5
No. 2		11.85 ea	5
No. 3		11.85 ea	5
No. 4		11.85 ea	5
364	G-6	161.00 ea	
365	G-6	4.20 ea	
366	D-4	3.25 ea	10
367	G-6	Complete	31.50 ea
368	G-6	11.75 ea	
369	C-7	2.30 ea	
371	A-12	Pl Br Chrome	12.20 ea 14.50 ea
375	A-13	Pl Br Chrome	31.35 ea 39.25 ea
380	I-14	9.50 ea	5
380A		9.50 ea	5
381	D-4	3.15 ea	10
No. 1			
382	G-5	DISCONTINUED	
385	D-14	DISCONTINUED	
386	F-9	10.50 ea	
387	D-5	1.10 ea	
391	G-5	22.00 ea	
No. 6			
392	G-5		
No. 1		40.00 ea	
No. 2		56.00 ea	
395	J-15		
No. 1		1.55 ea	10
No. 3		1.45 ea	10
No. 4		1.10 ea	10
No. 6		2.10 ea	10
No. 7		1.15 ea	10
No. 8		1.25 ea	10
396	I-24		
No. 1		2.80 ea	10
No. 2		3.30 ea	10

Where Standard Packaging Not Indicated, Packaged Quantity Is One Unit.

PERKINS MARINE LAMP & HARDWARE CORP.

Figure	Page	List Price		Std. Pkg.
396 No. 3 No. 4 No. 5	I-24 Cont'd.		3.75 ea 4.70 ea 5.50 ea	10 10 10
398 No. 4 No. 5	I-24		5.25 ea 6.75 ea	10 10
403B, 403C No. 2 No. 3 403MB 403MC No. 2 No. 3	B-6		56.00 ea 79.00 ea	
		Nos. 2 and 3 also available in red and green		
			60.00 ea 88.00 ea	
405 No. 1 No. 2 No. 3	D-7		1.75 ea 2.20 ea 2.20 ea	5 5 5
407 No. 2 No. 2A No. 3	H-12		4.00 set 6.75 set 10.90 set	10 5 5
411	I-21		41.40 dz	1 dz
412B 412RB	B-2		98.50 ea 105.00 ea	
413 413A	I-14		9.50 ea 7.90 ea	10 10
414, No. 1 No. 2	F-8	Brass 2.95 ea 3.65 ea	Alum DISCONTINUED DISCONTINUED	10 10
417 No. 1 No. 2 No. 3 No. 4 No. 5 No. 6 No. 7	I-20		.22 ea .30 ea .42 ea .65 ea .90 ea 1.15 ea 1.35 ea	10 10 10 5 5 5 5
420 6" 8"	G-7	Pol Br 38.50 72.50	Chrome 44.50 ea 78.50 ea	
423 No. 1 No. 2	I-9		6.85 ea 9.50 ea	5 5
424	D-9		4.15 ea	10
429	I-9		14.20 ea	
430	I-9		16.00 ea	
431 No. 2 No. 2 1/2 No. 3 No. 4	I-6		25.00 ea 39.00 ea 46.00 ea 96.00 ea	

Figure	Page	List Price			Std. Pkg.
433 No. 1 No. 2 No. 3	E-3	12V 5.00 9.85 9.85	24V 10.85 17.50	32V ea ea ea	
434	I-9			14.75 ea	
438 No. 1 No. 2	A-12			15.00 ea 16.35 ea	
440 No. 1 No. 3	E-2	12V 39.00 60.00	24V DISC.	32V ea 67.00 ea	
441	G-2			5.25 ea	
442 4" 5" 6" 8"	G-2			6.30 ea 7.00 ea 7.90 ea 10.85 ea	
444	K-3	Complete		73.50 pr	
445 No. 1 No. 2	K-6			285.00 pr 305.00 pr	
447	I-9			6.50 ea	5
448 No. 1 No. 3	K-6			19.75 ea 24.75 ea	
449	K-7	Complete		30.50 ea	
450	D-12	Pol Br Chrome		10.50 ea 11.25 ea	
451 No. 1 No. 2	K-3	Complete Complete		68.00 pr 158.00 pr	
452 No. 1	K-6			13.50 ea	
453 No. 1 No. 2 No. 3 No. 4 No. 5	I-23			.27 ea .27 ea .48 ea .48 ea 1.75 ea	
454	K-2			3.25 ea	6
455 No. 1 No. 2	A-12			8.90 ea 9.65 ea	
460 No. 3 No. 4	K-2			45.00 pr 63.00 pr	
461	G-2			2.65 lgth	10 ft
465 No. 1 No. 2 No. 3 No. 5 No. 7 No. 8 No. 9	I-23	Plain each .13 .18 .60 .85 1.30 2.10 4.40	Pol each .20 .80 2.50 4.90	Chrome each .37 1.10 2.75 5.25	

PERKINS MARINE LAMP & HARDWARE CORP.

N-11

Figure	Page	List Price	Std. Pkg.
466	I-24	Galv Br S.S. each each each	
No. 1		.26 DISC. .35	
No. 2		.26 DISC. .35	
No. 3		.26 DISC. .42	
No. 4		.28 DISC. .60	
No. 5		.28 DISC. 1.20	
No. 6		.35 DISC. 1.70	
No. 7		.80	
No. 8		1.30	
No. 9		1.85	
No. 10		2.00	
467	F-12	49.00 ea	
468A	K-2	7.50 set	1 set
468B		8.50 set	1 set
No. 1		.80 ea	6
No. 2		.80 ea	6
No. 3		1.15 ea	6
No. 4		1.15 ea	6
No. 5		1.25 ea	6
No. 6		1.25 ea	6
469	K-2	1.85 ea	10
471	K-2	57.00 ea	
472	D-7		
No. 20		2.00 ea	10
No. 21		2.00 ea	10
473	F-12	52.00 ea	
475	K-6	Pl Br 31.50 ea Chrome 54.00 ea	
476	K-2	58.50 kit	3 kits
477	K-2	63.50 kit	3 kits
482	K-7	1.10 ea	
483	K-7	1.15 ea	
486	I-9		
No. 1		13.50 ea	
No. 3		14.25 ea	
No. 4		18.00 ea	
487	K-7	2.50 ea	
488	A-12	16.00 ea	
489	A-12	DISCONTINUED	
490	D-3	.37 ea	10
491	A-13	DISCONTINUED	
492	I-19	1.70 pr	10
493	H-9	Complete 47.25 ea Complete 59.00 ea Complete 63.00 ea	

Figure	Page	List Price	Std. Pkg.
493	H-9		
No. 4		Complete 66.00 ea	
No. 5		Complete 102.00 ea	
No. 6		Complete 126.00 ea	
No. 7		Complete 168.00 ea	
493A	H-9	Complete 27.30 ea	
No. 0			
495	A-5		
No. 1		6.50 ea	10
No. 2		7.15 ea	10
No. 3		8.80 ea	10
496	A-5		
No. 2		7.00 ea	
No. 3		7.60 ea	
No. 4		8.50 ea	
No. 5		9.20 ea	
No. 6		13.50 ea	
No. 7		16.50 ea	
No. 8		22.00 ea	
497	I-14	6.30 ea	3lgth
498	I-14	22.00 ea This is now polished Stainless Steel	3lgth
499	F-12	12.35 ea	
501	I-17	Pl Br 14.20 ea Chrome 18.75 ea	
502	I-19		
No. 1		1.45 pr	10 pr
No. 2		1.60 pr	10 pr
503	H-8		
No. 1		6.80 ea	5
No. 2		DISCONTINUED	
No. 3		8.40 ea	5
505	H-8	6.70 ea	5
506	H-8	2.65 ea	10
507	A-9	DISCONTINUED	
508	A-9	DISCONTINUED	
509	H-8		
No. 1		5.90 ea	10
No. 2		7.55 ea	10
510	F-3	White Pol Br Chrome each each each	
2"		28.00 48.00 52.50	
2½"		28.50 DISC. DISC.	
3"		DISCONTINUED	
4"		52.50 92.00 100.00	
5"		67.75 118.00 127.00	
6"		102.00 187.00 200.00	
8"		137.00 315.00 378.00	
511	D-3		
"A"		4.35 ea	
"B"		4.35 ea	
"C"		1.70 ea	

Where Standard Packaging Not Indicated, Packaged Quantity is One Unit.

PERKINS MARINE LAMP & HARDWARE CORP.

Figure	Page	List Price	Std. Pkg.
512	D-3	28.50 ea	
513	F-3	White each Pol Br each Chrome each DISCONTINUED 43.00 DISCONTINUED DISCONTINUED	
3"			
4"			
5"			
515	H-8	6.00 ea 7.35 ea	10 10
No. 1			
No. 2			
517	D-2	32.50 ea	
518	I-2	6.00 ea	5
519	D-6	.70 ea	5
520	H-11	DISCONTINUED	
No. 1			
521	A-13	Plain Chrome 25.75 ea DISCONTINUED	
524	H-10	13.90 ea	
526	H-10	M.F. Chrome each each 1½" Complete DISC. DISC. 2" Complete 8.75 12.25 2½" Complete DISC. DISC. 3" Complete 13.65 20.00 4" Complete 21.00 26.25 5" Complete 30.50 36.25 6" Complete 42.00 54.50 8" Complete 68.75 75.50	
527	I-2	6.80 ea	5
528,	H-10	MF Chrome each each ¾" 6.30 9.20 1" 7.35 10.25 1¼" 9.20 12.35 1½" 10.70 13.65 2" 16.50 21.00 2½" 22.50 26.00 3" 31.00 34.65	
528G,			
528D,			
528W			
529	E-6	DISCONTINUED	
530	I-3	5.00 ea 7.15 ea 10.75 ea 15.75 ea	
8"			
10"			
12"			
15"			
531	D-3	.37 ea	10
532	C-6	10.75 ea 11.50 ea	
No. 1			
No. 2			

Figure	Page	List Price	Std. Pkg.
533	I-10	10.25 ea 11.25 ea	
No. 1			
No. 2			
534	E-2	12V 24V 32V each each each 84.00 87.00 86.00 96.50 93.00	
No. 2			
No. 3			
535	E-3	103.00 106.00 105.00 115.00 112.00	
No. 2			
No. 3			
536	E-3	With 36" Control 12V 24V 32V each each each 111.00 114.00 113.00 123.00 120.00 With 48" Control 114.00 117.00 116.00 126.50 123.00 With 60" Control 117.00 120.00 119.00 129.00 126.00	
No. 2			
No. 3			
No. 2			
No. 3			
538	E-2	27.50 ea	
540B	B-6	DISCONTINUED	
540RB			
540GB			
540MB			
544	I-3	GALVANIZED DISCONTINUED	
3"			
4"			
5"			
6"			
8"			
10"			
12"			
14"			
544	I-3	Pol Br Chrome each each 3" 3.35 3.60 4" 4.00 4.30 5" 5.75 6.30 6" 6.80 7.35 8" 10.50 11.25 10" 15.75 16.80	10 10 10 10
545	I-3	1.10 ea 1.60 ea 1.75 ea 1.90 ea 2.50 ea 3.95 ea 5.00 ea	20 20 20 10 10
3"			
4"			
5"			
6"			
8"			
10"			
12"			
546	I-5	6.30 pr 7.60 pr 14.70 pr 19.50 pr 26.25 pr	5 pr 5 pr 5 pr 5 pr 5 pr
3"			
4"			
5"			
6"			
8"			
550	F-6	2.65 ea	10

PERKINS MARINE LAMP & HARDWARE CORP.

N-13

Figure	Page	List Price	Std. Pkg.
554	J-5	.77 ea	25
555	D-14	48.00 ea	
556	J-14	14.25 pr	5 pr
559	J-5	.50 ea	25
562	H-20	.16 ea	50
565	H-18	1.85 ea	25
566	I-2		
2"		.95 ea	10
3"		1.35 ea	10
4½"		2.05 ea	10
6"		3.25 ea	5
567	J-2	15.25 set	
572	I-3		
4½"		7.75 ea	10
5½"		8.40 ea	10
6½"		10.20 ea	10
8"		12.35 ea	5
10"		20.00 ea	
12"		28.85 ea	
574	J-4		
No. 1		Pol Br DISCONTINUED	5
No. 2		Pol Br DISCONTINUED	5
No. 1		Chrome 12.00 ea	5
No. 2		Chrome 12.25 ea	5
575	J-7	Pol Br DISCONTINUED	5
		Chrome 5.75 ea	5
576	J-5	1.90 ea	5
577	J-5	1.00 ea	5
578	J-15	1.40 pr	10 pr
586	G-4	9.20 ea	
589	H-5		
No. 3		31.00 ea	
No. 4		50.00 ea	
No. 5		52.00 ea	
606	I-22		
No. 1		1.75 ea	10
No. 1½		2.40 ea	10
No. 2		5.50 ea	5
607	I-20		
No. 1		3.20 ea	10
No. 2		3.90 ea	10
608	I-6		
No. 1		13.65 ea	
No. 2		23.00 ea	
No. 2½		36.75 ea	
No. 3		43.00 ea	
No. 4		92.00 ea	
610	J-9	.85 ea	10

Figure	Page	List Price	Std. Pkg.
612	I-22	Galv each PI Br each	
No. 0		1.25 ea	24
No. 1		1.45 ea	24
No. 2		1.80 ea	24
No. 3		2.05 ea	12
No. 4		2.60 ea	12
No. 5		3.35 ea	12
No. 6		4.30 ea	12
613	I-22		
No. 1		2.00 ea	24
No. 2		2.35 ea	24
No. 3		3.10 ea	12
No. 4		3.75 ea	12
No. 5		4.35 ea	12
614	I-23	4.20 ea	10
626	D-6		
3 Gang		2.50 ea	5
4 Gang		3.40 ea	5
5 Gang		4.00 ea	5
6 Gang		4.95 ea	5
627	D-6		
2 Gang		1.45 ea	5
4 Gang		2.65 ea	5
6 Gang		4.00 ea	5
629	D-6		
4 Gang		4.90 ea	5
6 Gang		7.25 ea	5
8 Gang		9.50 ea	5
12 Gang		14.50 ea	5
630	G-8		
12"		6.00 ea	
15"		6.30 ea	
18"		8.15 ea	
634	H-18	2.65 ea	25
636	I-13	DISCONTINUED	
637	I-12		
No. 0,		1.30 pr	10 pr
No. 1			
638	I-12	DISCONTINUED	
639	I-13	DISCONTINUED	
640	I-13	2.25 pr	10 pr
641	I-13	Complete Complete	DISCONTINUED 7.75 pr
No. 0			5 pr
No. 1			
642	I-13		
No. 0		3.35 pr	10 pr
No. 1		3.95 pr	10 pr

Where Standard Packaging Not Indicated, Packaged Quantity is One Unit.

PERKINS MARINE LAMP & HARDWARE CORP.

Figure	Page	List Price	Std. Pkg.
643	I-13	3.80 pr	10 pr
645 No. 2 No. 3 No. 4	A-7	20.00 ea 21.35 ea 22.70 ea	
646 No. 0 No. 1	I-13	DISCONTINUED 2.75 pr	10 pr
647 4 Gang 6 Gang 8 Gang 12 Gang	D-6	8.70 ea 12.00 ea 15.00 ea 23.00 ea	5 5 5 5
649	I-13	DISCONTINUED	
654 No. 1 No. 2	F-4	16.00 ea 20.00 ea	
657 18" 20" 18" 20" 22" 24" 28" 30"	H-2	Die Cast 55.00 ea Die Cast 57.00 ea Br 69.50 ea Br 72.00 ea Br 80.00 ea Br 93.00 ea Br 114.00 ea Br 130.00 ea	
658	A-9	24.95 ea	
659	I-22	1.35 ea	25
661 12" 16"	H-2	17.50 ea 22.50 ea	
662	F-9	Complete 27.00 ea	
669	I-17	Complete 11.25 set	5 set
671 No. 1L No. 3L No. 1H No. 3H No. 4 No. 5 No. 6 No. 7	H-5	22.00 ea 25.00 ea 30.50 ea 30.50 ea 63.00 ea 63.00 ea 81.00 ea 81.00 ea	
672 No. 1L No. 3L No. 1H No. 2H No. 3H No. 4 No. 5 No. 6 No. 7	H-5	9.20 ea 10.50 ea 12.60 ea 12.60 ea 12.60 ea 18.35 ea 18.35 ea 28.35 ea 28.35 ea	

Figure	Page	List Price	Std. Pkg.
673 No. 1L No. 3L No. 1H No. 2H No. 3H No. 4 No. 5 No. 6 No. 7	H-5	1.40 ea 1.55 ea 1.80 ea 1.80 ea 1.80 ea 4.50 ea 4.50 ea 4.50 ea 4.50 ea	
679 No. 1 No. 2	H-7	1.20 ea 1.60 ea	10 10
680 No. 1 No. 2 No. 3 No. 4	I-23	.17 ea .23 ea .29 ea .42 ea	50 50 50 50
681 No. 1 No. 2	F-9	DISCONTINUED DISCONTINUED	
686 12" 15" 18"	G-8	5.50 ea 6.25 ea 8.15 ea	
688	D-4	1.55 ea	10
692	H-7	7.55 ea	10
693 No. 1 No. 2	G-8	3.90 ea 9.40 ea	10 10
694	D-6	2.20 ea	5
697	I-19	5.00 set	10
701	F-11	DISCONTINUED	
702	F-11	51.75 ea	
703	D-4	.85 ea	10
704	F-11	11.25 ea	5
705	F-11	10.00 ea	5
706	G-8	6.00 ea	
707	A-20	DISCONTINUED	
708	G-8	6.00 ea	
709	F-10	4.50 ea	5
714 No. 1 No. 2	F-8	3.35 ea 3.80 ea	5 5
717	I-17	Complete 36.75 set	
719	J-8	5.95 ea	10

Where Standard Packaging Not Indicated, Packaged Quantity Is One Unit.

PERKINS MARINE LAMP & HARDWARE CORP.

N-15

Figure	Page	List Price	Std. Pkg.
720 2 Poles 3 Poles 4 Poles	D-8	1.15 ea 1.65 ea 2.00 ea	5 5 5
721	F-11	10.00 ea	5
722	F-11	10.00 ea	5
727	F-12	DISCONTINUED	
729	F-8	Pl Br 5.10 ea Chrome 6.10 ea	5 5
732C 732SS	H-20	.60 ea 1.25 ea	10 10
734 No. 3 No. 4 No. 5 No. 6 No. 7	H-4	29.00 ea 35.75 ea 37.75 ea 56.75 ea 56.75 ea	
737 No. 1 No. 2	F-8	5.10 ea 5.55 ea	5 5
738 2" 2½" 3" 3½" 4" 5" 8"	H-17	Pl Br Chrome 4.20 ea 5.75 ea 5.25 ea 7.35 ea 6.80 ea 8.40 ea 6.95 ea 8.65 ea 6.95 ea 8.65 ea DISC. DISC. 15.00 ea 21.50 ea	
739	D-8	5.50 ea	
740	F-12	DISCONTINUED	
741 No. 0 No. 1	I-7	12.35 ea 20.00 ea	
745	D-4	1.20 ea	10
747	C-7	2.10 ea	10
749	D-8	1.45 ea	10
750	I-7	24.50 ea	
751	D-8	2.10 ea	10
752	I-6	Pl Br 10.00 ea Chrome 14.70 ea	
753 No. 1 No. 2	D-15	63.00 ea 66.00 ea	
754	H-20	.45 ea	25
755	H-17	Pl Br 7.90 ea Chrome 11.25 ea	
757	I-7	4.65 ea	

Figure	Page	List Price	Std. Pkg.
759 No. 1 No. 2	H-13	2.75 ea 8.00 ea	
761	D-14	3.50 ea	
762 No. 1 No. 2 No. 3	J-7	15.50 ea 16.00 ea 16.50 ea	
769	I-19	7.60 ea	10
770	J-8	9.00 ea	10
773	J-13	Burn Br 17.25 pr Chrome 31.50 pr	
775 No. 1 No. 2	I-11	3.40 ea 5.00 ea	10 10
776 No. 1 No. 2 No. 1 No. 2	J-7	Burn Br 5.75 ea Burn Br 7.60 ea Chrome 7.25 ea Chrome 9.60 ea	5 5 5 5
778 No. 1 No. 2	F-2	29.00 ea 60.00 ea	
783	F-5	16.25 ea	5
784	F-3	DISCONTINUED	
785 No. 1 No. 2 No. 3 No. 4 No. 5	I-24	.23 ea .29 ea .44 ea .60 ea 1.10 ea	
786	D-9	.95 ea	10
787	F-3	3.15 ea	
789 No. 1 No. 2 No. 3 No. 4	F-3	25 foot 17.50 lgth 25 foot 20.00 lgth 25 foot 21.50 lgth 25 foot 24.00 lgth	2 2 2 2
790	F-3	DISCONTINUED	
791 No. 1 No. 2	F-2	31.50 ea 63.00 ea	
792 No. 1 No. 3	H-7	1.15 ea 1.05 ea	
793 No. 1 No. 2 No. 3	H-7	1.30 ea 1.75 ea 1.30 ea	

Where Standard Packaging Not Indicated, Packaged Quantity Is One Unit.

PERKINS MARINE LAMP & HARDWARE CORP.

Figure	Page	List Price	Std. Pkg.
795	G-6	9.95 ea	
796 No. 1	G-2	Pl Br 76.50 ea	
No. 2		Alum 52.50 ea Pl Br 105.00 ea Alum 65.00 ea	
797	J-7	12.60 ea	
800	E-7	11.75 ea	
801	E-7	6.00 ea	
802	E-7	19.25 ea	
803 No. 3	G-2	Pl Br 62.00 ea	
No. 4		Alum 43.00 ea Pl Br 82.00 ea Alum 52.50 ea	
803 No. 3	G-2	Frames Only	
No. 4		Pl Br 10.75 ea Alum 7.60 ea Pl Br 17.00 ea Alum 8.90 ea	
804	G-6	9.95 ea	
806	E-7	33.00 ea	
807	E-7	10.25 ea	
808	J-11	4.50 pr	5 pr
809	E-7	16.50 ea	
810	E-7	13.25 ea	
811	E-7	20.00 ea	
815 No. 1	H-3	DISCONTINUED	
No. 2		4.60 ea	
No. 3		5.65 ea	
No. 4		6.30 ea	
No. 5		9.00 ea	
No. 6		9.50 ea	
No. 7		10.30 ea	
816	E-7	12.00 ea	
817	E-7	18.00 ea	
818 No. 1	H-3	81.00 ea	
No. 2		103.00 ea	
No. 3		134.00 ea	
819 No. 1	H-4	DISCONTINUED	
No. 2		33.00 ea	
No. 3		43.00 ea	
No. 4		57.50 ea	
No. 5		67.00 ea	
No. 6		84.00 ea	
No. 7		91.00 ea	
820	E-7	13.75 ea	
821 No. 0	H-16	Complete 19.75 ea	
No. 1		Complete 23.50 ea	

Figure	Page	List Price	Std. Pkg.
821 No. 2 No. 3 No. 4	H-16	Complete 32.00 ea	
		Complete 48.00 ea	
		Complete 62.75 ea	
823 825	G-4 G-4	DISCONTINUED DISCONTINUED	
826	H-11	5.75 ea	5
827	H-10	1.70 ea	10
834, 835	H-16		
838 4" 5" 6" 8"	G-3	14.50 ea	
		16.50 ea	
		18.25 ea	
		36.00 ea	
841	J-7	2.40 ea	10
842	I-22	.50 ea	50
863	I-8	4.30 ea	10
864 No. 1 No. 2 No. 3	F-4	DISCONTINUED 5.50 ea DISCONTINUED	
865 No. 1 No. 1A No. 1B No. 1C No. 2 No. 2A No. 2B No. 2C No. 3 No. 8	H-6	16.50 ea	
		19.50 ea	
		19.50 ea	
		19.50 ea	
		6.00 ea	
		6.00 ea	
		8.65 ea	
		8.65 ea	
		12.50 ea	
		6.80 ea	
867 No. 1 No. 2 No. 3	F-4	4.25 ea	
		4.50 ea	
		5.25 ea	
869 No. 1 No. 2	F-4	4.50 ea	
		5.00 ea	
870 No. 1 No. 2 No. 3	F-4	5.25 ea	
		6.00 ea	
		7.35 ea	
877 No. 1 No. 2	H-20	Pl Br .80 ea	10
		Chrome 2.95 ea	10
		Pl Br 1.50 ea	10
		Chrome 3.95 ea	10

PERKINS MARINE LAMP & HARDWARE CORP.

N-17

Figure	Page	List Price		Std. Pkg.
881	H-20	Natural each	Chrome each	
No. 0		.85	1.60	50
No. 1		1.30	2.35	50
No. 2		1.50	2.70	25
882	H-20			
No. 1, 2		Pl Br	1.85 ea	10
No. 1, 2		Chrome	4.00 ea	10
883	E-5	Gray or Br each	Chrome each	
No. 1		260.00	300.00	
No. 2		357.00	400.00	
No. 3		410.00	475.00	
884	E-5			
No. 1		280.00	330.00	
No. 2		385.00	440.00	
No. 3		445.00	510.00	
885	E-5			
No. 1		290.00	340.00	
No. 2		385.00	440.00	
No. 3		465.00	530.00	
896	J-16		5.00 c	100
898	J-16		4.50 c	100
900	J-16		12.00 c	100
901	J-16		2.60 c	100
904	A-14		10.50 ea	
905	J-16		9.00 ea	
906	J-16		9.50 c	100
907	J-16		2.70 c	100
914	H-2			
No. 4		Pol Br	45.75 ea	
No. 5		Pol Br	57.75 ea	
No. 6		Pol Br	68.75 ea	
No. 4		Chrome	51.00 ea	
No. 5		Chrome	63.00 ea	
No. 6		Chrome	75.00 ea	
915	A-14		19.00 ea	
916	I-14		22.50 ea	3 lgths
917	J-16		10.50 c	100
918	J-2		23.50 set	
919	J-2		23.50 set	
921	I-21	DISCONTINUED		
923	I-21			
No. 0			2.60 ea	
No. 1			3.00 ea	
No. 2			3.50 ea	
No. 3			4.10 ea	
No. 4			6.30 ea	

Figure	Page	List Price		Std. Pkg.
924	J-12	Pol Br Chrome	DISCONTINUED 3.60 pr	5 pr
925	J-9		1.75 ea	10
927	J-2		21.00 set	
928	J-2		14.50 set	
929	J-12		2.25 pr	20 pr
930	J-2		14.50 set	
931	F-5		25.00 ea	2
933	I-20			
No. 1		Plain Br	12.60 set	5 set
		Chrome	13.80 set	5 set
No. 2		Plain Br	14.70 set	5 set
		Chrome	15.75 set	5 set
934	J-8		2.30 ea	10
935	J-8		2.80 ea	10
936	I-15			
No. 1			18.70 ea	
No. 2			20.50 ea	
937	J-8		2.75 ea	10
939	A-16			
No. 1			16.50 ea	
No. 2			17.00 ea	
940	G-3		1.50 lb	
941	J-12		3.25 pr	5 pr
942	J-12		3.25 pr	5 pr
945	A-14		7.85 ea	
946	A-16			
No. 1			10.00 ea	
No. 2			10.50 ea	
947	J-4			
No. 1		Pol Br each	Chrome each	5
No. 2		4.65	5.25	5
No. 3		5.00	5.50	5
		5.60	6.30	
948	J-3		6.00 ea	10
949	J-3			
No. 1		Pol Br each	Chrome each	10
No. 2		DISCONTINUED	10.00	10
		8.50		
950	J-12		3.50 pr	5 pr
951PC	J-11			
No. 1			8.75 pr	5 pr
No. 2			9.50 pr	5 pr
952	J-10			
No. 1		Plain pair	Chrome pair	5 pr
No. 2		4.75	6.30	5 pr
No. 3		5.00	6.45	5 pr
		5.50	7.50	5 pr

Where Standard Packaging Not Indicated, Packaged Quantity Is One Unit.

(Continued)

PERKINS MARINE LAMP & HARDWARE CORP.

Figure	Page	List Price			Std. Pkg.
952 No. 4 No. 5 No. 6 No. 7	J-10	Plain Pr 6.40 7.15 8.15 10.50	Chrome Pr 8.40 9.15 10.50 12.85		5 pr 5 pr 5 pr 5 pr
954	J-8		1.65 ea		10
955	A-14		17.30 pr.		
956 1½" 2" 2½" 3" 3½" 4" 5" 6"	J-4	Pol Br each 2.70 2.80 2.90 3.00 3.10 4.30 4.50 4.85	Chrome each 3.15 3.25 3.30 3.40 3.60 4.90 5.40 5.95		10 10 10 10 10 10 10 10
958	J-9		2.30 ea		10
960	J-2		14.25 set		
961 No. 1 No. 2 No. 3	H-4		DISCONTINUED 1.15 ea DISCONTINUED		10
963	A-15		15.20 pr		
965	A-15		7.60 ea		
967	I-19		10.00 set		10 set
972	A-15		8.40 ea		
973	I-15		9.50 ea		5
974	A-15		14.20 ea		
975 No. 1 No. 2	J-9		.75 ea .90 ea		10 10
976	H-2		DISCONTINUED		
977	I-15		9.75 ea		5
978	J-3		6.00 ea		10
979	J-13	Pol Br Chrome	2.10 2.65		10 10
980	F-7		DISCONTINUED		
981	I-15		10.25 ea		5
982 No. 0 No. 1 No. 2	B-5	Galv each 72.00 79.00 99.50	Pl Br each 107.00 118.50 148.00	Pol Br each 118.00 131.00 165.00	

Figure	Page	List Price			Std. Pkg.
982R, 982M No. 0 No. 1 No. 2	B-5	Galv Each 87.50 95.00 115.50	Pl Br Each 122.50 134.50 164.00	Pol Br Each 133.50 147.00 181.00	
983B, 983C No. 0 No. 1 No. 2	B-4		72.00 79.00 99.50	107.00 118.50 148.00	118.00 131.00 165.00
983RB, 983MB, 983RC, 983MC No. 0 No. 1 No. 2	B-4		87.50 95.00 115.50	122.50 134.50 164.00	133.50 147.00 181.00
985 986	B-5 B-4	See Fig 982 for prices See Fig 983 for prices			
987 No. 1 No. 2	J-11			8.40 pr 8.75 pr	5 pr 5 pr
988 No. 1 No. 2	J-11			8.60 pr 9.00 pr	5 pr 5 pr
989	I-15			8.65 ea	5
990	I-15			8.65 ea	5
991	J-15			52.00 c	100
992	I-15			10.00 ea	5
993	I-15			14.20 ea	5
994	J-15			37.00 c	100
995	J-15			40.00 c	100
996	J-15			8.80 c	100
997	J-15			4.40 c	100
998 No. 1 No. 2 No. 1 No. 2	J-13	Pl Br Pl Br Chrome Chrome		DISCONTINUED DISCONTINUED 5.00 ea 5.60 ea	10 10 10 10
999	J-11			9.00 pr	5 pr
1005 1006 1010 1011	B-7 B-8 B-7 B-8	Bronze each		Aluminum each	
		DISCONTINUED			
1015	I-21			10.75 set	
1016	F-11			67.75 ea	
1017	I-20	Pl Br Chrome		5.25 ea 7.80 ea	5 5
1018	F-11			51.75 ea	

PERKINS MARINE LAMP & HARDWARE CORP.

N-19

Figure	Page	List Price				Std. Pkg.
1019	H-6	1" each	1-1/8" each	1-1/4" each	1-3/8" each	
		33.50				
		35.00	DISC.	50.00	47.50	
		38.00	DISC.	52.50	50.00	
		39.00	DISC.	56.75	DISC.	
			DISC.	61.00	DISC.	
			DISC.	63.00	DISC.	
1020	I-20	Pl Br		2.45 ea		
		Chrome		5.10 ea		
1023	B-11			42.00 ea		
No. 1				51.00 ea		
No. 2						
1024	B-11			45.00 ea		
No. 1				54.00 ea		
No. 2				141.50 ea		
No. 3				179.00 ea		
No. 4						
1025	B-11			45.00 ea		
No. 1				54.00 ea		
No. 2						
1032	B-11			69.00 ea		
No. 1				82.00 ea		
No. 2				131.00 ea		
No. 3						
1041	I-22			.58 ea		50
1042	I-22			.60 ea		50
1043	I-10			6.30 ea		10
No. 0				9.50 ea		10
No. 1				15.00 ea		10
No. 2						
1045	B-10			98.00 ea		
No. 1				113.00 ea		
No. 2						
1050	I-10			1.00 ea		
No. 0				1.30 ea		
No. 1				2.35 ea		
No. 2						
No. 2	Black			DISCONTINUED		
1051	J-6			4.10 ea		10
1053	J-4	Pol Br		5.15 ea		5
		Chrome		6.10 ea		5
1055	H-6			45.50 ea		
No. 1				45.50 ea		
No. 2				52.50 ea		
No. 3				52.50 ea		
No. 4				52.50 ea		
No. 5				52.50 ea		
1056	J-5			2.50 ea		25
1058	J-12	Pl Br		.95 pr		20 pr
No. 1		Chrome		1.95 pr		20 pr
No. 2		Pl Br		1.40 pr		20 pr
		Chrome		3.20 pr		20 pr

Figure	Page	List Price	Std. Pkg.	
1062	F-6	11.80 ea	5	
1063	J-14	DISCONTINUED	5	
1065	J-5	4.00 set	10 set	
1069	F-6	7.35 ea	5	
1082	C-3			
No. 0		16.25 ea		
No. 1		16.25 ea		
No. 2		16.25 ea		
1087	B-6	25.50 ea		
1088	H-3			
No. 1		26.25 ea		
No. 2		30.50 ea		
No. 3		36.25 ea		
1089	H-3	DISCONTINUED		
No. 1		19.75 ea		
No. 2		23.00 ea		
No. 3		26.75 ea		
No. 4		33.50 ea		
No. 5		39.00 ea		
No. 6		44.50 ea		
No. 7				
1090	B-6	29.00 ea		
1092	H-5			
No. 1L		1.50 pr		
No. 3L		1.55 pr		
No. 1H		1.55 pr		
No. 2H		1.55 pr		
No. 3H		1.55 pr		
No. 4		1.70 pr		
No. 5		1.70 pr		
No. 6		1.75 pr		
No. 7		1.75 pr		
1100	K-7	9.50 ea		
1101	J-3	3.75 ea	10	
1102	J-3	5.60 ea	10	
1103	J-7	Pol Br Chrome	DISCONTINUED 5.80 ea	5
1104	K-7		5.75 ea	
1106	J-9		1.10 ea	10
1108	J-6		10.75 ea	5
1110	J-9		3.25 ea	10
1112	J-6		10.50 ea	5
1113	J-6		10.50 ea	5
1116	I-18			
No. 1			9.25 ea	
No. 2			9.75 ea	
No. 3			10.00 ea	

Where Standard Packaging Not Indicated, Packaged Quantity Is One Unit.

PERKINS MARINE LAMP & HARDWARE CORP.

Figure	Page	List Price			Std. Pkg.
1134, 1135, 1137	A-8	Complete	10.00 ea		
		Brackets Only	1.85 ea		
1144	A-4		12.85 ea		
1146	A-3		7.50 ea		
1148	A-7		14.20 ea		
1150C, 1150B No. 1 No. 2 No. 3	B-3	Galv pair PI Br pair Pol Br pair	284.00 346.00 380.00	310.00 378.00 418.00	
1151C, 1151B No. 1 No. 2 No. 3	B-3	Galv each PI Br each Pol Br each	142.00 173.00 DISC.	155.00 189.00 DISC.	
1151RC, MC 1151RB, MB No. 1 No. 2			158.00 189.00	171.00 205.00	
1152	B-3	See Fig. 1151 for prices			
1153	B-3	See Fig. 1151 for prices			
1154C, 1154B No. 1 No. 2 No. 3	B-3	Galv each PI Br each Pol Br each	152.50 185.00 205.00	165.50 201.00 224.00	
1161	A-3		11.20 ea		
1162 No. 2 No. 3 No. 4	A-6		15.75 ea 17.10 ea 18.45 ea		
1164RB, GB 1165B, 1166B	B-2		234.00 ea		
1167B	B-2		210.00 ea		
1168RB	B-2		221.00 ea		
1169B, 1169C	B-2		128.00 ea		
1170RB, 1170RC	B-2		133.00 ea		
1172RB, 1172RC	B-2		140.00 ea		
1172GB, 1172GC	B-2		140.00 ea		
1173B, 1173C	B-2		133.00 ea		
1173RB, 1173RC	B-2		140.00 ea		

Figure	Page	List Price		Std. Pkg.
1174B, 1174C	B-2	133.00 ea		
1174RB, 1174RC	B-2	140.00 ea		
1175	I-21	2.60 ea		
1176 No. 1 No. 2 No. 4 No. 5	I-23		.55 ea .55 ea .68 ea .68 ea	
No. 8 No. 10 No. 11 No. 15			.82 ea .82 ea DISCONTINUED .84 ea	
No. 27			DISCONTINUED 1.70 ea	
1177	J-5	1.60 ea		10
1178	A-17	11.50 ea		
1179 No. 1 No. 2	I-18		12.85 ea 13.65 ea	10 10
1180	I-18	13.20 ea		10
1181 1182	A-11	Brackets Only 1.85 ea	Complete 16.00 ea	
	A-11	1.85 ea	16.00 ea	
1183	A-11	12.00 ea		
1184	A-11	Brackets Only 1.85 ea	Complete 16.00 ea	
1185 1185 1186 1186 1187 1187	I-12	Nat Chrome Nat Chrome Nat Chrome	1.85 pr 2.65 pr 2.30 pr 3.95 pr 2.20 pr 3.75 pr	10 pr 10 pr 10 pr 10 pr 10 pr 10 pr
1188 4" 6"	I-3		3.00 ea 3.60 ea	10 10
1189	D-9	7.15 ea		10
1190	D-9	3.55 ea		10
1191	D-9	2.60 ea		10
1192	A-11	1.90 ea		
1193	A-10	31.50 ea		
1194	J-13	2.95 ea		10
1195	A-10	25.20 ea		
1196 No. 1 No. 2	A-10		13.25 ea 14.40 ea	
1197	A-11	8.90 ea		

PERKINS MARINE LAMP & HARDWARE CORP.

N-21

Figure	Page	List Price	Std. Pkg.
1198 No. 1 No. 2 No. 3	J-13	2.95 ea 3.05 ea 3.15 ea	10 10 10
1199 No. 1 No. 2 No. 3 No. 4	J-4	1.60 ea 1.70 ea 1.80 ea 1.85 ea	20 20 20 20
1200 No. 1 No. 2 No. 3 No. 4	I-2	1.25 ea 1.55 ea 2.30 ea 3.35 ea	10 10 10 10
1204 No. 2 No. 3 No. 4	I-2	2.20 ea 3.00 ea 4.10 ea	10 10 10
1205 WH	K-6	8.00 ea Has Improved Soft Plastic Lip	
1209 No. 2 No. 3 No. 4	A-7	24.40 ea 25.75 ea 27.10 ea	
1211	A-9	15.60 ea	
1212	D-12	Chrome White 6.60 ea DISCONTINUED	
1213 No. 1	J-11	3.50 pr	5 pr
1214 No. 1	J-11	3.50 pr	5 pr
1215	A-4	10.25 ea	
1216 1216B	J-6	2.10 ea 2.05 ea	10 10
1218	A-4	9.25 ea	
1219 No. 2½	I-6	17.00 ea	
1220	J-7	3.25 ea	5
1221	I-11	DISCONTINUED	
1222	I-11	1.65 ea	10
1223	I-5	2.10 pr	10 pr
1224 No. 1 No. 2	I-13	2.05 pr 3.00 pr	10 pr 10 pr
1225 No. 0 No. 1 No. 2	I-10	2.35 ea 2.80 ea 5.60 ea	10 10 10

Figure	Page	List Price	Std. Pkg.
1225CH No. 0 No. 1	I-10	2.35 ea 2.80 ea	10 10
1226	H-20	Nat Chrome .42 ea .63 ea	50 50
1227	I-12	Nat Chrome 1.90 pr 3.35 pr	10 pr 10 pr
1229	I-11	1.45 ea	10
1230	A-5	DISCONTINUED	
1231	I-11	1.90 ea	10
1232	I-8		10
1233 No. 2 No. 3 No. 4	A-6	9.25 ea 10.00 ea 10.75 ea	
1234	I-11	2.75 ea	10
1235	I-8	2.85 ea	10
1237 No. 2½	I-6	19.00 ea	
1238	F-6	2.10 ea	10
1239	A-5	5.15 ea	10
1242	H-20	.32 ea	50
1243	H-18	1.70 ea	10
1245	H-11	4.20 ea	5
1246	I-7	.85 ea	10
1249	J-15	.35 ea	50
1250 3" 4½" 6"	I-2	1.50 ea 2.10 ea 3.50 ea	10 10 5
1251 No. 1 No. 2	H-11	DISCONTINUED	
1252	I-2	3.55 ea	5
1253	I-5	2.80 pr	10 pr
1254	D-13	5.50 ea	
1255 No. 1 No. 2	H-18	DISCONTINUED 2.20 ea	10
1256	H-18	.53 ea	25

Where Standard Packaging Not Indicated, Packaged Quantity is One Unit.

PERKINS MARINE LAMP & HARDWARE CORP.

Figure	Page	List Price	Std. Pkg.
1257	I-5	3.55 pr	10 pr
1258	A-8	17.60 ea	
1261	H-18	.53 ea	25
1262	I-12	Nat 1.60 pr Chrome 2.95 pr	10 pr 10 pr
1264	A-16	13.30 pr	
1265	A-16	8.50 ea	
1266	D-15	Pl Br 26.00 ea Chrome 35.00 ea	
1267	I-12	Nat 1.70 pr Chrome 3.15 pr	10 pr 10 pr
1270, A,B,C	H-10	Note: No. 1-B is marked "Gas" instead of "Fuel". No. 2-B, "Fuel" is discontinued. 6.00 ea	
1271	F-6	2.40 ea	10
1272	D-12	Chrome 4.85 ea White 4.00 ea	
1274	D-12	Chrome 4.00 ea White 3.30 ea	
1275	H-8	1.00 ea	10
1276 No. 1 No. 2	H-11	DISCONTINUED	
1284	A-4	11.00 ea	
1287 No. 1 No. 2 No. 3	J-4	1.60 ea 1.70 ea 1.80 ea	20 20 20
1289	I-22	1.55 ea	25
1290	I-18	12.85 pr	
1291	I-18	12.85 pr	
1293 No. 1 No. 2 No. 3 No. 4 No. 5 No. 6	J-10	3.00 pr 3.15 pr 3.40 pr 3.50 pr 4.25 pr 4.85 pr	5 pr 5 pr 5 pr 5 pr 5 pr 5 pr
1295	D-12	Chrome 4.85 ea White 4.00 ea	
1297 1298	I-14	1.65 ea 1.65 ea	10 10
1299	I-7	1.50 ea	10
1301	A-10	16.50 ea	
1302	A-5	7.35 ea	

Figure	Page	List Price	Std. Pkg.
1303BK BR, GD, WH No. 1,2	D-13	8.15 ea	
1304BK BR - GD or WH No. 1, No. 2	D-13	14.50 ea	
1305 No. 1 No. 2	I-4	2.10 ea 3.65 ea	
1306 No. 1 No. 2	I-4	2.10 ea 3.65 ea	
1307 No. 1 No. 2	I-4	2.75 pr 4.70 pr	
1308 No. 1 No. 2	I-5	2.80 pr 4.90 pr	
1309	I-7	1.35 ea	10
1310	A-3	7.50 ea	
1311 No. 2 No. 3 No. 4	A-6	9.25 ea 10.00 ea 10.75 ea	
1312	F-4	5.25 ea	
1313B 1313R	H-11 H-11	Black 3.50 ea Red DISCONTINUED	
1314	K-3	Complete 20.00 pr	
1315 No. 1 No. 2	I-4	2.65 ea 4.00 ea	
1316 No. 1 No. 2	I-4	2.65 ea 4.00 ea	
1317 No. 1 No. 2	I-4	3.75 pr 5.75 pr	
1318 No. 1 No. 2	I-5	3.75 pr 5.75 pr	
1330 No. 2 No. 3 No. 4	A-7	15.60 ea 16.35 ea 17.10 ea	
1336	I-11	2.55 ea	
1337	I-14	1.40 ea	

PERKINS MARINE LAMP & HARDWARE CORP.

N-23

Figure	Page	List Price	Std. Pkg.
338	I-14	1.40 ea	
1339	I-14	6.30 ea	5 lgths
1346	I-11	3.15 ea	
1347	I-14	1.55 ea	
1348	I-14	1.55 ea	
1350 No. 1, No. 2	D-13	8.15 ea	
1360 No. 1, No. 2	D-13	14.50 ea	

Figure	Page	List Price	Std. Pkg.
6400	H-17	Each	
No. 4		.60	10
No. 10		.72	10
No. 12		.72	10
No. 16		.72	10
No. 20		.75	10
No. 28		.76	10
No. 36		.80	10
No. 44		.83	10
No. 52		.88	10
No. 56		.88	10
No. 64		.95	10

SKIN PACK ITEMS

Figure	Page	List Price	Dealer Pkg.
33SP	M-3	Painted 3.65 ea	6 pcs
34SP		Painted 3.65 ea	6 pcs
36SP		Painted 3.65 ea	6 pcs
85-A SP	M-16	22.00 ea	3 pcs
105SP	M-16	No. 1 2.80 ea	12 pcs
119SP	M-5	4" 7.25 ea	6 pcs
167SP	M-10	1.25 ea	12 pcs
217SP	M-3	Chrome 4.75 ea	6 pcs
237SP	M-7	No. 1 4.70 ea	6 pcs
255SP	M-16	3.75 ea	6 pcs
315SP	M-6	No. 2 1.65 ea	12 pcs
316SP	M-16	No. 1 5.00 ea	6 pcs
330SP	M-6	No. 2 1.90 ea	12 pcs
339SP	M-6	5.90 ea	6 pcs
414SP	M-10	No. 1 3.85 ea	12 pcs
469SP	M-12	4.90 pr	6 prs
492SP	M-15	2.75 pr	12 prs
502SP	M-15	No. 1 2.20 pr	12 prs
533SP	M-15	No. 1 11.45 ea	3 pcs
544SP	M-4	4" Chrome 5.00 ea	6 pcs
546SP	M-5	4" 8.80 pr	6 prs
559SP	M-14	1.75 pr	25 prs

Figure	Page	List Price	Dealer Pkg.
565SP	M-9	Complete 4.90 pr	12 prs
566SP	M-4	2" 2.65 pr	12 prs
		3" 3.60 pr	12 prs
		4½" 5.30 pr	6 pr
		6" 4.45 ea	12 pcs
575SP	M-13	6.65 ea	12 pcs
578SP	M-10	2.15 pr	12 prs
606SP	M-10	No. 1 2.50 ea	12 pcs
634SP	M-9	Complete 6.50 pr	12 prs
732C SP	M-9	2.10 pr	12 prs
732S SP		3.40 pr	12 prs
743SP	M-3	10.00 kit	3 kits
775SP	M-8	No. 2 11.20 pr	6 prs
776SP	M-13	No. 1 Chrome 8.30 ea	6 pcs
827SP	M-10	2.45 ea	6 pcs
841SP	M-13	3.15 ea	12 pcs
863SP	M-8	5.50 ea	6 pcs
937SP	M-15	6.55 pr	6 prs
950SP	M-14	4.70 pr	12 prs
1056SP	M-14	3.25 ea	12 pcs
1101SP	M-13	4.50 ea	6 pcs
1102SP	M-13	6.50 ea	6 pcs

PERKINS MARINE LAMP & HARDWARE CORP.

SKIN PACK ITEMS

Figure	Page	List Price	Dealer Pkg.	Figure	Page	List Price	Dealer Pkg.
1104SP	M-12	7.25 ea	6 pcs	1263SP	M-11	Chrome 8.70 pr	6 pr
1146SP	M-2	8.70 ea	3 pcs	1267SP	M-12	Nat 2.60 pr Chrome 4.00 pr	6 prs 6 prs
1188SP	M-4	7.20 pr 4.80 ea	6 prs 6 pcs	1268SP	M-11	Chrome 8.90 pr	6 prs
1198SP	M-14	No. 2 3.95 ea	12 pcs	1289SP	M-15	2.15 ea	12 pcs
1199SP	M-14	No. 1 2.50 ea	12 pcs	1299SP	M-9	3.75 pr	12 prs
1205SP	M-12	White, with improved soft plastic lip. 9.50 ea	4 pcs	1305SP	M-4	No. 1 5.40 pr No. 2 4.85 ea	6 prs 6 pcs
1216SP	M-13	2.85 ea	12 pcs	1306SP	M-4	No. 1 5.40 pr No. 2 4.85 ea	6 prs 6 pcs
1218SP	M-2	10.75 ea	3 pcs	1307SP	M-5	No. 1 3.80 pr No. 2 5.90 pr	12 prs 6 prs
1223SP	M-5	3.30 pr	12 prs	1308SP	M-5	No. 1 3.85 pr No. 2 6.00 pr	12 prs 6 prs
1224SP	M-8	No. 1 3.25 pr	12 prs	1310SP	M-2	8.55 ea	6 pr
1225SP	M-7	Complete 6.00 pr Complete 6.95 pr	6 prs 6 prs	1311SP	M-2	No. 2 10.75 ea	5 pcs
1225CH	M-7	No. 0 6.00 pr No. 1 6.95 pr	6 prs 6 prs	1312SP	M-6	6.75 ea	4 pcs
1226 SP	M-9	Chrome 2.00 pr	12 prs	1313SP	M-6	4.70 ea	6 pcs
1227SP	M-11	Nat 2.80 pr Chrome 4.25 pr	6 prs 6 prs	1336SP	M-8	6.45 pr	6 prs
1228SP	M-11	Chrome 9.00 pr	6 pr	NEW ITEMS SUPPLEMENT NO. 221-A			
1231SP	M-8	5.15 pr	6 prs	884-L		Painted Gray Each 325.00 Polished Brass Each 325.00 Chromium Plated Each 378.00	
1232SP	M-7	3.55 ea	6 pcs	No. 1		420.00	
1233SP	M-2	No. 2 10.75 ea	5 pcs	No. 2		420.00	
1235SP	M-7	3.75 ea	6 pcs	No. 3		498.00	
1239SP	M-3	6.35 ea	6 pcs	885-L		No. 1 335.00 No. 2 432.00 No. 3 513.00	
1246SP	M-9	2.45 pr	12 prs	No. 1		335.00	
1250SP	M-4	3.90 pr 5.40 pr 4.70 ea	6 prs 6 prs 6 pcs	No. 2		432.00	
1253SP	M-5	4.00 pr	6 prs	No. 3		513.00	
1262SP	M-11	Nat 2.50 pr Chrome 3.85 pr	6 prs 6 prs	1188		6.95 ea	5
				1210		4" 3.50 ea 6" 4.65 ea 8" 8.00 ea	
				1225		Red	
				No. 0		2.20 ea	10
				No. 1		2.60 ea	10
				1331		7.50 ea	
				1332		7.50 ea	

ALPHABETICAL INDEX

A	PAGE
Adapters —	
Electric	C-3 & D-7
For Exhaust Duct	F-3
Pipe to Hose	H-14
Adjusters —	
Hatch	J-7
Windshield	I-18
Anchor Chocks	I-20
Anchor Lights	A-10 to A-20
	B-2 to B-5
Anchor Shackle	I-24
Anti-Rattler	J-8
Ash Trays	G-6
Axe Brackets	I-21
B	
Ball Joints	H-7
Bass Boat Lights	A-15
Bells —	
Fog	G-7
Smoke	D-11
Berth Lights	D-13
Bilge Pump —	
Parts	F-10, F-11
Switches	F-9
Bilge Pumps	F-10, F-11
Bits	I-6
Blinker Signal Lights	B-6
Blocks	H-19
Blower & Ignition Switches	F-2
Blowers	F-2
Boarding Steps	I-17
Boat —	
Cover Sockets	J-15
Hook Holders	I-19
Hooks	I-20
Snaps	I-22
Top Fittings	J-15
Bolts —	
Barrel	J-4
Cupboard	J-3
Ship	J-4
Books, Log	G-8
Bow —	
& Anchor Lights	A-10 & A-11
Combination	A-3 to A-19
Eyes	I-8, I-9
Lifting Handles	I-11
Boxes, Stuffing	H-3 to H-5
Brackets —	
Axe	I-21
Table	I-16
Breakdown Lights	B-2 to B-5
Bulbs, Electric	C-6 & E-7

B	PAGE
Burners —	
For Alcohol Stoves	G-6
Oil	C-2
Butt Hinges	J-10
Buttons —	
Door	J-6
Horn Push	D-5 & D-9
C	
Cabin —	
Door Hooks	J-4
Lamps, Oil	D-11
Cabinet Hinges	J-11
Cable —	
Outlets	D-9
Straps	D-7
Can Holder	G-6
Cans, Oil	H-5
Caps, Gas Tank	H-11
Casing —	
Bowden	H-7
Clamps	H-7
Catches, Door	J-3, J-5
Caulking Irons	I-21
Chain —	
Deck Pipe	I-6, I-7
Portlight	G-2
Chimneys	C-2
Chocks	I-4 to I-6
Chocks, Anchor	I-20
Choke Controls	H-7
Chromalex Products	Sec. L
Clam Shell Ventilators	F-5
Clamps —	
Bowden Casing	H-7
Gas Tank	H-8
Hatch Hold-Down	J-6
Hose	H-5, H-17
Spring	I-19
Tiller Rope	H-20
Cleats	I-2 to I-4
Clips —	
Line Support	D-7
Trolling	K-2
Wire Rope	I-23
Coat & Hat Hooks	J-9
Cockpit Scupper	H-17
Cocks, Sea	H-16
Collars —	
Electrolysis	H-12
Rudder	H-3
Combination —	
Bow & Anchor Lights	A-10, A-11
Bow Lights	A-3 to A-19
Transom Vent & Stern Light	F-7
Compass Light	A-20

C	PAGE
Connecting Links	I-24
Connections —	
Electric	D-9
Thru-Hull	H-14 to H-16
Connectors, Electric	D-8, D-9
Continuous Hinge	J-14
Control —	
Parts	H-6
Rod Sockets	H-7
Wire Handles	H-7
Wire Sockets	H-7
Convertible Boat Top —	
Fittings	J-15
Course Protractors	G-8
Cowl Ventilators	F-3, F-4
Cupboard —	
Bolts	J-3
Catches	J-3
Turns	J-3
Cups, Grease	H-4
Curtain-Fasteners	J-15, J-16
D	
Deck —	
Lights	G-3
Pipes, Rope & Chain	I-7
Plate Keys	H-10, H-11
Plates	H-10
Dividers	G-8
Dock Line Springs	H-13
Dome Lights	D-14, D-15
Door —	
Buttons	J-6
Catches	J-3, J-4
Fasteners	J-6
Hinges	J-10 to J-14
Holders	J-5
Hooks	J-4
Stops	J-4, J-5
Drain Fittings for Sink	G-4
Drain Plugs	F-8
Drawer —	
Knobs	J-9
Pulls	J-9
Duct, Adapters	F-3
Duct, Exhaust	F-3
E	
Elbow Catches	J-5
Electric —	
Adapters	C-3 & D-7
Bulbs	C-6 & E-7
Cabin Fixtures	D-12 to D-15
Connections	D-9
Connectors	D-8 & D-9
Sockets	C-7 & D-7
Switches	D-2 to D-5

L	PAGE
Lamps —	
Cabin	D-11
Dashboard	D-10
Electric	C-6
Wall	D-11
Lanterns —	
Bulkhead	B-10
Navy or Lifeboat	B-10
Ships	B-10, B-11
Lap Links	I-24
Lashing Eyes	I-9
Lashing Hooks	J-15
Latches —	
Door	J-2, J-3
Refrigerator	J-14
Lavatory Pumps	F-12
Lavatories	Discontinued
Lead Lines	G-3
Leads, Sounding	G-3
Leathers, Oar	I-12
Lenses, Fresnel	C-4
Lifting Eyes	I-9
Lights —	
Anchor	A-10 to A-20, B-2 to B-5
Bass Boat	A-15
Berth	D-13
Blinker	B-6
Bow	A-3 to A-19
Breakdown	B-2 to B-5
Combination	A-3 to A-19
Compass	A-20
Deck	G-3
Distress or Globe	B-10, B-11
Dome	D-14, D-15
Double Lens	B-2
Flag Pole	A-6 to A-10
For Windshield	
Mounting	A-8 to A-11
Indicator	D-10
Mast	A-12, A-13
Masthead	B-2 to B-5
Meal & Absent	A-13
Not under-	
Command	B-2 to B-5
Pole	A-6 to A-10
Range	B-2 to B-6
Searchlights	E-2 to E-7
Side	A-14 to A-19, B-2 to B-5
Signal	B-2 to B-6
Spreader	A-20
Stern	A-6 to A-19, B-2 to B-5
Towing	B-2 to B-6

L	PAGE
Utility	D-10, D-13
Yardarm	A-12
Line Support Clips	D-7
Lines, Lead	G-3
Links	I-24
Locks —	
Door	J-2, J-3
Fender	I-7
Ladder	I-17
Window	J-8
Log Books	G-8
Logs, Shaft	H-5
Louver Ventilators	F-7

M

Mast Lights	A-12
Masthead Lights	B-2 to B-5
Meal & Absent Light	A-13
Mooring Hook	I-22

N

Name Plates, Switch ..	D-3 & D-6
Nuts —	
Acorn	I-23
Lock	H-4
Packing	H-4
Wing	I-23

O

Oar —	
Leathers & Buttons	I-12
Locks	I-12, I-13
Oilers, Zinc	H-5
Outboard Motor Transom	
Plates	I-13
Outlet Connections ..	H-14 to H-16
Outlets —	
Cable	D-9
Water	H-14
Outrigger —	
Holders	K-3, K-6
Kit	K-2
Pole Line Guides	K-2
Poles	K-2
Trolling Pin	K-2

P

Pads, Step	I-10
Paint Scraper	I-21
Palms, Sewing	I-21
Panels —	
Fuse	D-6
Switch	D-2, D-3
Parallel Rules	G-8
Piano Hinge	J-14
Pins —	
Brass	I-23
Trolling	K-2
Pipes, Rope Deck	I-6, I-7

P	PAGE
Plates —	
Deck	H-10
Hawse Hole	I-6
Keel	I-9
Step	I-10
Transom	I-13
Plugs, Drain	F-8
Pole Holders, Boat Hook ...	I-19
Pole Holders, Outrigger .	K-3, K-6
Pole Lights	A-6 to A-10
Pole Sockets	I-16
Poles —	
Flag	A-5
Outrigger	K-2
Portlights	G-2, G-3
Ports, Rudder	H-3
Posts —	
Grab Rail	I-14
Stanchion	I-14
Protractors, Course	G-8
Pulleys	H-18, H-19
Pulls —	
Drawer	J-9
Flush	J-7, J-9
Pump —	
Strainers	F-10, F-11
Switches	F-9
Pumps —	
Bilge	F-9, F-11
Crankcase	F-10
Galley	F-12
Lavatory	F-12


R

Rail —	
Fittings	I-14 to I-16
Hinges and Locks	I-16
Rails, Grab	I-14
Range Lights	B-2 to B-6
Refrigerator Fasteners	Discontinued
Rim Locks	J-2
Ring —	
And Deck Straps	I-20
Buoy Holders	I-17
Catches, Flush	J-6
On Plate	I-20
Pulls	J-7
Rings —	
Brass	I-20
Hatch Lifting	J-7
Rope —	
Clamps	H-20
Clips	I-23
Deck Pipe	I-6, I-7
Guides	H-18
Pulleys	H-18
Thimbles	I-24

R	PAGE	S	PAGE	T	PAGE
Rope Tighteners	H-20	Steering Wheels	H-2	Towing Hooks	I-8
Rowlocks	I-12, I-13	Steps —		Transom —	
Rudder —		Boarding	I-17	Eyes	I-8
Collars	H-3	Folding	I-17	Handles	I-11
Ports	H-3	Step Pads	I-10	Plates	I-13
Stuffing Boxes	H-3	Step Plates	I-10	Stern Light	A-14 to A-16
Rudders	H-3	Stern —		Ventilators	F-6, F-7
Rules, Parallel	G-8	Lights	A-6 to A-19 B-2 to B-5	Trays, Ash	G-6
		Pole Lights	A-6 to A-10	Trim, Hatch	J-14
		Stop —		Trolling Pin	K-2
S		Door	J-4, J-5	Tube Flanges	H-17
"S" Hooks	I-23	Window	J-8	Tubing, Grab Rail	I-14, I-15
Sash —		Stoves —		Turnbuckles	I-24
Anti-Rattler	J-8	Alcohol	G-6	Turns, Cupboard	J-3
Fasteners	J-8	Parts	G-6		
Scrapers	I-21	Strainers —		U	
Screens, Portlight	G-2	Fuel	H-9	Universal Joints	Discontinued
Screw Drivers	J-16	Gasoline	H-9	Utility Hooks	J-9
Scupper, Cockpit	H-17	Hull	H-14	Utility Lights	D-10 & D-13
Sea Cocks	H-16	Inlet	H-14		
Sealed Beam Unit	E-3	Pump	F-10, F-11	V	
Searchlight Bulbs	E-7	Water	H-9, H-14, H-15	Vapor Proof Fixtures	B-6
Searchlights	E-2 to E-7	Strap Hinges	J-10	Ventilator —	
Separator, Fuel	H-9	Straps —		Cowl	F-3
Shackles	I-24	Cable	D-7	Gas Tank	H-8
Shades for Cabin Fixtures	D-15	Deck	H-20	Locker	F-6
Shaft Logs	H-5	Eye	H-20	Shell Type	F-4
Sheaves, Rope	H-18	Struts	H-6	Transom	F-6
Shields — For Combination Bow		Stuffing Boxes	H-3 to H-5	Ventilators	F-2 to F-7
and Anchor Light	A-11	Stuffing Box Nuts	H-4		
For Fixtures	D-15	Switch —		W	
For Int'l Lights	A-9	Name Plate	D-3, D-6	Wardrobe Hooks	J-9
Side Lights	A-14 to A-19 B-2 to B-5	Panels	D-2, D-3	Waste Fitting	H-10
Signal Lights	B-2 to B-6	Switches —		Water Strainers	H-9
Sink Frames	G-4	Blower & Ignition	F-2	Wheels, Steering	H-2
Sinks, Galley	G-5	Electric	D-2 to D-5	Whistles	G-7
Ski Towing Hooks	I-8	Panels	D-3	Wicks	C-2
Skin Packed Products	Sec. M	Pump	F-9	Window —	
Smoke Bell & Arm	D-11	Swivel —		Handle, Sliding	J-8
Snap Hooks	I-22, I-23	Eye Blocks	H-19	Lock	J-8
Sockets —		Eye Mooring Hooks	I-22	Stop	J-8
Boat Cover	J-15	Eye Pulleys	H-18, H-19	Windows	G-2
Control Rod	H-7	Eye Snaps	I-22	Windshield —	
Control Wire	H-7			Adjusters	I-18
Electric	C-7 & D-7	T		Keeper & Plate	I-19
Fishing Rod	K-6 K-7	"T" Hinges	J-10	Pole Light for	A-8, A-9
Flag Pole	I-16	Table Brackets	I-16	Wipers	I-10
Outrigger Pole	K-3, K-6	Table Leg Fasteners	J-8	Wing Nuts	I-23
Rowlocks	I-12, I-13	Tail Pieces	Discontinued	Wire —	
Staff	A-5	Terminal Blocks	D-6	Bowden	H-7
Sounding Leads	G-3	Thimbles, Rope	I-24	Rope Clips	I-23
Spikes, Marline	I-21	Thru-Hull Connections	H-14 to H-16	Rope Pulleys	H-19
Spotlights	E-2 to E-7	Tiller		Rope Thimbles	I-24
Spreader Lights	A-20	Rope Clamps	H-20		
Spring Clamps	I-19	Rope Guides	H-18	Y	
Springs for Dockline	H-13	Rope Pulleys	H-18	Yardarm Lights	A-12
Spring, Tiller Rope	H-20	Rope Tighteners	H-20		
Staffs, Flag	A-5	Tools, Hand	J-16	Z	
Steerer Parts	H-6			Zincs	H-12, H-13

PERKO

1907



Frederick Perkins

CO-FOUNDERS

Louis E. Perkins

The Perko heritage dates back to 1907 when the late Frederick Perkins with his son, Louis, founded a small shop in Brooklyn, N. Y. to manufacture oil lanterns and navigational lights for the maritime industry. Soon the quality of their products became recognized and the company prospered to the point where it incorporated in 1917. During the decades to follow, the original Brooklyn shop was expanded many times to keep pace with the growing demand for the ever broadening Perko line. By 1960 further plant expansion was no longer feasible because of property limitations.

At this point the surviving Co-Founder, Louis Perkins, decided to move the entire operations to its present facility in Miami, Florida. He coordinated and supervised the monumental relocation and played a vital role in planning the highly efficient plant layout.

As a result of his vision and determination, all manufacturing facilities in the Miami plant are effectively arranged under one roof. Every step of production from the bronze and die cast foundry to final assembly and inspection is completely coordinated.

Before his passing in 1964, Louis E. Perkins devoted his efforts to making sure his new plant, the most modern in the industry, produced quality products worthy of the Perko name he founded.

The original area of the plant in Miami in 1961 was 90,000 square feet. The total enclosed area is now 147,000 square feet.



1973



PERKO